

|   |  |
|---|--|
| TO:<br>Executive Director, Florida Inland Navigation District | FROM:<br>USACE, District Engineer<br>Attn: CESAJ-CO-OM Jacksonville, Florida |
|---|--|

|   |  |
|---|--|
| RIVER/HARBOR NAME AND STATE<br>Intracoastal Waterway, Duval Co., FL | MINIMUM DEPTHS IN EACH 1/4 WIDTH OF<br>CHANNEL ENTERING FROM SEAWARD |
|---|--|

| NAME OF CHANNEL  | Date of Survey | AUTHORIZED PROJECT |                |              | Left Outside Quarter (feet) | Middle Half (feet) | Right Outside Quarter (feet) |
|--|----------------|--------------------|----------------|--------------|-----------------------------|--------------------|------------------------------|
|  |                | Width (feet)       | Length (miles) | Depth (feet) |                             |                    |                              |
| IWW, Duval County:<br>from approximately 1,000 feet north<br>of green can buoy-19, south to the<br>Atlantic Blvd. Bridge | Oct-2002       | 125                | 0.34           | 12           | 8.5 (1)                     | 8.5 (1)            | 8.8 (1)                      |
| from the Atlantic Blvd. Bridge to<br>350 feet south of green can buoy-19A  | Oct-2002       | 125                | 0.2            | 12           | 5.9 (2)                     | 8.5 (2)            | 10.4 (2)                     |

**Remarks:**

1. Shoaling across entire channel extending from green can buoy-19 to approximately 800 feet north.
  
2. Shoaling across entire channel in vicinity of green can buoy-19A.