

**JACKSONVILLE DISTRICT NATIONWIDE PERMITS**  
**Summary of Applicability, Limits, State and Tribal Certifications,**  
**and**  
**Final Regional Conditions**  
**July 12, 2007**

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold and/or Requirements :	Coordination Req'd	WQ C FL	CZM FL	WQC PR	CZM PR	WQ C VI	CZM VI	WQ C STF	WQC MTIF	GENERAL CONDITIONS Permittee must satisfy all applicable general conditions. General Condition #19 restrictions are noted below.	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions <b>NOTE:</b> U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received. Where technical notes, guidelines, etc. are referenced in the regional conditions below, these documents may be subject to revision at any time. It is our intention that the most recent version of these conditions will be utilized during the evaluation of the permit application.
1. Aids to Navigation (10)	Navigable	NA	None	No	NA	Yes <sup>φ</sup>	NA	Yes	NA	No	NA	NA		<ol style="list-style-type: none"> <li>1. In Florida, prior to installation of aids to navigation and other water dependent informational signs must have the appropriate authorization required from the U.S. Coast Guard and the FWC (CZM-FL)</li> <li>2. Aids to navigation may not be located on tribal lands or in tribal waters without prior written approval from the Seminole Tribe of Florida. (WQC-STF)</li> <li>3. Excluded from all navigable waters within the boundaries of the Florida Keys National Marine Sanctuary, except when NWP 1 is used by the Sanctuary in carrying out its mandate. (COE)</li> <li>4. For projects in WOTUS accessible to manatees, the permittee will utilize the "Standard Manatee Conditions For In-Water Work" (see <a href="http://www.saj.usace.army.mil/regulatory/what/species/endangered.htm">http://www.saj.usace.army.mil/regulatory/what/species/endangered.htm</a>) and/or requirements, as appropriate for the proposed activity.</li> </ol>
2. Structures in Artificial Canals (10)	Artificial Canals	NA	Regional condition #11	No	NA	Yes <sup>φ</sup>	NA	Yes	NA	No	NA	NA		<ol style="list-style-type: none"> <li>1. This NW is limited to installation and removal of individual, single family docks, boat lifts and seawalls at private, single-family residences and multi-family docks of less than 1,000 square feet. (CZM-FL)</li> <li>2. Excluded from use in the Florida Keys. (CZM-FL)</li> <li>3. Docking facilities are authorized only in areas that have a minimum water depth of -2 feet MLW. (CZM-FL)</li> <li>4. A structure may not be located on tribal lands or in tribal waters without prior written approval from the Seminole Tribe of Florida. (WQC-STF)</li> <li>5. Structures are limited to private, single-family docks, riprap revetments, seawalls with riprap at the toe and vertical seawalls on lands owned by the Seminole Tribe of Florida. (WQC-STF)</li> <li>6. Excluded from use in the Florida Keys. (COE)</li> <li>7. In Florida other than the Florida Keys, the NWP is limited to the installation and removal of individual, single family docks and/or mooring pilings, fishing piers, davits, boat lifts, and vertical seawalls at single-family residences. (COE)</li> <li>8. Bulkhead structures should be placed landward of all tidal fringe wetlands. (COE)</li> <li>9. All dock or pier construction over submerged aquatic vegetation, marsh, and/or mangroves shall comply with the joint U.S. Army Corps of Engineers/National Marine Fisheries Service's "Construction Guidelines in Florida for Minor Piling-Supported Structures Constructed in or over Submerged Aquatic Vegetation (SAV), Marsh or Mangrove Habitat - August 2001," and where applicable, the "Key for Construction Conditions for Docks or Other Minor Structures Constructed in or Over Johnson's seagrass (<i>Halophila johnsonii</i>) National Marine Fisheries Service/U.S. Army Corps of Engineers - February 2002." (See <a href="http://www.saj.usace.army.mil/regulatory/what/species/endangered.htm">http://www.saj.usace.army.mil/regulatory/what/species/endangered.htm</a>) (COE)</li> <li>10. For projects in waters of the United States (WOTUS) accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see <a href="http://www.saj.usace.army.mil/regulatory/what/species/endangered.htm">http://www.saj.usace.army.mil/regulatory/what/species/endangered.htm</a>) and/or requirements, as appropriate for the proposed activity.</li> </ol>

WOTUS: Waters of the United States  
STF: Seminole Tribe of Florida  
NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida  
NAJ: Not Applicable in the Jacksonville District

<sup>φ</sup> Indicates a special condition requiring State of Florida individual review language in verification letter.

**JACKSONVILLE DISTRICT NATIONWIDE PERMITS**  
**Summary of Applicability, Limits, State and Tribal Certifications,**  
**and**  
**Final Regional Conditions**  
**July 12, 2007**

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold and/or Requirements	Coordination Req'd	WQ C FL	CZM FL	WQC PR	CZM PR	WQ C VI	CZM VI	WQ C STF	WQC MTIF	GENERAL CONDITIONS Permittee must satisfy all applicable general conditions. General Condition #19 restrictions are noted below.	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions <b>NOTE:</b> U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received. Where technical notes, guidelines, etc. are referenced in the regional conditions below, these documents may be subject to revision at any time. It is our intention that the most recent version of these conditions will be utilized during the evaluation of the permit application.
3. Maintenance (10/404)	All	200 linear ft from structure; 50 cy	All activities except repair, replacement or rehab; or Regional conditions #5, #6, #7, #8, #9, #11; or GC #19.	No	Yes <sup>φ</sup>	Yes <sup>φ</sup>	Yes	Yes	No	No	Yes	Waive	19. Activities in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands require notification.	<p><b>11. In Florida, PCN required for projects in waters accessible to manatees. (COE)</b></p> <p>1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)</p> <p>2. In Florida, not applicable to maintenance activities located seaward of the coastal construction control line and along ocean inlet shorelines. (CZM-FL)</p> <p>3. In Florida any structure replaced or repaired in accordance with an emergency order issued by the Governor of Florida or the Secretary of the Department of Environmental Protection is subject to full compliance with the terms of the order. (WQC/CZM-FL)</p> <p>4. Excluded from use in the Commonwealth of Puerto Rico and the U.S. Virgin Islands if the structure is within 100 feet of the near edge of a Federal channel (COE)</p> <p>5. In Florida PCN required for projects proposed adjacent to Federally maintained channels. No structures, including mooring piles, authorized under this Nationwide Permit shall be within the established setback, calculated from the near bottom edge of the channel. The setback may vary between different Federal channels and between specific reaches of the same Federal channel. Exact locations of the proposed work may be verified by use of Florida State Plane Coordinate System (XY coordinates). Any activity within Federal rights-of-way may require the permittee to enter into a consent-to-easement with the Real Estate Division, U.S. Army Corps of Engineers, Jacksonville or Mobile District, as appropriate, prior to the commencement of any construction activity. (COE)</p> <p>6. PCN required prior to start of any work in the Florida Keys. (COE)</p> <p>7. In Florida other than the Florida Keys, PCN required prior to the start of any activity proposed within submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE)</p> <p>8. PCN required prior to start any work located in the Coastal Zone of the Commonwealth of Puerto Rico and U.S. Virgin Islands, including the areas listed in Note 1 and 2 below. The PCN shall be submitted in accordance with General Condition 27. (COE)</p> <p>9. For all work in La Parguera area and Culebra Island, in the Commonwealth of Puerto Rico, the permittee must submit a PCN to the District Engineer prior to commencing the activity, in accordance with General Condition 27. The PCN shall also include the following information: a) Detailed description of the proposed repairs. b) Plan view and cross sectional drawings of the existing structure. c) Photographs of the existing structure (all sides). d) Statement describing whether the structure would be rebuilt or repaired. e) Statement regarding the existing purpose or use of the structure. f) A statement from the structure's owner certifying that the structure will not be expanded beyond its approved footprint. g) PCN must also contain a brief discussion of how the proposed project complies with Nationwide General Conditions 1, 17, and 18. Reconstruction of structures within La Parguera will not be allowed under this nationwide permit. (COE)</p> <p>10. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application form and the form must clearly indicate that it is a "Nationwide Permit Pre-Construction Notification." (COE)</p> <p>11. In Florida, PCN required for projects in waters accessible to manatees. (COE)</p> <p>12. For projects in WOTUS accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see <a href="http://www.sai.usace.army.mil/regulatory/what/species/endangered.htm">http://www.sai.usace.army.mil/regulatory/what/species/endangered.htm</a>) and/or requirements, as appropriate for the proposed activity. (COE)</p>
4. Fish and Wildlife	All	None	Regional Condition #4	No	Yes <sup>φ</sup>	Yes <sup>φ</sup>	Waive	Yes	No	No	NA - STF	Waive		1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, under Chapter

**JACKSONVILLE DISTRICT NATIONWIDE PERMITS**  
**Summary of Applicability, Limits, State and Tribal Certifications,**  
**and**  
**Final Regional Conditions**  
**July 12, 2007**

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold and/or Requirements :	Coordination Req'd	WQ C FL	CZM FL	WQC PR	CZM PR	WQ C VI	CZM VI	WQ C STF	WQC MTIF	GENERAL CONDITIONS Permittee must satisfy all applicable general conditions. General Condition #19 restrictions are noted below.	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions <b>NOTE:</b> U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received. Where technical notes, guidelines, etc. are referenced in the regional conditions below, these documents may be subject to revision at any time. It is our intention that the most recent version of these conditions will be utilized during the evaluation of the permit application.
Harvesting, Enhancement, and Attraction Devices and Activities (10/404)														597, F.S., by the Department of Agriculture and Consumer Services, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC), unless exempt under s. 373.406(8), F.S., and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. Dredging of sediments is not authorized (except as outlined in Condition 1), except for harvesting of crabs, sand dollars, sea urchins and similar invertebrates by properly accredited scientific researchers and private individuals not engaged in commercial activities. (WQC/CZM-FL) 3. In Florida, aquaculture projects must be certified pursuant to s. 597.004, F.S., and if applicable, have obtained a submerged land lease pursuant to Chapter 253, F.S., to qualify for this nationwide permit. (WQC/CZM-FL) 4. In Florida, PCN required for projects in waters accessible to manatees. (COE) 5. Placement of materials for Live Rock culture and the harvesting of Live Rock are excluded from this nationwide. (COE) 6. For projects in WOTUS accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see <a href="http://www.saj.usace.army.mil/regulatory/what/species/endangered.htm">http://www.saj.usace.army.mil/regulatory/what/species/endangered.htm</a> ) and/or requirements, as appropriate for the proposed activity.
5. Scientific Measurement Devices (10/404)	All	25cy for weirs & flumes	None	No	Yes <sup>φ</sup>	Yes <sup>φ</sup>	Waive	Yes	No	No	Yes	Waive		1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. The maximum size of the measurement device and associated structures shall not exceed 1000 sq. feet, and the structure shall be used exclusively for purposes associated with scientific measurement. (WQC/CZM-FL) 3. A structure may not be located on tribal lands or in tribal waters without prior written approval from the Seminole Tribe of Florida. (WQC-STF)
6. Survey Activities (10/404)	All	None	Regional Condition #8	No	Yes <sup>φ</sup>	Yes <sup>φ</sup>	Waive	Yes	No	No	Yes	Waive		1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. Seismic exploratory devices are not authorized within the limits of the Everglades as defined in Florida Statutes Section 403.031(13)(a) and (b); Big Cypress and Water Conservation Areas 1, 2A, 2B, 3 and 3A. (WQC/CZM-FL) 3. Activities shall be performed in accordance with a permit from DEP's Bureau of Geology. (WQC/CZM-FL) 4. No survey may be located on tribal lands or in tribal waters without prior written approval from the Seminole Tribe of Florida. (WQC-STF) 5. Seismic exploratory activities on tribal lands or in tribal waters are not authorized without prior written approval from the Seminole Tribe of Florida. (WQC-STF) 6. Survey activities on tribal lands or in tribal waters using ground penetrating radar are not authorized without prior written approval from the Seminole Tribe of Florida. (WQC-STF) 7. Survey activities on tribal lands or in tribal waters using isotope technology are not authorized. (WQC-STF) 8. In Florida, PCN required for seismic exploratory activities in WOTUS accessible to manatees. (COE) 9. For projects in WOTUS accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the

**JACKSONVILLE DISTRICT NATIONWIDE PERMITS**  
**Summary of Applicability, Limits, State and Tribal Certifications,**  
**and**  
**Final Regional Conditions**  
**July 12, 2007**

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold and/or Requirements :	Coordination Req'd	WQ C FL	CZM FL	WQC PR	CZM PR	WQ C VI	CZM VI	WQ C STF	WQC MTIF	GENERAL CONDITIONS Permittee must satisfy all applicable general conditions. General Condition #19 restrictions are noted below.	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions
														<b>NOTE:</b> U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received. Where technical notes, guidelines, etc. are referenced in the regional conditions below, these documents may be subject to revision at any time. It is our intention that the most recent version of these conditions will be utilized during the evaluation of the permit application.
														permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see <a href="http://www.saj.usace.army.mil/regulatory/what/species/endangered.htm">http://www.saj.usace.army.mil/regulatory/what/species/endangered.htm</a> ) and/or requirements, as appropriate for the proposed activity.
7. Outfall Structures and Associated Intake Structures (10/404)	All	None	All activities	If over ½ acre of Wat US will be lost	Yes <sup>φ</sup>	Yes <sup>φ</sup>	No	No	No	No	Yes	Waive	19. Discharges not authorized in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands.	1. In Florida, this NWP is excluded from use in areas designated in Rule 62-302.700, F.A.C., until the project is authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. In all other waters, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a Nationwide permit PCN (COE). 3. In the Commonwealth of Puerto Rico and the U.S. Virgin Islands, this NWP is excluded from use in coral assemblages, forested wetlands, salt flats, and/or submerged aquatic or tidal vegetation. (COE)
8. Oil and Gas Structures on the Outer Continental Shelf (10)	Navigable	None	All activities	No	NA	No	NA	NA	NA	No	NA	NA	19. Activities in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands require notification.	NONE
9. Structures in Fleeting and Anchorage Areas (10)	Areas established by the US Coast Guard	None	None	No	NA	Yes <sup>φ</sup>	NA	Yes	NA	No	NA	NA		1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. A structure may not be located on tribal lands or in tribal waters without prior written approval from the Seminole Tribe of Florida. (WQC-STF)
10. Mooring Buoys (10)	Navigable	None	Regional Condition #4; or GC #19	No	NA	Yes <sup>φ</sup>	NA	Yes	NA	No	NA	NA	19. Activities in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands require notification.	1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. Buoys shall not be authorized where the surrounding area is located over corals or submerged aquatic macrovegetation, including attached macroalgal communities. (CZM-FL) 3. Buoys shall be established where minimum water depths are a minimum of -5 feet MLW (or -5 feet below mean annual low water in non-tidal areas. (CZM-FL) 4. PCN required prior to the start of any activity proposed within submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE)

**JACKSONVILLE DISTRICT NATIONWIDE PERMITS**  
**Summary of Applicability, Limits, State and Tribal Certifications,**  
**and**  
**Final Regional Conditions**  
**July 12, 2007**

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold and/or Requirements	Coordination Req'd	WQ C FL	CZM FL	WQC PR	CZM PR	WQ C VI	CZM VI	WQ C STF	WQC MTIF	GENERAL CONDITIONS Permittee must satisfy all applicable general conditions. General Condition #19 restrictions are noted below.	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions <b>NOTE:</b> U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received. Where technical notes, guidelines, etc. are referenced in the regional conditions below, these documents may be subject to revision at any time. It is our intention that the most recent version of these conditions will be utilized during the evaluation of the permit application.
														5. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA), and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE)
11. Temporary Recreational Structures (10)	Navigable	None	Regional Condition #2	No	NA	Yes <sup>φ</sup>	NA	No	NA	No	NA	NA		1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. In Florida, PCN required for projects in waters accessible to manatees. (COE) 3. For projects in WOTUS accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see <a href="http://www.saj.usace.army.mil/regulatory/what/species/endangered.htm">http://www.saj.usace.army.mil/regulatory/what/species/endangered.htm</a> ) and/or requirements, as appropriate for the proposed activity.
12. Utility Line Activities (10/404)	Non-tidal, excluding all wetlands adjacent to tidal waters (substations ; all waters (other activities)	½ acre	1/10 acre; or Section 10; or Regional Conditions #2, #5, #7 or #9.	If over ½ acre of Wat US will be lost.	Yes <sup>φ</sup>	Yes <sup>φ</sup>	Yes	No	No	No	Yes	Waive	19. Discharges not authorized in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands.	1. In Florida, this NWP is excluded from use in areas designated in Rule 62-302.700, F.A.C., until the project is authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. In all other waters, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. For water intakes in the Commonwealth of Puerto Rico, the permittee must submit PCN to the District Engineer prior to commencing the activity, in accordance with General Condition 27. The PCN must contain plans and drawings, a description of all waters of the United States impacted by the project, amount of water to be withdrawn in MGDs, and minimum in-stream flows in MGDs after water extraction, Q99. (COE) 3. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE) 4. In the Commonwealth of Puerto Rico and the U.S. Virgin Islands, this NWP is excluded from use in forested wetlands, submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE) 5. In Florida, PCN required prior to the start of any activity proposed within submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE) 6. Excluded from use in the following rivers, creeks, and their tributaries: Chipola River, Apalachicola River, Ochlockonee River, Econfina Creek, and the Suwannee River. (COE) 7. In Florida, PCN required for projects in WOTUS accessible to the Florida panther. (COE) 8. Aerial transmission lines must meet the U.S. Army Corps of Engineers clearance criteria as described in 33 CFR, Part 322.5(i)(1), (2), (3), and (4). (COE) 9. In Florida, PCN required for projects in waters accessible to manatees. (COE) 10. For projects in WOTUS accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see <a href="http://www.saj.usace.army.mil/regulatory/what/species/endangered.htm">http://www.saj.usace.army.mil/regulatory/what/species/endangered.htm</a> ) and/or requirements, as appropriate for the proposed activity.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS  
 Summary of Applicability, Limits, State and Tribal Certifications,  
 and  
 Final Regional Conditions  
 July 12, 2007

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold and/or Requirements :	Coordination Req'd	WQ C FL	CZM FL	WQC PR	CZM PR	WQ C VI	CZM VI	WQ C STF	WQC MTIF	GENERAL CONDITIONS Permittee must satisfy all applicable general conditions. General Condition #19 restrictions are noted below.	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions <b>NOTE:</b> U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received. Where technical notes, guidelines, etc. are referenced in the regional conditions below, these documents may be subject to revision at any time. It is our intention that the most recent version of these conditions will be utilized during the evaluation of the permit application.
13. Bank Stabilization (10/404)	All	500 ft length; 1cy/ft below OHWM or high tide line	500 ft length; or 1cy/ft below OHWM or high tide line; Project located in a special aquatic site; or Regional Conditions #4, #5, #8 or #10; or GC #19.	If over ½ acre of Wat US will be lost;	Yes <sup>φ</sup>	Yes <sup>φ</sup>	Yes	Yes	No	No	Yes	Waive	19. Activities in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands require notification.	1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. WQC/CZM and CZM is approved for construction of seawalls and riprap in artificial canals, except that vertical seawalls cannot be constructed in canals connected to estuaries or lagoons where there is not already existing seawalls. (WQC/CZM-FL) 3. Excluded from use in the Florida Keys. (COE) 4. In Florida other than the Florida Keys, PCN required prior to the start of any activity proposed within submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE) 5. PCN required for all activities under this NWP in the Commonwealth of Puerto Rico and the U.S. Virgin Islands. (COE) 6. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE) 7. This NWP may not be used if the structure is within 100 feet of the near edge of a Federal channel in the Commonwealth of Puerto Rico and the U.S. Virgin Islands. (COE) 8. In Florida, PCN required for projects proposed adjacent to Federally maintained channels. No structures, including mooring piles, authorized under this Nationwide Permit shall be within the established setback, calculated from the near bottom edge of the channel. The setback may vary between different Federal channels and between specific reaches of the same Federal channel. Exact locations of the proposed work may be verified by use of Florida State Plane Coordinate System (XY coordinates). Any activity within Federal rights-of-way may require the permittee to enter into a consent-to-easement with the Real Estate Division, U.S. Army Corps of Engineers, Jacksonville or Mobile District, as appropriate, prior to the commencement of any construction activity. (COE) 9. Excluded from use in the following rivers, creeks, and their tributaries: Chipola River, Apalachicola River, Ochlockonee River, Econfina Creek, and Suwannee River. (COE) 10. In Florida, PCN required for projects in waters accessible to manatees. (COE)
14. Linear Transportation Projects (10/404)	Non-tidal waters Tidal Waters	½ acre 1/3 acre	1/10 acre; or Discharges into special aquatic sites; or Regional Conditions #6,	If over ½ acre of Wat US will be lost	Yes <sup>φ</sup>	Yes <sup>φ</sup>	Yes	Yes	No	No	Yes	Waive	19. Discharges not authorized in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands.	1. In Florida, this NWP is excluded from use in areas designated in Rule 62-302.700, F.A.C., until the project is authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. In all other waters, prior to the initiation of any construction, projects qualifying for this

**JACKSONVILLE DISTRICT NATIONWIDE PERMITS**  
**Summary of Applicability, Limits, State and Tribal Certifications,**  
**and**  
**Final Regional Conditions**  
**July 12, 2007**

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold and/or Requirements :	Coordination Req'd	WQ C FL	CZM FL	WQC PR	CZM PR	WQ C VI	CZM VI	WQ C STF	WQC MTIF	GENERAL CONDITIONS Permittee must satisfy all applicable general conditions. General Condition #19 restrictions are noted below.	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions <b>NOTE:</b> U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received. Where technical notes, guidelines, etc. are referenced in the regional conditions below, these documents may be subject to revision at any time. It is our intention that the most recent version of these conditions will be utilized during the evaluation of the permit application.
			#7 or #8.											<p>nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)</p> <p>2. In the Commonwealth of Puerto Rico and the U.S. Virgin Islands, this NWP is excluded from use in forested wetlands, submerged aquatic vegetation, and/or tidal wetlands. (COE)</p> <p>3. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE)</p> <p>4. Excluded from use in the Belle Meade North bounded by I-75 to the south, Golden Gate Canal to the west, and Miller Canal to the east, and Belle Meade South bounded by I-75 to the north, CR 951 to the west, Miller Canal to the east, and U.S. 41 to the south in Collier County, FL. (COE)</p> <p>5. Excluded from use in Golden Gate Estates, south of Alligator Alley in Collier County. This NWP may apply up to the 1/2 acre limit within Golden Gates Estates north of Alligator Alley. (COE)</p> <p>6. In Florida, PCN required prior to the start of any activity proposed within submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE)</p> <p>7. In Florida, PCN required for projects in WOTUS accessible to the Florida panther. (COE)</p> <p>8. In Florida, PCN required for projects in waters accessible to manatees. (COE)</p> <p>9. For projects in WOTUS accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see <a href="http://www.saj.usace.army.mil/regulatory/what/species/endangered.htm">http://www.saj.usace.army.mil/regulatory/what/species/endangered.htm</a>) and/or requirements, as appropriate for the proposed activity.</p> <p>10. Excluded from use in the following rivers, creeks, and their tributaries: Chipola River, Apalachicola River, Ochlockonee River, Econfina Creek, and the Suwannee River. (COE)</p>
15. U.S. Coast Guard Approved Bridges (404)	All	None	Regional Condition #4; or GC #19	No	Yes <sup>φ</sup>	Yes <sup>φ</sup>	No	No	No	No	Yes	Waive	<p>19. Activities in Designated Critical Resource Waters<sup>3</sup> and/or their adjacent wetlands require notification.</p>	<p>1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)</p> <p>2. In the Commonwealth of Puerto Rico and the U.S. Virgin Islands, this NWP is excluded from use in forested wetlands, submerged aquatic vegetation, and/or tidal wetlands. (COE)</p> <p>3. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA), and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE)</p> <p>4. In Florida, PCN required for projects in waters accessible to manatees. (COE)</p>
16. Return Water from Upland Contained Disposal Areas (404)	All	None	None	No	Yes <sup>φ</sup>	Yes <sup>φ</sup>	No	No	No	No	No	Waive	<p>19. Discharges not authorized in Designated Critical Resource Waters<sup>3</sup> and/or their adjacent wetlands.</p>	<p>1. In Florida, this NWP is excluded from use in areas designated in Rule 62-302.700, F.A.C., until the project is authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. In all other waters, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone</p>

**JACKSONVILLE DISTRICT NATIONWIDE PERMITS**  
**Summary of Applicability, Limits, State and Tribal Certifications,**  
**and**  
**Final Regional Conditions**  
**July 12, 2007**

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold and/or Requirements	Coordination Req'd	WQ C FL	CZM FL	WQC PR	CZM PR	WQ C VI	CZM VI	WQ C STF	WQC MTIF	GENERAL CONDITIONS Permittee must satisfy all applicable general conditions. General Condition #19 restrictions are noted below.	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions <b>NOTE:</b> U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received. Where technical notes, guidelines, etc. are referenced in the regional conditions below, these documents may be subject to revision at any time. It is our intention that the most recent version of these conditions will be utilized during the evaluation of the permit application.
														Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) <b>2. In the Commonwealth of Puerto Rico and the U.S. Virgin Islands, this NWP is excluded from use in forested wetlands, submerged aquatic vegetation, tidal vegetation, and/or coral assemblages. (COE)</b>
17. Hydropower Projects (404)	existing reservoirs, project licensed by FERC  Project w/ FERC exemption	total generating capacity < 5000KW  None	All activities	If over ½ acre of Wat US will be lost	Yes <sup>φ</sup>	Yes <sup>φ</sup>	No	No	No	No	Yes	Waive	19. Discharges not authorized in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands.	1. In Florida, this NWP is excluded from use in areas designated in Rule 62-302.700, F.A.C., until the project is authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. In all other waters, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) <b>2. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA), and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE)</b>
18. Minor Discharges (10/404)	All	Discharge does not exceed 25 cy below MHW or OHWM; 1/10 acre	10 cy below OHWM or high tide line; or Any fill in special aquatic site; or Regional Conditions #2, #6, #7 and #8; or GC #19.	If over ½ acre of Wat US will be lost	Yes <sup>φ</sup>	Yes <sup>φ</sup>	Yes	Yes	No	No	Yes	Waive	19. Activities in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands require notification.	1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) <b>2. In the Commonwealth of Puerto Rico and the U.S. Virgin Islands PCN required for all activities proposed in the areas listed below in Notes 1 and 2.</b> <b>3. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE)</b> <b>4. In the Commonwealth of Puerto Rico and the U.S. Virgin Islands, this NWP is excluded from use in forested wetlands, submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE)</b> <b>5. Excluded from use in the Florida Keys (COE)</b> <b>6. In Florida other than the Florida Keys, PCN required prior to the start of any activity proposed within submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE)</b> <b>7. In Florida, PCN required for projects in WOTUS accessible to the Florida panther. (COE)</b> <b>8. In Florida, PCN required for projects in waters accessible to manatees.(COE)</b>
19. Minor Dredging (10/404)	Navigable	25 cy below OHWM / MHW	Regional Conditions #5, and #6; or GC #19	No	Yes <sup>φ</sup>	Yes <sup>φ</sup>	Yes	Yes	No	No	Yes	Waive	19. Activities in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands require notification.	1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) <b>2. In the Commonwealth of Puerto Rico and the U.S. Virgin Islands, this NWP is excluded from use in forested wetlands and tidal wetlands. (COE)</b> <b>3. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA), and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE)</b>

**JACKSONVILLE DISTRICT NATIONWIDE PERMITS**  
**Summary of Applicability, Limits, State and Tribal Certifications,**  
**and**  
**Final Regional Conditions**  
**July 12, 2007**

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold and/or Requirements	Coordination Req'd	WQ C FL	CZM FL	WQC PR	CZM PR	WQ C VI	CZM VI	WQ C STF	WQC MTIF	GENERAL CONDITIONS Permittee must satisfy all applicable general conditions. General Condition #19 restrictions are noted below.	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions <b>NOTE:</b> U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received. Where technical notes, guidelines, etc. are referenced in the regional conditions below, these documents may be subject to revision at any time. It is our intention that the most recent version of these conditions will be utilized during the evaluation of the permit application.
														<p>4. Excluded from use in the Florida Keys. (COE)</p> <p>5. In Florida other than the Florida Keys, PCN required prior to the start of any activity proposed within tidal wetlands. (COE)</p> <p>6. In Florida, PCN required for projects in waters accessible to manatees. (COE)</p> <p>7. For projects in WOTUS accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see <a href="http://www.saj.usace.army.mil/regulatory/what/species/endangered.htm">http://www.saj.usace.army.mil/regulatory/what/species/endangered.htm</a>) and/or requirements, as appropriate for the proposed activity.</p> <p>8. Hopper dredging is not allowed under this NWP.</p>
20. Oil Spill Cleanup (10/404)	All	None	None	No	Yes <sup>φ</sup>	Yes <sup>φ</sup>	Waive	Yes	No	No	Yes	Waive		1. Activities authorized under this NWP shall be conducted in conformance with the National Response Team Integrated Contingency Plan Guidance, available at 1-800-424-9346. (WQC/CZM-FL)
21. Surface Coal Mining Operations (10/404)	All	None	All activities	If over ½ acre of Wat US will be lost	NAJ	NAJ	NAJ	NAJ	NAJ	NAJ	NAJ	NAJ	19. Discharges not authorized in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands.	NONE. COAL MINING DOES NOT OCCUR IN THE JACKSONVILLE DISTRICT
22. Removal of Vessels (10/404)	All	None	Vessels listed/ or eligible for NRHP; or GC #19	No	Yes <sup>φ</sup>	Yes <sup>φ</sup>	Yes	Yes	No	No	Yes	Waive	19. Activities in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands require notification.	<p>1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)</p> <p>2. Not applicable to treasure salvaging. (WQC/CZM-FL)</p> <p>3. In the Commonwealth of Puerto Rico and the U.S. Virgin Islands, this NWP is excluded from use in forested wetlands, submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE)</p> <p>4. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA), and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE)</p>
23. Approved Categorical Exclusions (10/404)	All	None	Those stipulated by the CatExs themselves; or GC #19	No	Yes <sup>φ</sup>	Yes <sup>φ</sup>	Yes	Yes	No	No	Yes	Waive	19. Activities in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands require notification.	<p>1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)</p> <p>2. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA), and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE)</p>
24. Indian Tribe or State Administered Section 404 Programs (10)	All	None	None	No	NAJ	NAJ	NAJ	NAJ	NAJ	NAJ	NAJ	NAJ		NONE. NO TRIBAL OR STATE ASSUMPTION HAS OCCURRED YET IN THE JACKSONVILLE DISTRICT.
25. Structural Discharges	All	None	GC #19	No	Yes <sup>φ</sup>	Yes <sup>φ</sup>	No	No	No	No	Yes	Waive	19. Activities in Designated Critical	1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water

**JACKSONVILLE DISTRICT NATIONWIDE PERMITS**  
**Summary of Applicability, Limits, State and Tribal Certifications,**  
**and**  
**Final Regional Conditions**  
**July 12, 2007**

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold and/or Requirements :	Coordination Req'd	WQ C FL	CZM FL	WQC PR	CZM PR	WQ C VI	CZM VI	WQ C STF	WQC MTIF	GENERAL CONDITIONS Permittee must satisfy all applicable general conditions. General Condition #19 restrictions are noted below.	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions
(404)													Resource Waters <sup>3</sup> and/or their adjacent wetlands require notification.	<b>NOTE:</b> U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received. Where technical notes, guidelines, etc. are referenced in the regional conditions below, these documents may be subject to revision at any time. It is our intention that the most recent version of these conditions will be utilized during the evaluation of the permit application.  management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) <b>2. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA), and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE)</b>
27. Aquatic Habitat Restoration, Establishment, and Enhancement Activities (10/404)	All	None	All activities except those undertaken with USFWS, NRCS, FSA, NMFS, NOS, or OSM in accordance with the notification requirement.	If over ½ acre of Wat US will be lost	Yes <sup>φ</sup>	Yes <sup>φ</sup>	Yes	Yes	No	No	No	Waive	19. Activities in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands require notification.	1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by Department of Agriculture and Consumer Services under s. 597.010 (14) and/or (19), F.S., or the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC), if required, and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) <b>2. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE)</b> <b>3. Lake restoration projects proposing any type of in-lake disposal of dredged or fill material are excluded from use of this permit.</b>
28. Modifications of Existing Marinas (10)	Navigable	None	Regional Condition #3 and #5; or GC #19	No	NA	Yes <sup>φ</sup>	NA	Yes	NA	No	NA	NA	19. Activities in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands require notification.	1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) <b>2. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA), and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE)</b> <b>3. In Florida, PCN required for projects in waters accessible to manatees. (COE)</b> <b>4. For projects in WOTUS accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see <a href="http://www.sai.usace.army.mil/regulatory/what/species/endangered.htm">http://www.sai.usace.army.mil/regulatory/what/species/endangered.htm</a>) and/or requirements, as appropriate for the proposed activity.</b> <b>5. PCN is required prior to the start of any activity proposed within submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE)</b>
29. Residential Developments (10/404)	Non-tidal, excluding all wetlands adjacent to tidal waters	1/2 acre; 300 linear feet of stream bed	All activities	No	Yes <sup>φ</sup>	Yes <sup>φ</sup>	No	No	No	No	Yes	Waive	19. Discharges not authorized in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands.	1. In Florida, this NWP is excluded from use in areas designated in Rule 62-302.700, F.A.C., until the project is authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. In all other waters, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) <b>2. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA</b>

**JACKSONVILLE DISTRICT NATIONWIDE PERMITS**  
**Summary of Applicability, Limits, State and Tribal Certifications,**  
**and**  
**Final Regional Conditions**  
**July 12, 2007**

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold and/or Requirements	Coordination Req'd	WQ C FL	CZM FL	WQC PR	CZM PR	WQ C VI	CZM VI	WQ C STF	WQC MTIF	GENERAL CONDITIONS Permittee must satisfy all applicable general conditions. General Condition #19 restrictions are noted below.	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions
														<p><b>NOTE:</b> U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received. Where technical notes, guidelines, etc. are referenced in the regional conditions below, these documents may be subject to revision at any time. It is our intention that the most recent version of these conditions will be utilized during the evaluation of the permit application.</p> <p>form must clearly indicate that it is a Nationwide permit PCN. (COE)</p> <p>3. Excluded from use in forested wetlands in the Commonwealth of Puerto Rico and the U.S. Virgin Islands. (COE)</p> <p>4. Excluded from use in the Florida Keys. (COE)</p> <p>5. Excluded from use in Golden Gate Estates, south of Alligator Alley in Collier County. This NWP may apply up to the 1/2 acre limit within Golden Gates Estates north of Alligator Alley. (COE)</p> <p>6. Excluded from use in the Belle Meade North bounded by I-75 to the south, Golden Gate Canal to the west, and Miller Canal to the east, and Belle Meade South bounded by I-75 to the north, CR 951 to the west, Miller Canal to the east, and U.S. 41 to the south in Collier County, FL. (COE)</p>
30. Moist Soil Management for Wildlife (404)	Non-tidal	None	GC #19	No	Yes <sup>φ</sup>	Yes <sup>φ</sup>	Yes	Yes	No	No	Yes	Waive	19. Activities in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands require notification.	1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)
31. Maintenance of Existing Flood Control Facilities (10/404)	All	Projects previously permitted by, or built by the Corps.	All activities	If over ½ acre of Wat US will be lost	Yes <sup>φ</sup>	Yes <sup>φ</sup>	No	No	No	No	Yes	Waive	19. Discharges not authorized in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands.	1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)
32. Completed Enforcement Actions (10/404)	All	5 acres (nontidal); 1 acre (tidal)	NA	No	Yes <sup>φ</sup>	Yes <sup>φ</sup>	No	Yes	No	No	Yes	Waive		1. In Florida, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)
33. Temporary Construction, Access and Dewatering (10/404)	All	None	All activities	If over ½ acre of Wat US will be lost	Yes <sup>φ</sup>	Yes <sup>φ</sup>	No	No	No	No	Yes	Waive	19. Activities in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands require notification.	1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)
34. Cranberry Production Activities	All	10 acres	All activities	If over ½ acre of Wat	NAJ	NAJ	NAJ	NAJ	NAJ	NAJ	NAJ	Waive	19. Activities in Designated Critical Resource Waters <sup>3</sup>	NONE. CRANBERRY PRODUCTION DOES NOT OCCUR IN THE JACKSONVILLE DISTRICT.

**JACKSONVILLE DISTRICT NATIONWIDE PERMITS**  
**Summary of Applicability, Limits, State and Tribal Certifications,**  
**and**  
**Final Regional Conditions**  
**July 12, 2007**

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold and/or Requirements	Coordination Req'd	WQ C FL	CZM FL	WQC PR	CZM PR	WQ C VI	CZM VI	WQ C STF	WQC MTIF	GENERAL CONDITIONS Permittee must satisfy all applicable general conditions. General Condition #19 restrictions are noted below.	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions <b>NOTE:</b> U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received. Where technical notes, guidelines, etc. are referenced in the regional conditions below, these documents may be subject to revision at any time. It is our intention that the most recent version of these conditions will be utilized during the evaluation of the permit application.
(404)				US will be lost									and/or their adjacent wetlands require notification.	
35. Maintenance Dredging of Existing Basins (10)	Navigable	None	Regional Conditions #4 and #5	No	NA	Yes <sup>φ</sup>	NA	No	NA	No	NA	NA	19. Discharges not authorized in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands.	1. In Florida, this NWP is excluded from use in areas designated in Rule 62-302.700, F.A.C., until the project is authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. In all other waters, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. On lands of the Seminole Tribes of Florida the following conditions will apply: (a) Dredging authorized by this nationwide permit will not exceed the originally excavated depth. (WQC-STF) (b) This permit does not authorize the removal of plugs or connections of any canal to navigable waters of the U.S. (WQC-STF) (c) Documentation shall be provided showing the originally authorized depth. (WQC-STF) (d) Any spoil material shall be deposited at a self-contained upland spoil site in such a manner that it will be totally contained in the uplands without discharge. (WQC-STF) 3. Excluded from use in the Florida Keys, the Commonwealth of Puerto Rico and the U.S. Virgin Islands. (COE) 4. In Florida other than the Florida Keys, a PCN is required prior to the start of any activity proposed within submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE) 5. In Florida, PCN required for projects in waters accessible to manatees. (COE) 6. For projects in WOTUS accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see <a href="http://www.saj.usace.army.mil/regulatory/what/species/angered.htm">http://www.saj.usace.army.mil/regulatory/what/species/angered.htm</a> ) and/or requirements, as appropriate for the proposed activity. 7. Hopper dredging is not allowed under this NWP.
36. Boat Ramps (10/404)	All except special aquatic sites	50 cy; 20 ft width	> 50 cy; or > 20 ft width; or Regional Conditions #5 and #6; or GC#19	No	Yes <sup>φ</sup>	Yes <sup>φ</sup>	Waive	No	No	No	Yes	Waive	19. Activities in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands require notification.	1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. No boat ramps may be constructed on tribal lands or in tribal waters without prior written approval of the STF. (WQC-STF) 3. Excluded from use in the Florida Keys, the Commonwealth of Puerto Rico and the U.S. Virgin Islands. (COE) 4. In Florida, PCN required for projects in WOTUS accessible to the Florida panther. (COE) 5. In Florida, PCN required for projects in waters accessible to manatees. (COE) 6. For projects in WOTUS accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see <a href="http://www.saj.usace.army.mil/regulatory/what/species/angered.htm">http://www.saj.usace.army.mil/regulatory/what/species/angered.htm</a> ) and/or requirements, as appropriate for the proposed activity.

**JACKSONVILLE DISTRICT NATIONWIDE PERMITS**  
**Summary of Applicability, Limits, State and Tribal Certifications,**  
**and**  
**Final Regional Conditions**  
**July 12, 2007**

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold and/or Requirements :	Coordination Req'd	WQ C FL	CZM FL	WQC PR	CZM PR	WQ C VI	CZM VI	WQ C STF	WQC MTIF	GENERAL CONDITIONS Permittee must satisfy all applicable general conditions. General Condition #19 restrictions are noted below.	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions <b>NOTE:</b> U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received. Where technical notes, guidelines, etc. are referenced in the regional conditions below, these documents may be subject to revision at any time. It is our intention that the most recent version of these conditions will be utilized during the evaluation of the permit application.
37. Emergency Watershed Protection and Rehabilitation (10/404)	All	NRCS, USFS, or DOI only	All activities	If over ½ acre of Wat US will be lost	Yes <sup>φ</sup>	Yes <sup>φ</sup>	Waive	Yes	No	No	Yes	Waive	19. Activities in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands require notification.	1. In Florida, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA), and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE)
38. Cleanup of Hazardous and Toxic Waste (10/404)	All	None	All activities	If over ½ acre of Wat US will be lost	Yes <sup>φ</sup>	Yes <sup>φ</sup>	Waive	Yes	No	No	Yes	Waive	19. Activities in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands require notification.	1. In Florida, except for activities authorized within a designated Superfund site under section 121(e) of CERCLA, prior to the initiation of any construction, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA), and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE)
39. Commercial, and Institutional Developments (10/404)	Non-tidal, excluding all wetlands adjacent to tidal waters	½ acre; 300 linear feet of stream bed	All activities	If over ½ acre of Wat US will be lost	Yes <sup>φ</sup>	Yes <sup>φ</sup>	No	No	No	No	Yes	Waive	19. Discharges not authorized in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands.	1. In Florida, this NWP is excluded from use in areas designated in Rule 62-302.700, F.A.C., until the project is authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. In all other waters, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. Excluded for use in wetlands south of CSX Railroad at Garcon Point, Santa Rosa County. (WQC/CZM-FL) 3. Excluded from use in wetlands of the Gulf Breeze Peninsula from Gulf Islands National Seashore to Hurlburt Field. (WQC/CZM-FL) 4. Excluded from use in wetlands of southwest Escambia County, south of Nine Mile Road and west of I-110. (WQC/CZM-FL) 5. Excluded from use in wetlands south of S.R. 20, and wetlands north of S.R. 20 east of Hwy. 81 in Walton County. (WQC/CZM-FL) 6. Excluded from use in wetlands of Bay County, from 15 <sup>th</sup> Street North to North Bay Bridge, and from Highway 2327 west to Hathaway Bridge. (WQC/CZM-FL) 7. Excluded from use in the following waters of the St. Johns River Water Management District: a. Wekiva Basin: The Wekiva River, Little Wekiva River north of S.R. 434, Rock Springs Run, Black Water Creek, Sulphur Creek or Seminole Creek, including the wetlands abutting these waterways, all in Orange, Seminole and Lake Counties. (WQC/CZM-FL) b. Econlockhatchee Basin: The Econlockhatchee River, Little Econlockhatchee River north of University Boulevard, Mills Creek, Silcox Branch, Mills Branch, Long Branch, Hart Branch, Cowpen Branch, Green Branch, Turkey Creek, Little Creek and Fourmile Creek, including all of the wetlands contiguous to these waterways, all in Osceola, Orange and Seminole Counties. (WQC/CZM-FL) c. Tomoka River/Spruce Creek: The Tomoka River, Little Tomoka River, Spruce Creek, and Priest Branch, including wetlands abutting these waterways, all in Volusia and Flagler Counties. (WQC/CZM-FL)

**JACKSONVILLE DISTRICT NATIONWIDE PERMITS**  
**Summary of Applicability, Limits, State and Tribal Certifications,**  
**and**  
**Final Regional Conditions**  
**July 12, 2007**

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold and/or Requirements :	Coordination Req'd	WQ C FL	CZM FL	WQC PR	CZM PR	WQ C VI	CZM VI	WQ C STF	WQC MTIF	GENERAL CONDITIONS Permittee must satisfy all applicable general conditions. General Condition #19 restrictions are noted below.	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions <b>NOTE:</b> U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received. Where technical notes, guidelines, etc. are referenced in the regional conditions below, these documents may be subject to revision at any time. It is our intention that the most recent version of these conditions will be utilized during the evaluation of the permit application.
														<p>8. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE)</p> <p>9. Excluded from use in forested wetlands in the Commonwealth of Puerto Rico and the U.S. Virgin Islands. (COE)</p> <p>10. Excluded from use in the Florida Keys. (COE)</p> <p>11. Excluded from use in Golden Gate Estates, south of Alligator Alley in Collier County. This NWP may apply up to the 1/2 acre limit within Golden Gates Estates north of Alligator Alley. (COE)</p> <p>12. Excluded from use in the Belle Meade North bounded by I-75 to the south, Golden Gate Canal to the west, and Miller Canal to the east, and Belle Meade South bounded by I-75 to the north, CR 951 to the west, Miller Canal to the east, and U.S. 41 to the south in Collier County, FL. (COE)</p>
40. Agricultural Activities (404)	Non-tidal, excluding all wetlands adjacent to tidal waters	½ acre; 300 linear feet of stream bed	All activities	If over ½ acre of Wat US will be lost	Yes <sup>φ</sup>	Yes <sup>φ</sup>	Yes	Yes	No	No	Yes	Waive	19. Discharges not authorized in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands.	<p>1. In Florida, this NWP is excluded from use in areas designated in Rule 62-302.700, F.A.C., until the project is authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. In all other waters, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)</p> <p>2. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE)</p> <p>3. Excluded from use in forested wetlands in the Commonwealth of Puerto Rico and the U.S. Virgin Islands. (COE)</p> <p>4. Excluded from use in the Florida Keys. (COE)</p> <p>5. Excluded from use in the Belle Meade North bounded by I-75 to the south, Golden Gate Canal to the west, and Miller Canal to the east, and Belle Meade South bounded by I-75 to the north, CR 951 to the west, Miller Canal to the east, and U.S. 41 to the south in Collier County, FL. (COE)</p> <p>6. Excluded from use in Golden Gate Estates, south of Alligator Alley in Collier County. This NWP may apply up to the 1/2 acre limit within Golden Gates Estates north of Alligator Alley. (COE)</p>
41. Reshaping Existing Drainage Ditches (404)	Non-tidal, excluding all wetlands adjacent to tidal waters	minimum necessary	Reshaping >500 linear ft; or Regional Condition #4,.	If over ½ acre of Wat US will be lost	Yes <sup>φ</sup>	Yes <sup>φ</sup>	No	No	No	No	Yes	Waive		<p>1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)</p> <p>2. No change in the rate or volume of water discharged from the site from pre-construction conditions is authorized. (WQC/CZM-FL)</p> <p>3. Excluded from use in the following waters of the St. Johns River Water Management District:</p> <p>a. Wekiva Basin: The Wekiva River, Little Wekiva River north of S.R. 434, Rock Springs Run, Black Water Creek, Sulphur Creek or Seminole Creek, including the wetlands abutting these waterways, all in Orange, Seminole and Lake Counties. (WQC/CZM-FL)</p> <p>b. Econlockhatchee Basin: The Econlockhatchee River, Little Econlockhatchee River north of University Boulevard, Mills Creek, Silcox Branch, Mills Branch, Long Branch, Hart Branch, Cowpen Branch, Green Branch, Turkey Creek, Little Creek and Fourmile Creek, including all of the wetlands contiguous to these waterways, all in Osceola, Orange and Seminole Counties. (WQC/CZM-FL)</p>

**JACKSONVILLE DISTRICT NATIONWIDE PERMITS**  
**Summary of Applicability, Limits, State and Tribal Certifications,**  
**and**  
**Final Regional Conditions**  
**July 12, 2007**

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold and/or Requirements :	Coordination Req'd	WQ C FL	CZM FL	WQC PR	CZM PR	WQ C VI	CZM VI	WQ C STF	WQC MTIF	GENERAL CONDITIONS Permittee must satisfy all applicable general conditions. General Condition #19 restrictions are noted below.	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions <b>NOTE:</b> U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received. Where technical notes, guidelines, etc. are referenced in the regional conditions below, these documents may be subject to revision at any time. It is our intention that the most recent version of these conditions will be utilized during the evaluation of the permit application.
														<p>c. Tomoka River/Spruce Creek: The Tomoka River, Little Tomoka River, Spruce Creek, and Priest Branch, including wetlands abutting these waterways, all in Volusia and Flagler Counties. (WQC/CZM-FL)</p> <p>4. PCN required prior to the start of any activity in the Jacksonville District. (COE)</p> <p>5. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE)</p> <p>6. In Florida, the PCN shall include a sediment and erosion control plan. (COE)</p> <p>7. Excluded from use in the Florida Keys. (COE)</p> <p>8. Excluded from use in Golden Gate Estates, south of Alligator Alley in Collier County. This NWP may apply up to the 1/2 acre limit within Golden Gate Estates north of Alligator Alley. (COE)</p> <p>9. Excluded from use in the Belle Meade North bounded by I-75 to the south, Golden Gate Canal to the west, and Miller Canal to the east, and Belle Meade South bounded by I-75 to the north, CR 951 to the west, Miller Canal to the east, and U.S. 41 to the south in Collier County, FL. (COE)</p>
42. Recreational Facilities (404)	Non-tidal, excluding all wetlands adjacent to tidal waters	½ acre; 300 linear feet of stream bed	All activities	If over ½ acre of Wat US will be lost	Yes <sup>φ</sup>	Yes <sup>φ</sup>	No	No	No	No	Yes	Waive	19. Discharges not authorized in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands.	<p>1. In Florida, this NWP is excluded from use in areas designated in Rule 62-302.700, F.A.C., until the project is authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. In all other waters, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)</p> <p>2. Auditoriums, parking areas, and other buildings and impervious pavement/parking/roadway surfaces of greater than 4,000 square feet, and golf courses of any size are specifically not authorized in Florida. (WQC/CZM-FL)</p> <p>3. Excluded in wetlands of Garcon Point, south of the CSX railroad in Santa Rosa County. (WQC/CZM-FL)</p> <p>4. Excluded from use in wetlands of southwest Escambia County. South of Nine Mile Road and west of I-110. (WQC/CZM-FL)</p> <p>5. Excluded from use in wetlands south of S.R. 20, and wetlands north of S.R. 20 east of Hwy. 81 in Walton County. (WQC/CZM-FL)</p> <p>6. Excluded from use in wetlands of Bay County, from 15<sup>th</sup> Street North to North Bay Bridge, and from Highway 2327 west to Hathaway Bridge. (WQC/CZM-FL)</p> <p>7. Excluded from use in wetlands of the Gulf Breeze peninsula from Gulf Islands National Seashore eastward to Hurlburt Field. (WQC/CZM-FL)</p> <p>8. Excluded from use in the following waters of the St. Johns River Water Management District:</p> <p>a. Wekiva Basin: The Wekiva River, Little Wekiva River north of S.R. 434, Rock Springs Run, Black Water Creek, Sulphur Creek or Seminole Creek, including the wetlands abutting these waterways, all in Orange, Seminole and Lake Counties. (WQC/CZM-FL)</p> <p>b. Econlockhatchee Basin: The Econlockhatchee River, Little Econlockhatchee River north of University Boulevard, Mills Creek, Silcox Branch, Mills Branch, Long Branch, Hart Branch, Cowpen Branch, Green Branch, Turkey Creek, Little Creek and Fourmile Creek, including all of the wetlands contiguous to these waterways, all in Osceola, Orange and Seminole Counties. (WQC/CZM-FL)</p> <p>c. Tomoka River/Spruce Creek: The Tomoka River, Little Tomoka River, Spruce Creek, and Priest Branch, including wetlands abutting these waterways, all in Volusia and Flagler Counties. (WQC/CZM-FL)</p> <p>9. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE)</p>

**JACKSONVILLE DISTRICT NATIONWIDE PERMITS**  
**Summary of Applicability, Limits, State and Tribal Certifications,**  
**and**  
**Final Regional Conditions**  
**July 12, 2007**

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold and/or Requirements	Coordination Req'd	WQ C FL	CZM FL	WQC PR	CZM PR	WQ C VI	CZM VI	WQ C STF	WQC MTIF	GENERAL CONDITIONS Permittee must satisfy all applicable general conditions. General Condition #19 restrictions are noted below.	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions
														<p><b>NOTE:</b> U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received. Where technical notes, guidelines, etc. are referenced in the regional conditions below, these documents may be subject to revision at any time. It is our intention that the most recent version of these conditions will be utilized during the evaluation of the permit application.</p> <p>10. Excluded from use in forested wetlands in the Commonwealth of Puerto Rico and the U.S. Virgin Islands. (COE)</p> <p>11. Excluded from use in the Florida Keys. (COE)</p> <p>12. Excluded from use in the Belle Meade North bounded by I-75 to the south, Golden Gate Canal to the west, and Miller Canal to the east, and Belle Meade South bounded by I-75 to the north, CR 951 to the west, Miller Canal to the east, and U.S. 41 to the south in Collier County, FL. (COE)</p> <p>13. Excluded from use in Golden Gate Estates, south of Alligator Alley in Collier County. This NWP may apply up to the 1/2 acre limit within Golden Gates Estates north of Alligator Alley. (COE)</p>
43. Stormwater Management Facilities (404)	Non-tidal, excluding wetlands adjacent to tidal waters	½ acre; 300 linear feet of stream bed	All new construction or expansion but not maintenance; or Regional Conditions #3 and #8.	If over ½ acre of Wat US will be lost	Yes <sup>φ</sup>	Yes <sup>φ</sup>	No	No	No	No	Yes	Waive	19. Discharges not authorized in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands.	<p>1. In Florida, this NWP is excluded from use in areas designated in Rule 62-302.700, F.A.C., until the project is authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. In all other waters, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)</p> <p>2. Excluded from use in the following waters of the St. Johns River Water Management District:</p> <p>a. Wekiva Basin: The Wekiva River, Little Wekiva River north of S.R. 434, Rock Springs Run, Black Water Creek, Sulphur Creek or Seminole Creek, including the wetlands abutting these waterways, all in Orange, Seminole and Lake Counties. (WQC/CZM-FL)</p> <p>b. Econlockhatchee Basin: The Econlockhatchee River, Little Econlockhatchee River north of University Boulevard, Mills Creek, Silcox Branch, Mills Branch, Long Branch, Hart Branch, Cowpen Branch, Green Branch, Turkey Creek, Little Creek and Fourmile Creek, including all of the wetlands contiguous to these waterways, all in Osceola, Orange and Seminole Counties. (WQC/CZM-FL)</p> <p>c. Tomoka River/Spruce Creek :The Tomoka River, Little Tomoka River, Spruce Creek, and Priest Branch, including wetlands abutting these waterways, all in Volusia and Flagler Counties. (WQC/CZM-FL)</p> <p>3. PCN required prior to start of work in wetlands adjacent to Deerpoint Lake and its tributaries, Bay County, FL. (COE)</p> <p>4. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE)</p> <p>5. Excluded from use in Belle Meade North bounded by I-75 to the south, Golden Gate Canal to the west, and Miller Canal to the east, and Belle Meade South bounded by I-75 to the north, CR 951 to the west, Miller Canal to the east, and U.S. 41 to the south in Collier County, FL. (COE)</p> <p>6. Excluded from use in the Florida Keys. (COE)</p> <p>7. Excluded from use in Golden Gate Estates, south of Alligator Alley in Collier County. This NWP may apply up to the 1/2 acre limit within Golden Gates Estates north of Alligator Alley. (COE)</p> <p>8. In Florida, PCN required for projects in WOTUS accessible to the Florida panther. (COE)</p>
44. Mining Activities (10/404)	non-tidal wetlands; lower perennial streams, excluding adjacent	½ acre	All activities	If over ½ acre of Wat US will be lost	Yes <sup>φ</sup>	Yes <sup>φ</sup>	No	No	No	No	Yes	Waive	19. Discharges not authorized in Designated Critical Resource Waters <sup>3</sup> and/or their adjacent wetlands.	<p>1. In Florida, this NWP is excluded from use in areas designated in Rule 62-302.700, F.A.C., until the project is authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. In all other waters, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by</p>

**JACKSONVILLE DISTRICT NATIONWIDE PERMITS**  
**Summary of Applicability, Limits, State and Tribal Certifications,**  
**and**  
**Final Regional Conditions**  
**July 12, 2007**

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold and/or Requirements	Coordination Req'd	WQ C FL	CZM FL	WQC PR	CZM PR	WQ C VI	CZM VI	WQ C STF	WQC MTIF	GENERAL CONDITIONS Permittee must satisfy all applicable general conditions. General Condition #19 restrictions are noted below.	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions
	wetlands													<p><b>NOTE:</b> U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received. Where technical notes, guidelines, etc. are referenced in the regional conditions below, these documents may be subject to revision at any time. It is our intention that the most recent version of these conditions will be utilized during the evaluation of the permit application.</p> <p>the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)</p> <p>2. Excluded from use in the following waters of the St. Johns River Water Management District:</p> <p>a. Wekiva Basin: The Wekiva River, Little Wekiva River north of S.R. 434, Rock Springs Run, Black Water Creek, Sulphur Creek or Seminole Creek, including the wetlands abutting these waterways, all in Orange, Seminole and Lake Counties. (WQC/CZM-FL)</p> <p>b. Econlockhatchee Basin: The Econlockhatchee River, Little Econlockhatchee River north of University Boulevard, Mills Creek, Silcox Branch, Mills Branch, Long Branch, Hart Branch, Cowpen Branch, Green Branch, Turkey Creek, Little Creek and Fourmile Creek, including all of the wetlands contiguous to these waterways, all in Osceola, Orange and Seminole Counties. (WQC/CZM-FL)</p> <p>c. Tomoka River/Spruce Creek: The Tomoka River, Little Tomoka River, Spruce Creek, and Priest Branch, including wetlands abutting these waterways, all in Volusia and Flagler Counties. (WQC/CZM-FL)</p> <p>3. PCN in the Commonwealth Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE)</p> <p>4. Excluded from use in the Belle Meade North bounded by I-75 to the south, Golden Gate Canal to the west, and Miller Canal to the east, and Belle Meade South bounded by I-75 to the north, CR 951 to the west, Miller Canal to the east, and U.S. 41 to the south in Collier County, FL. (COE)</p> <p>5. Excluded from use in the Corkscrew Marsh Basin, south of S.R. 82, east of I-75 in Collier and Lee Counties. (COE)</p> <p>6. Excluded from use in the Florida Keys. (COE)</p> <p>7. Excluded from use in Golden Gate Estates, south of Alligator Alley in Collier County. This NWP may apply up to the 1/2 acre limit within Golden Gates Estates north of Alligator Alley. (COE)</p>
45. Repair of Damages Due to Discrete Events (10/404)	All	Minimum necessary	All activities	If over ½ acre of Wat US will be lost	Yes <sup>φ</sup>	Yes <sup>φ</sup>	Yes	Yes	No	No	Yes	Waive		<p>1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)</p> <p>2. In Florida, not applicable to maintenance activities located seaward of the coastal construction control line and along ocean inlet shorelines. (CZM-FL)</p> <p>3. In Florida any structure replaced or repaired in accordance with an emergency order issued by the Governor of Florida or the Secretary of the Department of Environmental Protection is subject to full compliance with the terms of the order. (WQC/CZM-FL)</p> <p>4. Excluded from use in the Commonwealth of Puerto Rico and the U.S. Virgin Islands if the structure is within 100 feet of the near edge of a Federal channel (COE)</p> <p>5. For projects in WOTUS accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see <a href="http://www.saj.usace.army.mil/regulatory/what/species/endangered.htm">http://www.saj.usace.army.mil/regulatory/what/species/endangered.htm</a>) and/or requirements, as appropriate for the proposed activity. (COE)</p>
46. Discharges in Ditches and Canals (404)	Upland-cut ditches only	1 acre	Regional condition #5.	No	Yes <sup>φ</sup>	Yes <sup>φ</sup>	No	No	No	No	Yes	Yes		<p>1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto,</p>

**JACKSONVILLE DISTRICT NATIONWIDE PERMITS**  
**Summary of Applicability, Limits, State and Tribal Certifications,**  
**and**  
**Final Regional Conditions**  
**July 12, 2007**

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold and/or Requirements :	Coordination Req'd	WQ C FL	CZM FL	WQC PR	CZM PR	WQ C VI	CZM VI	WQ C STF	WQC MTIF	GENERAL CONDITIONS Permittee must satisfy all applicable general conditions. General Condition #19 restrictions are noted below.	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions <b>NOTE:</b> U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received. Where technical notes, guidelines, etc. are referenced in the regional conditions below, these documents may be subject to revision at any time. It is our intention that the most recent version of these conditions will be utilized during the evaluation of the permit application.
														as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. No change in the rate or volume of water discharged from the site from pre-construction conditions is authorized. (WQC/CZM-FL) 3. Excluded from use in the following waters of the St. Johns River Water Management District: a. Wekiva Basin: The Wekiva River, Little Wekiva River north of S.R. 434, Rock Springs Run, Black Water Creek, Sulphur Creek or Seminole Creek, including the wetlands abutting these waterways, all in Orange, Seminole and Lake Counties. (WQC/CZM-FL) b. Econlockhatchee Basin: The Econlockhatchee River, Little Econlockhatchee River north of University Boulevard, Mills Creek, Silcox Branch, Mills Branch, Long Branch, Hart Branch, Cowpen Branch, Green Branch, Turkey Creek, Little Creek and Fourmile Creek, including all of the wetlands contiguous to these waterways, all in Osceola, Orange and Seminole Counties. (WQC/CZM-FL) c. Tomoka River/Spruce Creek: The Tomoka River, Little Tomoka River, Spruce Creek, and Priest Branch, including wetlands abutting these waterways, all in Volusia and Flagler Counties. (WQC/CZM-FL) 4. Prior to initiation of construction on tribal lands or in tribal waters under this NWP, prior written approval must be obtained from the Seminole Tribe of Florida. (WQC-STF) 5. Prior to initiation of construction on tribal lands or in tribal waters which discharge into Miccosukee Federal Reservation, under this NWP, prior written approval must be obtained from the Miccosukee Tribe of Indians of Florida. (WQC-MTIF) 6. PCN required prior to the start of any activity in the Jacksonville District. (COE) 7. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE) 8. In Florida, the PCN shall include a sediment and erosion control plan. (COE) 9. Excluded from use in the Florida Keys. (COE) 10. Excluded from use in Golden Gate Estates, south of Alligator Alley in Collier County. This NWP may apply up to the 1/2 acre limit within Golden Gates Estates north of Alligator Alley. (COE) 11. Excluded from use in the Belle Meade North bounded by I-75 to the south, Golden Gate Canal to the west, and Miller Canal to the east, and Belle Meade South bounded by I-75 to the north, CR 951 to the west, Miller Canal to the east, and U.S. 41 to the south in Collier County, FL. (COE)
47. Pipeline Safety Program Designated Time Sensitive Inspections and Repairs (10/404)	All	None	None	No	Yes <sup>φ</sup>	Yes <sup>φ</sup>	Yes	Yes	No	No	Yes	Waive		1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)
48. Commercial Shellfish Aquaculture Activities (10/404)	Navigable	None	>100 acres; or relocate into new area; or change in species; or dredge	If over ½ acre of Wat US will be lost	Yes <sup>φ</sup>	Yes <sup>φ</sup>	No	No	No	No	Yes	Waive		1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, under Chapter 597, F.S., by the Department of Agriculture and Consumer Services, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC), unless exempt under s. 373.406(8), F.S., and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable,

**JACKSONVILLE DISTRICT NATIONWIDE PERMITS**  
**Summary of Applicability, Limits, State and Tribal Certifications,**  
**and**  
**Final Regional Conditions**  
**July 12, 2007**

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold and/or Requirements	Coordination Req'd	WQ C FL	CZM FL	WQC PR	CZM PR	WQ C VI	CZM VI	WQ C STF	WQC MTIF	GENERAL CONDITIONS Permittee must satisfy all applicable general conditions. General Condition #19 restrictions are noted below.	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions
			harvesting in SAV; or change in culture methods. or Regional Conditions #4, and #6											<p><b>NOTE:</b> U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received. Where technical notes, guidelines, etc. are referenced in the regional conditions below, these documents may be subject to revision at any time. It is our intention that the most recent version of these conditions will be utilized during the evaluation of the permit application.</p> <p>Chapter 258, F.S. (WQC/CZM-FL)                  2. Dredging of sediments is not authorized (except as outlined in Condition 1), except for harvesting of crabs, sand dollars, sea urchins and similar invertebrates by properly accredited scientific researchers and private individuals not engaged in commercial activities. (WQC/CZM-FL)                  3. In Florida, aquaculture projects must be certified pursuant to s. 597.004, F.S., and if applicable, have obtained a submerged land lease pursuant to Chapter 253, F.S., to qualify for this nationwide permit.                  4. In the Jacksonville District, PCN required prior to the start of any activity proposed within submerged aquatic vegetation, tidal wetlands, and/or coral assemblages.                  5. PCN in the Commonwealth of Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA), and the JPA form must clearly indicate that it is a Nationwide permit PCN. (COE)                  6. In Florida, PCN required for projects in waters accessible to manatees. (COE)                  7. Placement of materials for Live Rock culture and the harvesting of Live Rock are excluded from this nationwide. (COE)                  8. For projects in WOTUS accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see <a href="http://www.saj.usace.army.mil/regulatory/what/species/endangered.htm">http://www.saj.usace.army.mil/regulatory/what/species/endangered.htm</a>) and/or requirements, as appropriate for the proposed activity.</p>
49. Coal Remining Activities (10/404)	All	None	All activities	If over ½ acre of Wat US will be lost	NAJ	NAJ	NAJ	NAJ	NAJ	NAJ	NAJ	NAJ		NONE. COAL MINING DOES NOT OCCUR IN THE JACKSONVILLE DISTRICT
50. Underground Coal Mining Activities (10/404)	All	2 acres non-tidal waters	All activities	If over ½ acre of Wat US will be lost	NAJ	NAJ	NAJ	NAJ	NAJ	NAJ	NAJ	NAJ		NONE. COAL MINING DOES NOT OCCUR IN THE JACKSONVILLE DISTRICT

<sup>1</sup> Puerto Rico: Culebra Island; the coastal zone of La Parguera from Punta Jorobado for a distance of approximately twenty kilometers west to Cabo Rojo; Cartagena Lagoon; Tortuguero Lagoons; Mona Island; Forest Reserve Area at Piñones and Torrecilla; Las Cabezas; El Yunque; Jobos Bay; Mar Negro; Río Mameyes; Las Cucharillas Marsh; Caño Tiburones; Río Herrera/Miñi-Miñi/Mediania area; entire Municipality of Cabo Rojo; Caño Boquillas west of PR-2; Cayures Marsh in Aguada and its contiguous wetlands; the basin wetlands of Bajuras at Isabela, Camuy, and Carrizales in Arecibo; Prieta wetlands at Vega Alta; San Pedro wetlands in Dorado and Toa Alta; Cienaga Baja in Río Grande; wetlands associated with Herrera and Espiritu Santo Rivers; coastal wetlands of Santa Isabel; and all Commonwealth designated Natural Reserve areas. Also, areas along Martin Pena Channel and associated wetlands; Pinones State Forest wetlands; Torecilla Alta Pterocarpus Forest - Loiza; El Faro (Cabezas de San Juan) - Fajardo; wetlands in the Guanica State Forest; Humacao Swamp and Pterocarpus Forest; Caja de Muertos - Ponce, Jobos Bay - Salinas, Mar Negro - Salinas, Boqueron State Forest - Cabo Rojo; Dorado Pterocarpus Forest; Vieques Bioluminescent Bay; Laguna Tortugero; Caño Tiburones; Espinar Swamp (Aguada-Aguadilla); Laguna Joyuda mangroves - Cabo Rojo; Pandura and Guardarraya Special Planning Area; and Ceiba State Forest.

<sup>2</sup> U.S. Virgin Islands: St. Croix Annally, Green Cay, Isaac Bay, Cramer's Park and East Point, Sandy Point, Salt River, Teague Bay Reef, Vagthus Point, Altonna Lagoon; St. John -- All Cays, Lagoon Point Newfound Bay, Chocolate Hole, Fish Bay; and St. Thomas -- Botany Bay and Sandy Bay, Coki Cliffs, Mangrove Lagoon (in its entirety), Bovoni wetland area; All cays, Magens Bay, Mandahl Bay, Neltjeberg Bay and Stumpy Bay.

<sup>3</sup> In accordance with General Condition No. 19, Designated Critical Resource Waters in Florida are:

- (a) Wetlands and other surface waters in National Estuarine Research Reserves, National Marine Sanctuaries, and Outstanding National Resource Waters,
- (b) State natural heritage sites, and the Marjorie Harris Carr Cross Florida Greenway State Recreation and Conservation Area.
- (c) Wetlands and other surface waters in the Florida Keys.
- (d) Wetlands and other surface waters in active designated State of Florida Areas of Critical State Concern, including the Green Swamp, and the Big Cypress Swamp, and surface waters of the state (as defined in rule 62-312.030, F.A.C.) in the City of Apalachicola.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS  
Summary of Applicability, Limits, State and Tribal Certifications,  
and  
Final Regional Conditions  
July 12, 2007

*Note:* In the panhandle of Florida ONLY (within the geographical limits of the Northwest Florida Water Management District—generally from mid-Jefferson County westward), surface waters of the state are limited by rule 62-312.030, F.A.C., to those waters listed below, including excavated waterbodies which connect directly or via an excavated waterbody or series of excavated water bodies to the following waters:

Gulf of Mexico to the seaward limit of the state's territorial boundaries;

bays, bayous, sounds, estuaries, lagoons and natural channels and natural tributaries thereto;

rivers, streams and natural tributaries thereto, excluding those intermittent streams, tributaries or portions thereof (see rule 62-312.030(2)(d), F.A.C.;

natural lakes, except:

those where one person, other than the state, owns the entire lake to its landward extent;

those that become dry each year and are without standing water; or

those of no more than 10 acres in landward extent with a maximum average depth of 2 feet or less throughout the year; and

waters within mosquito control impoundments constructed as part of a governmental mosquito control program (see rule 62-312.030(2)(g), F.A.C.).