

REPORT OF CHANNEL CONDITIONS
FOR CHANNELS 400 FEET WIDE OR GREATER
(ER 1130-2-316)

PAGE: 1 OF 1

DATE: March 23, 2016

TO:
Port Director, Tampa Port Authority
P.O. Box 2192, Tampa, Florida

FROM:
USACE, District Engineer
Attn: CESAJ-ODH Jacksonville, Florida

RIVER/HARBOR NAME AND STATE
Tampa Harbor, Florida

MINIMUM DEPTHS IN EACH 1/4 WIDTH OF
CHANNEL ENTERING FROM SEAWARD

NAME OF CHANNEL	DATE OF SURVEY	AUTHORIZED PROJECT			MINIMUM DEPTHS IN EACH 1/4 WIDTH OF CHANNEL ENTERING FROM SEAWARD			
		WIDTH (feet)	LENGTH (miles)	DEPTH (feet)	LEFT OUTSIDE QUARTER (feet)	LEFT INSIDE QUARTER (feet)	RIGHT INSIDE QUARTER (feet)	RIGHT OUTSIDE QUARTER (feet)
Cut-A (HB) Sta. 0+00 to 60+44.90	Mar-16	500	1.14	43	42.1	42.6	41.6	39.6
Widener Cut-A (HB)	Mar-16			43	37.8	43.0	47.0	43.3
Cut-C (HB) Sta. 0+00 to 50+00	Feb-16	500	0.95	43	41.8	42.0	41.5	39.4
Cut-C (HB) Sta. 50+00 to 100+00	Feb-16	500	0.95	43	38.6	41.5	41.8	40.8
Cut-C (HB) Sta. 100+00 to 150+00	Feb-16	500	0.95	43	40.2	43.5	43.6	41.9
Cut-C (HB) Sta. 150+00 to 200+00	Feb-16	500	0.95	43	41.3	45.0	44.7	40.5
Cut-C (HB) Sta. 200+00 to 250+00	Feb-16	500	0.95	43	41.0	43.0	43.7	40.8
Cut-C (HB) Sta. 250+00 to 300+00	Feb-16	500	0.95	43	40.7	43.9	43.5	40.8
Cut-C (HB) Sta. 300+00 to 315+00	Feb-16	500	0.28	43	41.0	44.0	44.1	41.3
Cut-C (HB) Sta. 315+00 to 341+77.72	Feb-16	500	0.51	43	41.5	44.1	42.1	40.5
Widener Cut-C (HB)	Feb-16			43	41.0			
Cut-D (HB) Sta. 2+62.20 to 61+29.64	Feb-16	400	1.1	41	38.8	41.6	41.8	38.9
Cut-D (HB) Sta. 61+29.64 to 72+88	Feb-16	400	0.22	34	31.9	35.5	36.3	35.0
Widener Cut-D (HB)	Feb-16			34	34.7			

REMARKS(Continue on reverse)
Survey #16-062