

REPORT OF CHANNEL CONDITIONS
FOR CHANNELS 400 FEET WIDE OR GREATER
(ER 1130-2-316)

PAGE: 1 OF 1

DATE: February 15, 2017

TO:
Port Director, Tampa Port Authority
P.O. Box 2192, Tampa, Florida

FROM:
USACE, District Engineer
Attn: CESAJ-ODH Jacksonville, Florida

RIVER/HARBOR NAME AND STATE
Tampa Harbor, Florida

MINIMUM DEPTHS IN EACH 1/4 WIDTH OF
CHANNEL ENTERING FROM SEAWARD

NAME OF CHANNEL	DATE OF SURVEY	AUTHORIZED PROJECT			MINIMUM DEPTHS IN EACH 1/4 WIDTH OF CHANNEL ENTERING FROM SEAWARD			
		WIDTH (feet)	LENGTH (miles)	DEPTH (feet)	LEFT QUARTER (feet)	LEFT QUARTER (feet)	RIGHT QUARTER (feet)	RIGHT QUARTER (feet)
Cut-A (HB) Sta. 0+00 to 60+44.90	Mar-16	500	1.14	43	42.3	43.2	43.2	42.2
Widener Cut-A (HB)	Mar-16			43	40.5	43.5	45.5	42.5
Cut-C (HB) Sta. 0+00 to 50+00	Feb-16	500	0.95	43	42.1	43.4	43.4	42.1
Cut-C (HB) Sta. 50+00 to 100+00	Feb-16	500	0.95	43	40.8	42.5	42.4	40.8
Cut-C (HB) Sta. 100+00 to 150+00	Feb-16	500	0.95	43	40.3	43.9	43.8	42.6
Cut-C (HB) Sta. 150+00 to 200+00	Feb-16	500	0.95	43	41.4	44.3	43.8	40
Cut-C (HB) Sta. 200+00 to 250+00	Feb-16	500	0.95	43	41.0	43.2	43.4	43.1
Cut-C (HB) Sta. 250+00 to 300+00	Feb-16	500	0.95	43	40.4	43.1	43	42.7
Cut-C (HB) Sta. 300+00 to 315+00	Feb-16	500	0.28	43	43.2	43.9	44.2	42.6
Cut-C (HB) Sta. 315+00 to 341+77.72	Feb-16	500	0.51	43	43.6	43.9	43.7	43.4
Cut-D (HB) Sta. 2+62.20 to 61+29.64	Feb-16	400	1.1	41	40	42.3	42	41
Cut-D (HB) Sta. 61+29.64 to 72+88	Feb-16	400	0.22	34	35.4	35.4	36.3	34.6
Widener Cut-D (HB)	Feb-16			34	35.1			

REMARKS(Continue on reverse)
Survey #17-082