

APPENDIX

Boring Logs and Laboratory Results:

Entrance Channel

Area A-1

Area B-2

Hole No. CB-PBH95-1

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	<i>SHEET 1 OF 1</i>
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks	
2. LOCATION (Coordinates or Station) X=817,598 Y=887,290		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)	
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Falling 314	
4. HOLE NO. (As shown on drawing title and file number) CB-PBH95-1		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 2 undisturbed: 0	
5. NAME OF DRILLER C. Robbins		14. TOTAL NUMBER OF CORE BOXES 1	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL	
7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 8/8/95 8/8/95	
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -36.8 Ft.	
9. TOTAL DEPTH OF HOLE 4.5 Ft.		18. TOTAL CORE RECOVERY FOR BORING 33 %	
		19. SIGNATURE OF Geologist Jim Arthur	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel	BLOWS/ft
-36.8	0					-36.8	0
		SAND, gray fine poorly graded quartz sand, some small shell fragments (SP)		0		SPLIT SPOON	7 27 46
				58	1	SPLIT SPOON	7 56 50+
			High blow counts shown are due to sand packing in casing	47	2	SPLIT SPOON	14 15
-41.3	4.5					-41.3	14
			NOTE: Soils are field visually classified in accordance with the Unified Soils Classification System. Samples recovered using a 140# hammer with 30" drop used on a 2 foot split spoon (1-3/8" ID x 2" OD) SAMPLE LABORATORY ELEVATION CLASSIFICATION -35.3 to -33.8 (SP)			Set 6 inch casing to depth 2.4 feet, drilled using Basco salt water drilling mud.	5 7.5 10 12.5 15 17.5 20 22.5

ENG FORM 1836 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71	PROJECT Palm Beach Harbor	HOLE NUMBER CB-PBH95-1
--	-------------------------------------	----------------------------------

Hole No. CB-PBH95-2

DRILLING LOG		DIVISION	INSTALLATION		SHEET 1 OF 1		
1. PROJECT Palm Beach Harbor		South Atlantic	Jacksonville District				
2. LOCATION (Coordinates or Station) X=817,221 Y=887,325			10. SIZE AND TYPE OF BIT See Remarks				
3. DRILLING AGENCY Corps of Engineers			11. DATUM FOR ELEVATION SHOWN (TBM or NSL) MLW (FEET)				
4. HOLE NO. (As shown on drawing title and file number) CB-PBH95-2			12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314				
5. NAME OF DRILLER C. Robbins			13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 2 undisturbed: 0				
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			14. TOTAL NUMBER OF CORE BOXES 1				
7. THICKNESS OF BURDEN Ft.			15. ELEVATION GROUND WATER TIDAL				
8. DEPTH DRILLED INTO ROCK 0 Ft.			16. DATE HOLE STARTED COMPLETED 8/8/95 8/8/95				
9. TOTAL DEPTH OF HOLE 3.0 Ft.			17. ELEVATION TOP OF HOLE -38.0 Ft.				
			18. TOTAL CORE RECOVERY FOR BORING 40 %				
			19. SIGNATURE OF Geologist Jim Arthur				
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel	BLOWS/ 'S
-38.0	.0					-38.0	0
		[Dotted pattern]	SAND, gray fine poorly graded quartz sand, some small shell fragments (SP)	47	1	SPLIT SPOON	5 22
							-39.5
				33	2	SPLIT SPOON	11 13
-41.0	3.0					-41.0	2.5 18
			NOTE: Soils are field visually classified in accordance with the Unified Soils Classification System. Samples recovered using a 140# hammer with 30" drop used on a 2 foot split spoon (1-3/8" ID x 2" OD) SAMPLE LABORATORY ELEVATION CLASSIFICATION -38.0 to -39.5 (SP)			Set 6 inch casing to depth 1.2 feet, drilled using Basco salt water drilling mud.	5 7.5 10 12.5 15 17.5 20 22.5

ENR FORM 1836 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Palm Beach Harbor

HOLE NUMBER
CB-PBH95-2

Hole No. CB-PBH95-3

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks	
2. LOCATION (Coordinates or Station) X=816,935 Y=887,502		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)	
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Falling 314	
4. HOLE NO. (As shown on drawing title and file number) CB-PBH95-3		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 2 undisturbed: 0	
5. NAME OF DRILLER C. Robbins		14. TOTAL NUMBER OF CORE BOXES 1	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL	
7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 8/8/95 8/8/95	
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -37.7 Ft.	
9. TOTAL DEPTH OF HOLE 4.5 Ft.		18. TOTAL CORE RECOVERY FOR BORING 31 %	
		19. SIGNATURE OF Geologist Jim Arthur	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel	BLOWS/ 5'
-37.7	.0					-37.7	0
		•••••	SAND, gray fine poorly graded quartz sand, trace small shell fragments (SP)	0		SPLIT SPOON	4 10 22
				47	1	SPLIT SPOON	9 10 14
				47	2	SPLIT SPOON	16 18 13
-42.2	4.5		NOTE: Soils are field visually classified in accordance with the Unified Soils Classification System. Samples recovered using a 140# hammer with 30" drop used on a 2 foot split spoon (1-3/8" ID x 2" OD)			Set 6 inch casing to depth 1.6 feet, drilled using Basco salt water drilling mud.	5 7.5 10 12.5 15 17.5 20 22.5

ENG FORM 1838 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71	PROJECT Palm Beach Harbor	HOLE NUMBER CB-PBH95-3
---	------------------------------	---------------------------

Hole No. CB-PBH95-6

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
	1. PROJECT Palm Beach Harbor	10. SIZE AND TYPE OF BIT See Remarks	
2. LOCATION (Coordinates or Station) X=815,526 Y=887,492	11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)	12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314	
3. DRILLING AGENCY Corps of Engineers	13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 2 undisturbed: 0	14. TOTAL NUMBER OF CORE BOXES 1	
4. HOLE NO. (As shown on drawing title and file number) CB-PBH95-6	15. ELEVATION GROUND WATER TIDAL	16. DATE HOLE STARTED COMPLETED 8/9/95 8/9/95	
5. NAME OF DRILLER C. Robbins	17. ELEVATION TOP OF HOLE -35.6 Ft.	18. TOTAL CORE RECOVERY FOR BORING 47 %	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED	18. SIGNATURE OF Geologist Jim Arthur		
7. THICKNESS OF BURDEN Ft.			
8. DEPTH DRILLED INTO ROCK 0 Ft.			
9. TOTAL DEPTH OF HOLE 4.5 Ft.			

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel	BLOWS/5'
-35.6	0					-35.6	0
			SAND, gray fine to medium poorly graded quartz sand, trace small shell fragments (SP)	0		SPLIT SPOON	2
-37.1	1.5		below elevation -37.1, some shell fragments up to 3/8"				1
			High blow counts shown are due to sand packing in casing	67	1	SPLIT SPOON	0
							24
							36
							52
							14
-40.1	4.5			77	2	SPLIT SPOON	48
							50+
			NOTE: Soils are field visually classified in accordance with the Unified Soils Classification System. Samples recovered using a 140# hammer with 30" drop used on a 2 foot split spoon (1-3/8" ID x 2" OD) SAMPLE LABORATORY ELEVATION CLASSIFICATION -37.1 to -38.6 (SP)			Set 6 inch casing to depth 6.1 feet, drilled using Basco salt water drilling mud.	5
							7.5
							10
							12.5
							15
							17.5
							20
							22.5

ENG FORM 1839 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71	PROJECT Palm Beach Harbor	HOLE NUMBER CB-PBH95-6
---	------------------------------	---------------------------

Hole No. CB-PBH95-7

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks	
2. LOCATION (Coordinates or Station) X=814,926 Y=887,504		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)	
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314	
4. HOLE NO. (As shown on drawing title and file number) CB-PBH95-7		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 3 undisturbed: 0	
5. NAME OF DRILLER C. Robbins		14. TOTAL NUMBER OF CORE BOXES 1	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL	
7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 8/9/95 8/9/95	
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -36.8 Ft.	
9. TOTAL DEPTH OF HOLE 4.5 Ft.		18. TOTAL CORE RECOVERY FOR BORING 58 %	
19. SIGNATURE OF Geologist Jim Arthur			

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC X	SAMPLE NUMBER	REMARKS Bit or Barrel	BLOWS/5'	
-36.8	0					-36.8	0	
		[Dotted Pattern]	SAND, gray fine to medium poorly graded quartz sand, some shell fragments up to 1/4 inch long (SP)	0		SPLIT SPOON	1	
						-38.3	0	
					67	1	SPLIT SPOON	6
-39.8	3.0			below elevation -39.8, trace of shell fragments			-39.8	16
							33	
				77	2	SPLIT SPOON	7	
-41.3	4.5		High blow counts shown are due to sand packing in casing			-41.3	14	
							48	
<p>NOTE: Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <p>Samples recovered using a 140# hammer with 30" drop used on a 2 foot split spoon (1-3/8" ID x 2" OD)</p> <p>SAMPLE LABORATORY ELEVATION CLASSIFICATION</p> <p>-36.8 to -38.3 (SP) -38.3 to -39.8 (SP-SM)*</p> <p>* Visual classification based on gradation curve. No Atterberg Limits.</p>						<p>Set 6 inch casing to depth 4.8 feet, drilled using Basco salt water drilling mud.</p>		

ENR FORM 1836 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71	PROJECT Palm Beach Harbor	HOLE NUMBER CB-PBH95-7
--	-------------------------------------	----------------------------------

Hole No. CB-PBH95-8

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks	
2. LOCATION (Coordinates or Station) X=814,524 Y=887,582		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)	
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314	
4. HOLE NO. (As shown on drawing title and file number) CB-PBH95-8		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 2 undisturbed: 0	
5. NAME OF DRILLER C. Robbins		14. TOTAL NUMBER OF CORE BOXES 1	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL	
7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 8/9/95 8/9/95	
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -35.8 Ft.	
9. TOTAL DEPTH OF HOLE 4.5 Ft.		18. TOTAL CORE RECOVERY FOR BORING 36 %	
		19. SIGNATURE OF Geologist Jim Arthur	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel	BLOWS/ft.
-35.8	.0					-35.8	0
			SAND, grayish tan fine to medium poorly graded quartz sand, some small shell fragments to 1/8 inch (SP)	0		SPLIT SPOON	0
						-37.3	0
				60	1	SPLIT SPOON	6
-38.8	3.0		below elevation -38.8 grayish tan, gray, and dark gray, trace of silt and fine to coarse gravel and shell fragments.			-38.8	21
							49
				47	2	SPLIT SPOON	17
-40.3	4.5		High blow counts shown are due to sand packing in casing			-40.3	23
							56
			NOTE: Soils are field visually classified in accordance with the Unified Soils Classification System. Samples recovered using a 140# hammer with 30" drop used on a 2 foot split spoon (1-3/8" ID x 2" OD) SAMPLE LABORATORY ELEVATION CLASSIFICATION -37.3 to -38.8 (SP-SM)* * Visual classification based on gradation curve. No Atterberg Limits.			Set 6 inch casing to depth 3.4 feet, drilled using Basco salt water drilling mud.	

ENG FORM 1836 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71	PROJECT Palm Beach Harbor	HOLE NUMBER CB-PBH95-8
---	------------------------------	---------------------------

X = 815,920 Y = 487,550

MOLE NO. CB-1

DEPARTMENT OF THE ARMY DIVISION <u>Corps of Engineers</u> INSTALLATION <u>Jacksonville, Florida</u>			1. PROJECT PALM BEACH HARBOR		SHEET 1 OF 1	
DRILLING LOG			2. LOCATION (Coordinates of Station) STA: <u>42+00</u> RGE: <u>150</u>			
4. HOLE NO. (As shown on drawing title and file no.) CB-1			3. DRILLING AGENCY Corps of Engineers			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DEGREES WITH VERTICAL			7. THICKNESS OF OVER-BURDEN		8. DEPTH DRILLED INTO ROCK	
10. SIZE AND TYPE OF BIT <u>SEE</u> <u>2" I.D. Spoon</u> REMARKS			11. DATUM FOR ELEVATION SHOWN (TBM or MSL) <u>MLW</u>		12. MANUFACTURER'S DESIGNATION OF DRILL <u>Sprague & Henwood 40c</u>	
13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED UNDISTURBED			14. TOTAL NO. CORE BOXES <u>1/2</u>		15. ELEV. GROUND WATER <u>tidal</u>	
17. ELEV. TOP OF HOLE -33.0			18. TOTAL CORE RECOVERY FOR BORING (%) 82%		16. DATE HOLE STARTED <u>5-10-62</u> COMPLETED <u>5-10-62</u>	
19. XXXXXXXXXX <u>Geologist</u> <u>R. G. Kretchman</u>			REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)			
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS
-33.0	0.0					Bit & Barrel Bis/Ft
			SAND, medium to fine, quartz, gray, shelly, limestone fragments, compact bottom 5.0' (SP)		1	WSHD CASING
				82	2	2" I.D. Spoon
-42.0	9.0					Blow counts do not correlate to the N-values of SPT
						300# Hammer with 18" Drop Used on 2" I.D. Spoon

X = 815,120 Y = 887,590

HOLE NO. CB-2

DEPARTMENT OF THE ARMY DIVISION <u>Corps of Engineers</u> INSTALLATION <u>Jacksonville, Florida-</u>			1. PROJECT PALM BEACH HARBOR		SHEET <u>1</u> OF <u>1</u>	
DRILLING LOG			2. LOCATION (coordinates or Station) STA: 50+00 RGE: R.G.100			
4. HOLE NO. (As shown on drawing title and file No.) CB-2			3. DRILLING AGENCY Corps of Engineers			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DEGREES WITH VERTICAL			7. THICKNESS OF OVER-BURDEN		8. DEPTH DRILLED INTO ROCK	
10. SIZE AND TYPE OF BIT <u>SEE</u> 2" I.S. Spoon REMARKS			11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		12. MANUFACTURER'S DESIGNATION OF DRILL (CD-21) SPRAGUE & HENWOOD 40C	
13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED UNDISTURBED			14. TOTAL NO. CORE BOXES 1		15. ELEV. GROUND WATER tidal	
17. ELEV. TOP OF HOLE -28.3 (bottom of inlet)			18. TOTAL CORE RECOVERY FOR BORING (%) <u>76</u>		19. Geologist Geologist R.G. Kretchman	
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (drilling time, water loss, depth of weathering, etc., if significant)
-28.3	0.0					Bit & Barrel Bls/Ft
-33.3	5.0		SANDSTONE, Hard, tan, fossiliferous, very porous, very permeable, very friable, consists of 90% sand and 10% calcareous matrix	100		-28.3 DRILLED CASING NX DIA
-36.0	7.7		SANDSTONE, medium hard and as above	88		2" I.D. Spoon 90 92
-38.7	10.4		SAND, medium to fine, quartz, tan, shelly (fine fragments), limestone fragments, wet, (SP)		1	53 56 77
-43.3	15.0		SANDSTONE - medium hard, tan, fossiliferous, very porous, very permeable, very friable, 90% sand, 10% matrix	80	2	90 32 85 105 70
						Blow counts do not correlate to the N-values of SPT 300# Hammer with 18" Drop used on 2" I.D. Spogn

DEPARTMENT OF THE ARMY Corps of Engineers DIVISION _____ INSTALLATION <u>Jacksonville, Florida</u>			1. PROJECT Palm Beach Harbor		SHEET 1 OF 1	
DRILLING LOG			2. LOCATION (Coordinates or Station) Sta 50+00 Rge 400			
4. HOLE NO. (As shown on drawing title and file No.) CB-3			3. DRILLING AGENCY Corps of Engineers			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DEGREES WITH VERTICAL _____			7. THICKNESS OF OVER-BURDEN _____		8. DEPTH DRILLED INTO ROCK _____	
10. SIZE AND TYPE OF BIT 2" I.D. Spoon-See remarks			11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		9. TOTAL DEPTH OF HOLE 21'	
13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED _____ UNDISTURBED _____			14. TOTAL NO. CORE BOXES 1		12. MANUFACTURER'S DESIGNATION OF DRILL Sprague & Henwood 40C	
17. ELEV. TOP OF HOLE -20.7			18. TOTAL CORE RECOVERY FOR BORING (%) 76		15. ELEV. GROUND WATER Tidal 16. DATE HOLE STARTED 5/24/62 COMPLETED 5/24/62	
19. SUPERVISOR Geologist R. G. Kretchman						
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
-20.7	0.0					Bit & Barrel Bls/Ft
			LIMESTONE hard, gray to tan, fossiliferous, very porous, friable, very permeable, consists of 90% sandy shells and 10% calcareous matrix, layers of sandstone from -28.9 to -29.3 and from -29.5 to -29.7	0		-20.7 Drilled Casing
				80		-22.7 NX DIA
				100		-24.7 NX DIA
				68		-26.7 NX DIA
				100		-29.2 NX DIA
-31.7	11.0					-31.7 NX DIA
			SANDSTONE, medium hard, gray shelly, very porous, friable very permeable, 90% sand, 10% calcareous matrix	75		2" I.D. SPOON 35
						70
						72
						90
-35.7	15.0					-35.7 NX DIA
			SANDSTONE, hard and as above	100		-37.7 NX DIA
						-39.7 NX DIA
-39.7	19.0					-39.7 40
			SANDSTONE, medium hard, gray shelly, friable, 90% sand, 10% matrix	10		-41.7 90
-41.7	21.0					
						Blow counts do not correlate to the N-values of SPT 300# Hammer w/18" Drop Used on 2" I.D. Spoon

X = 814,410 Y = 857,700

HOLE NO. CB-4

SHEET 1 OF 1

DEPARTMENT OF THE ARMY
 DIVISION Corps of Engineers
 JACKSONVILLE, Florida
 INSTALLATION

1. PROJECT
PALM BEACH HARBOR
 2. LOCATION (Coordinates or Station)
STA: 57+20 RGE: -25
 3. DRILLING AGENCY
Corps of Engineers
 5. NAME OF DRILLER
G. M. Lineberger

DRILLING LOG

4. HOLE NO. (As shown on drawing title and file no.)
CB-4
 6. DIRECTION OF HOLE
 VERTICAL INCLINED DEGREES WITH VERTICAL
 7. THICKNESS OF OVERBURDEN
 8. DEPTH DRILLED INTO ROCK
 9. TOTAL DEPTH OF HOLE
-23.2
 10. SIZE AND TYPE OF BIT
See remarks
 11. DATUM FOR ELEVATION SHOWN (TBM or MSL)
MLW
 12. MANUFACTURER'S DESIGNATION OF DRILL
Sprague & Henwood 40c
 13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN
 UNDISTURBED DISTURBED
 14. TOTAL NO. CORE BOXES
1
 15. ELEV. GROUND WATER
tidal
 16. DATE HOLE STARTED COMPLETED
5/9/62 5/9/62
 17. ELEV. TOP OF HOLE
18.8
 18. TOTAL CORE RECOVERY FOR BORING (%)
66%
 19. SUPERVISOR
R. G. Kretzman Geologist

ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (drilling time, water loss, depth of weathering, etc., if significant)
						Bit & Barrel Bls/Ft
-18.8	0.0			0	-	-18.8
-20.2	1.4		LIMESTONE, hard, tan to gray, fossiliferous, (shells), sandy, very porous, very permeable, friable	95		-19.8 Casing NX DIA
			SANDSTONE, hard, gray, fossiliferous, very porous, very permeable, very friable, consists of 80% to 90% sand in a 10% to 20% calcareous matrix	97		-21.8 NX DIA
				92		-24.8 NX DIA
						-27.3 NX DIA
				92		-29.8 NX DIA
				50		-32.3 NX DIA
				65		-34.8 NX DIA
				NO REC		-37.3 NX DIA
				50		-39.8 NX DIA
				36		-42.0 NX DIA
-42.0	23.2					

DEPARTMENT OF THE ARMY DIVISION <u>Corps of Engineers</u> INSTALLATION <u>Jacksonville, Florida</u>			1. PROJECT Palm Beach Harbor		SHEET 1 OF 1	
DRILLING LOG			2. LOCATION (Coordinates or Station) Sta 58+50 Rge - 300			
4. HOLE NO. (As shown on drawing title and file No.) CB-5			3. DRILLING AGENCY Corps of Engineers			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DEGREES WITH VERTICAL			7. THICKNESS OF OVERBURDEN		8. DEPTH DRILLED INTO ROCK	9. TOTAL DEPTH OF HOLE 12
10. SIZE AND TYPE OF BIT See Remarks *		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		12. MANUFACTURER'S DESIGNATION OF DRILL Sprague & Henwood 40c		
13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED UNDISTURBED		14. TOTAL NO. CORE BOXES 1/2	15. ELEV. GROUND WATER Tidal	16. DATE HOLE STARTED 5/12/62 COMPLETED 5/12/62		
17. ELEV. TOP OF HOLE -30.0		18. TOTAL CORE RECOVERY FOR BORING (%) 70		19. DESIGNATOR INSPECTOR Geologist R. G. Kretchman		
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
-30.0	0.0					Bit & Barrel Bls/Ft -30.0
			SANDSTONE-hard, tan, fossiliferous, friable, very porous, very permeable. consists of 90% sand and 10% calcareous matrix.	40	-	-32.0 Drilled Casing
				40	-	-34.5 NX DIA
-37.0	7.0			40	-	-37.0 NX DIA
			SANDSTONE- medium hard and as above	100	-	2" I. D. Spoon 90 105 73 92 89
-42.0	12.0					-42.0
						* 300# Hammer with 18" Drop used on 2" I. D. Spoon Blow counts do not correlate to the N-values of SPT

X=814,440 Y=887,590

HOLE NO. CB-14

DEPARTMENT OF THE ARMY Corps of Engineers DIVISION _____ INSTALLATION Jacksonville, Florida			1. PROJECT Palm Beach Harbor		SHEET 1 OF 1	
DRILLING LOG			2. LOCATION (Coordinates or Station) STA 56+80 RGE 110			
4. HOLE NO. (As shown on drawing title and file No.) CB-14			3. DRILLING AGENCY Corps of Engineers			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DEGREES WITH VERTICAL _____			7. THICKNESS OF OVERBURDEN _____		8. DEPTH DRILLED INTO ROCK _____	
10. SIZE AND TYPE OF BIT See remarks			11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		12. MANUFACTURER'S DESIGNATION OF DRILL Sprague & Henwood 40C	
13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED _____ UNDISTURBED _____			14. TOTAL NO. CORE BOXES 1/2		15. ELEV. GROUND WATER Tidal	
17. ELEV. TOP OF HOLE -28.5			18. TOTAL CORE RECOVERY FOR BORING (%) 86		19. SIGNATURE OF DRILLER Robert G. Kretzman	
16. DATE HOLE STARTED 2/11/64 COMPLETED 2/11/64			19. SIGNATURE OF CHECKER _____ Geologist			
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
-28.5	0.0					Bit & Barrel Bls/Ft
-30.5	2.0	•••••	SAND, fine, quartz, gray, loose	0		-28.5 2" I.D. Spoon Washed -30.5
		□	SANDSTONE, hard tan, fossiliferous porous, permeable, very friable, consists of 50% quartz sand and 50% sand-sized shell fragments with calcareous matrix	88		-31.5 " " Drilled Casings NX DIAMOND -36.5
		□		90		" " -39.5
-42.5	14.0	□		65		" " -42.5
						Blow counts do not correlate to the N-values of SPT 300# Hammer /with 18" Drop Used on 2" I.D. Spoon

X=814,915 Y=887,575

Hole No. CB-22

DRILLING LOG			DIVISION South Atlantic		INSTALLATION JACKSONVILLE DISTRICT		SHEET OF 1 SHEETS	
1. PROJECT PALM BEACH HARBOR					10. SIZE AND TYPE OF BIT See remarks			
2. LOCATION (Coordinates or Station) Sta: 52+15 Rge: 115					11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY Corps of Engineers					12. MANUFACTURER'S DESIGNATION OF DRILL JOY			
4. HOLE NO. (As shown on drawing title and file number) CB-22					13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED	
5. NAME OF DRILLER B. J. Sealey					14. TOTAL NUMBER CORE BOXES 1/2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.					15. ELEVATION GROUND WATER TIDAL		STARTED COMPLETED	
7. THICKNESS OF OVERBURDEN					16. DATE HOLE 11/18/65		11/18/65	
8. DEPTH DRILLED INTO ROCK					17. ELEVATION TOP OF HOLE -27.4			
9. TOTAL DEPTH OF HOLE 15.0'					18. TOTAL CORE RECOVERY FOR BORING 82 %			
					19. 300# HAMMER Geologist J.S. Gentile			
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)		
a	b	c	d	e	f	g		
-27.4	0.0					BIT & BARREL Bls/ft		
			LIMESTONE, hard, very porous, permeable, thin bedded, very fossiliferous (coquina), very sandy, tan, thin lenses of loose sand.	90		2" I.D. Spoon	80	
			dark gray, very sandy from -32.4 to -42.4	100		" "	133	
							272	
							388	
							366	
							260	
							196	
							175	
							160	
							126	
							200	
							190	
							148	
							240	
							271	
-42.4	15.0					300# Hammer with 18" drop used on 2" I.D. spoon.		
						Blow counts do not correlate to the N-values of SPT		

X=814,370 Y=887,340

Hole No. CB-23

DRILLING LOG		DIVISION South Atlantic		INSTALLATION Jacksonville District		SHEET 1 OF 1 SHEETS	
1. PROJECT Palm Beach Harbor				10. SIZE AND TYPE OF BIT See remarks			
2. LOCATION (Coordinates or Station) Sta: 57+50 Rge 325				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY CORPS OF ENGINEERS				12. MANUFACTURER'S DESIGNATION OF DRILL JOY			
4. HOLE NO. (As shown on drawing title and file number) CB-23				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED	
5. NAME OF DRILLER B. J. Sealey				14. TOTAL NUMBER CORE BOXES 1/2		15. ELEVATION GROUND WATER Tidal	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				16. DATE HOLE STARTED 10/26/65 COMPLETED 10/26/65		17. ELEVATION TOP OF HOLE -38.4	
7. THICKNESS OF OVERBURDEN				18. TOTAL CORE RECOVERY FOR BORING 66 %			
8. DEPTH DRILLED INTO ROCK				19. NAME OF SUPERVISOR Geologist J. S. Gentile			
9. TOTAL DEPTH OF HOLE 5.0							
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g	
						BIT & BARREL Bls/Ft	
-38.4	0.0					-38.4	
-39.2	0.8		SAND, fine to medium, quartz, tan, shelly (SP)		1	2" I.D. Spoon 23	
			LIMESTONE, hard, very porous, very fossiliferous (Coquina) sandy, tan	66		120	
						170	
						166	
-43.4	5.0					-43.4 110	
						300# Hammer with 18" drop used on 2" I.D. Spoon	
						Blow counts do not correlate to the N-values of SPT	

X = 815,380 Y = 887,560

Hole No. CB-38

DRILLING LOG		DIVISION South Atlantic		INSTALLATION Jacksonville District		SHEET 1 OF 1 SHEETS	
1. PROJECT Palm Beach Harbor				10. SIZE AND TYPE OF BIT See remarks			
2. LOCATION (Coordinates or Station) STA: 47/50 RGE: 150				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY Corps of Engineers				12. MANUFACTURER'S DESIGNATION OF DRILL Joy			
4. HOLE NO. (As shown on drawing title and file number) CB-38				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED	
5. NAME OF DRILLER B. J. Sealey				14. TOTAL NUMBER CORE BOXES 1/2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER Tidal		16. DATE HOLE STARTED 11/16/65 COMPLETED 11/16/65	
7. THICKNESS OF OVERBURDEN				17. ELEVATION TOP OF HOLE -32.8			
8. DEPTH DRILLED INTO ROCK				18. TOTAL CORE RECOVERY FOR BORING 55 %			
9. TOTAL DEPTH OF HOLE 10.0'				19. RECORDED BY Geologist: J. S. Gentile			
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g	
-32.8	0.0					Bit & Barrel Bls/Ft	
			Sand, fine to medium, quartz very shelly, tan (SP)	58	1	2" I. D. Spoon	5 8 11 14
			Gray very tight from -38.0 to -40.8			-37.8	20
			Lenses of sandy limestone, light gray from -40.8 to -42.8, thin layer of compacted, dark brown peat from -40.8 to -41.1	52	2	" "	38 74 89 40 48
-42.8	10.0					300# hammer with 18" drop used on 2" I. D. Spoon Blow counts do not correlate to the N-values of SPT	

X = 815,730 Y = 887,485

Hole No. CB-39

DRILLING LOG		DIVISION South Atlantic		INSTALLATION Jacksonville District		SHEET OF 1 SHEETS 1		
1. PROJECT PALM BEACH HARBOR				10. SIZE AND TYPE OF BIT See remarks				
2. LOCATION (Coordinates or Station) Sta. 44+00 Rge: 200				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW				
3. DRILLING AGENCY Corps of Engineers				12. MANUFACTURER'S DESIGNATION OF DRILL JOY				
4. HOLE NO. (As shown on drawing title and file number) CB-39				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED		
5. NAME OF DRILLER B. J. Sealey				14. TOTAL NUMBER CORE BOXES 1/2				
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER TIDAL		16. DATE HOLE STARTED 11/17/65 COMPLETED 11/17/65		
7. THICKNESS OF OVERBURDEN				17. ELEVATION TOP OF HOLE -29.2				
8. DEPTH DRILLED INTO ROCK				18. TOTAL CORE RECOVERY FOR BORING 33 %				
9. TOTAL DEPTH OF HOLE 14.0'				19. NAME OF PERSON Geologist J.S. Gentile				
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g		
-29.2	0.0					BIT & BARREL Bls/ft. -29.2		
			SAND, fine to medium, quartz, shelly, tan, loose, (SP) tight, gray, shelly, from -37.2 to -43.2	48	1	2" I.D. Spoon SETTLED		
						SETTLED		
								5
								7
								10
				36	2		9	
							12	
							14	
							26	
							45	
				22	3		18	
							40	
							45	
-43.2	14.0					300# Hammer with 18" drop used on 2" I.D. spoon. Blow counts do not correlate to the N-values of SPT		

X=815,880 Y=887,620

Hole No. CB-40

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1 SHEETS
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See remarks		
2. LOCATION (Coordinates or Station) Sta 42+50 Rge: 50		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL JOY		
4. HOLE NO. (As shown on drawing title and file number) CB-40		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN	DISTURBED	UNDISTURBED
5. NAME OF DRILLER B.J. SKEALEY		14. TOTAL NUMBER CORE BOXES 1/3		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER Tidal	16. DATE HOLE STARTED 10/27/65 COMPLETED 10/27/65	17. ELEVATION TOP OF HOLE -34.1
7. THICKNESS OF OVERBURDEN		18. TOTAL CORE RECOVERY FOR BORING 41%		
8. DEPTH DRILLED INTO ROCK		19. SIGNATURE OF SUPERVISOR Geologist J. S. Gentile		
9. TOTAL DEPTH OF HOLE 9.0				

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
-34.1	0.0					BIT & BARREL Bls/Ft -34.1
			SAND, fine to medium, quartz, shelly, brownish gray, (SP)	22	1	2" I.D. Spoon 12 16 28 35 -39.1 48
			thin bed of medium hard, porous, sandy, fossiliferous limestone from -38.6 to -39.0			25 38
-43.1	9.0		very tight, clean and light gray from -41.1 to -43.1	60	2	-43.1 73 87
						Blow counts do not correlate to the N-values of SPT 300# Hammer with 18" drop used on 2" I.D. Spoon

X = 816,780 Y = 827,600

Hole No. CB-41

DRILLING LOG		DIVISION South Atlantic		INSTALLATION Jacksonville District		SHEET 1 OF 1 SHEETS	
1. PROJECT Palm Beach Harbor				10. SIZE AND TYPE OF BIT See remarks			
2. LOCATION (Coordinates or Station) Sta: 34450 Rge: 50				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY Corps of Engineers				12. MANUFACTURER'S DESIGNATION OF DRILL Joy			
4. HOLE NO. (As shown on drawing title and file number) CB-41				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED	
5. NAME OF DRILLER B. J. Sealey				14. TOTAL NUMBER CORE BOXES 1/3			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER Tidal		16. DATE HOLE STARTED 11/9/65 COMPLETED 11/9/65	
7. THICKNESS OF OVERBURDEN				17. ELEVATION TOP OF HOLE -32.8			
8. DEPTH DRILLED INTO ROCK				18. TOTAL CORE RECOVERY FOR BORING 19 %			
9. TOTAL DEPTH OF HOLE 10.0'				19. NAME OF DRILLER Geologist: J. S. Gentile			
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g	
-32.8	0.0					Bit & Barrel Bls/Ft -32.8	
			SAND, fine to medium, quartz and shells, gray (SP)	22	1	2" I. D. Spoon 7 10 7 21 34 -37.8	
			very tight, fine grained, light gray, no shells, from -38.3 to -42.8	16	2	" " 50 72 86 99 -42.8 101	
						300# hammer with 18" drop used on 2" I. D. Spoon. Blow counts do not correlate to the N-values of SPT	

X = 817,320 Y = 827,600

Hole No. CB-42

DRILLING LOG		DIVISION South Atlantic		INSTALLATION Jacksonville District		SHEET 1 OF 1 SHEETS	
1. PROJECT Palm Beach Harbor				10. SIZE AND TYPE OF BIT see remarks			
2. LOCATION (Coordinates or Station) Sta: 28+00 Rge: 50				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY Corps of Engineers				12. MANUFACTURER'S DESIGNATION OF DRILL Joy			
4. HOLE NO. (As shown on drawing title and file number) CB-42				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED	
5. NAME OF DRILLER B. J. Sealey				14. TOTAL NUMBER CORE BOXES 1/2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER Tidal		16. DATE HOLE STARTED 10/22/65 COMPLETED 10/22/65	
7. THICKNESS OF OVERBURDEN				17. ELEVATION TOP OF HOLE -32.5			
8. DEPTH DRILLED INTO ROCK				18. TOTAL CORE RECOVERY FOR BORING 58%			
9. TOTAL DEPTH OF HOLE 10.0'				19. LOGGING BOOK NUMBER Geologist J. S. Gentile			
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g	
-32.5	0.0					Bit and Barrel Bls/ft. -32.5	
			SAND, fine to medium, quartz, tan, slightly shelly, (SP)	56	1	2" I.D. spoon Settled 10 19 22	
			Very tight, gray, from -38.5 to -42.5	60	2	-37.5 " " 31 84 90 126 -42.5 193	
						300# hammer with 18" drop used on 2" I.D. spoon Blow counts do not correlate to the N-values of SPT	

X = 814,700 Y = 887,690

Hole No. CB-43

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1 SHEETS
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See remarks		
2. LOCATION (Coordinates or Station) Sta: 54+50 Rgs: 0.5		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Joy		
4. HOLE NO. (As shown on drawing title and file number) CB-43		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED UNDISTURBED		
5. NAME OF DRILLER L. D. Johnson		14. TOTAL NUMBER CORE BOXES 1/2		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER Tidal		
7. THICKNESS OF OVERBURDEN		16. DATE HOLE STARTED 10/19/65 COMPLETED 10/19/65		
8. DEPTH DRILLED INTO ROCK		17. ELEVATION TOP OF HOLE -28.5		
9. TOTAL DEPTH OF HOLE 15.0'		18. TOTAL CORE RECOVERY FOR BORING 56 %		
		19. SPERMATOPHYTES Geologist J. S. Gentile		

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
						Bit & Barrel Bls/ft.
-27.5	0.0					-27.5
-28.5	1.0		SAND, medium, quartz, tan, clean (SP)		1	2" I.D. spoon 4
			LIMESTONE, hard, very porous, permeable, very sandy, fossiliferous, gray, could be considered a hard calcareous sandstone	50		150 170 330 400 444 188
				40		-32.5 " " 240 433
				78		-37.5 " " 230 71 86 90 73 77
-42.5	15.0					-42.5
						300# hammer with 18" drop used on 2" I.D. spoon Blow counts do not correlate to the N-values of SPT

X=814,680 Y=887,320

Hole No. CB-44


DRILLING LOG		DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1 SHEETS
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See remarks		
2. LOCATION (Coordinates or Station) Sta: 54+50 Rge: 375		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Joy		
4. HOLE NO. (As shown on drawing title and file number) CB-44		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN	DISTURBED	UNDISTURBED
5. NAME OF DRILLER B. J. Sealey		14. TOTAL NUMBER CORE BOXES 1		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER Tidal	16. DATE HOLE STARTED 11/22/65 COMPLETED 11/23/65	17. ELEVATION TOP OF HOLE -11.6
7. THICKNESS OF OVERBURDEN		18. TOTAL CORE RECOVERY FOR BORING 69%		
8. DEPTH DRILLED INTO ROCK		19. SOILS ENGINEER Geologist: J. S. Gentile		
9. TOTAL DEPTH OF HOLE 30.0'				

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
						Bit & Barrel Bls/Ft
-11.6	0.0					-11.6
-12.8	1.2		Sand, fine to medium, quartz, shelly (Sp)		1	Settled 2" I. D. Spoon 41 86 190 240
			Limestone - (calcareous sandstone or coquina) very porous, thin bedded, light gray, very fossiliferous, very permeable	70		-16.6 70 67 116 100 170 188 116 162 183 200
				80		" " 70 67 116 100 170
				62		-21.6 " " 188 116 162 183 200
				96		-26.6 26.6 " " 146 168 136 114 196
				50		-31.6 31.6 " " 250 161 130 119 134
				56		-36.6 " " 122 103 205 261
-41.6	30.0					-41.6 310
						300# hammer with 18" drop used on 2" I. D. Spoon Blow counts do not correlate to the N-values of SPT


VIBRACORE LOG

Project: <u>TOWN OF PALM BEACH - LAKE WORTH INLET</u> Core No: <u>VC-5</u>							
Coordinates:		Date: <u>9-21-88</u>	Water Depth <u>35'</u> NGVD				
N = <u>887356.0</u>		Start Time <u>1547</u>	Driller <u>RODNEY MEYER</u>				
E = <u>817491.5</u>		End Time <u>1630</u>	Client Rep. <u>JEFF ANDREWS</u>				
Core Diam. <u>3"</u> Length of Barrel <u>20'</u> Penetration Depth <u>20'</u> Length Recovered <u>20'</u> Length Retained <u>20'</u> Remarks: <u>PENETRATION TIME 16 MIN</u>	Elev.	Depth	Legend	Description	Samp. No.	Remarks	
			0		COARSE SAND & SHELL		
					COARSE SAND & SHELL	2.2'	(SP)
					GREY SAND (1042 7/1)		
			5			5.8'	(SP)
					COARSE SAND SHELL & CORAL		
Support Vessel <u>M-3</u> Positioning System <u>TRISPOUNDER</u> Positioning Remarks:							
		10		GREY SAND (1048 7/1)	10.5'	(SP)	
Weather <u>CLEAR</u> Wind Dir: <u>SE</u> Est. Speed <u>5-10 Knots</u> Waves Dir: <u>SE</u> Height <u>0-2'</u> Current Dir: <u>NORTH</u> Est. Speed: <u>1-2 Knots</u>				LRG SHELL SMALL CORAL			
		15					
				CORAL			
					17.7'	(SP)	
Analysis By: <u>FK</u> Date: <u>9/25/88</u> Analysis Method: <u>VISUAL LOG</u> <u>MECHANICAL SIEVE</u>				1" DIA CORAL			
		20		CEMENTED SANDS			


DRILLING LOG		DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks		
2. LOCATION (Coordinates or Station) X=814,427 Y=887,420		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)		
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314		
4. HOLE NO. (As shown on drawing title and file number) WB-PBH95-1		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0		
5. NAME OF DRILLER C. Robbins		14. TOTAL NUMBER OF CORE BOXES		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL		
7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 8/5/95 8/5/95		
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -41.0 Ft.		
9. TOTAL DEPTH OF HOLE 1.3 Ft.		18. TOTAL CORE RECOVERY FOR BORING 0 %		
		19. SIGNATURE OF Geologist Jim Arthur		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel
-41.0	.0					-41.0
-42.3	1.3		SAND Washed to top of rock at elevation -42.3.	0		-42.3 NX DRILL RODS
						Set 6 inch casing to depth 0.8 feet.

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks		
2. LOCATION (Coordinates or Station) X=814,520 Y=887,577		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)		
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314		
4. HOLE NO. (As shown on drawing title and file number) WB-PBH95-2		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0		
5. NAME OF DRILLER C. Robbins		14. TOTAL NUMBER OF CORE BOXES		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL		
7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 8/5/95 8/5/95		
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -35.3 Ft.		
9. TOTAL DEPTH OF HOLE 5.2 Ft.		18. TOTAL CORE RECOVERY FOR BORING 0 %		
		19. SIGNATURE OF Geologist Jim Arthur		


ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel
-35.3	.0					-35.3
			SAND, gray fine to medium poorly graded quartz sand, large amount of small shell fragments (SP)	0		NX DRILL RODS
			Washed to top of rock at elevation -40.5.			
-40.5	5.2					-40.5
			Note: Soils are field classified in accordance with the Unified Soils Classification System.			Set 6 inch casing to depth 4.7 feet.

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks	
2. LOCATION (Coordinates or Station) X=814,722 Y=887,585		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)	
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Falling 314	
4. HOLE NO. (As shown on drawing title and file number) WB-PBH95-3		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0	
5. NAME OF DRILLER C. Robbins		14. TOTAL NUMBER OF CORE BOXES	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL	
7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 8/5/95 8/5/95	
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -39.5 Ft.	
9. TOTAL DEPTH OF HOLE 2.2 Ft.		18. TOTAL CORE RECOVERY FOR BORING 0 %	
19. SIGNATURE OF Geologist Jim Arthur			

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel
-39.5	.0					-39.5
			SAND, gray fine poorly graded quartz sand (SP) Washed to top of rock at elevation -41.7.	0		NX DRILL RODS
-41.7	2.2					-41.7
			Note: Soils are field classified in accordance with the Unified Soils Classification System.			Set 6 inch casing to depth 2.0 feet.

Hole No. WB-PBH95-4

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
1. PROJECT Palm Beach Harbor	10. SIZE AND TYPE OF BIT See Remarks		
2. LOCATION (Coordinates or Station) X=814,927 Y=887,313	11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)		
3. DRILLING AGENCY Corps of Engineers	12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314		
4. HOLE NO. (As shown on drawing title and file number) WB-PBH95-4	13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0		
5. NAME OF DRILLER C. Robbins	14. TOTAL NUMBER OF CORE BOXES		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED	15. ELEVATION GROUND WATER TIDAL		
7. THICKNESS OF BURDEN Ft.	16. DATE HOLE STARTED COMPLETED 8/5/95 8/5/95		
8. DEPTH DRILLED INTO ROCK 0 Ft.	17. ELEVATION TOP OF HOLE -37.3 Ft.		
9. TOTAL DEPTH OF HOLE 4.9 Ft.	18. TOTAL CORE RECOVERY FOR BORING 0 %		
19. SIGNATURE OF Geologist Jim Arthur			


ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel
-37.3	.0					-37.3
			SAND, gray fine medium poorly graded quartz sand, (SP)	0		NX DRILL RODS
-42.2	4.9		Washed to top of rock at elevation -42.2.			-42.2
			Note: Soils are field classified in accordance with the Unified Soils Classification System.			Set 6 inch casing to depth 3.8 feet.

ENG FORM 1830 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Palm Beach Harbor

HOLE NUMBER
WB-PBH95-4

Hole No. WB-PBH95-5

DRILLING LOG		DIVISION South Atlantic		INSTALLATION Jacksonville District		SHEET 1 OF 1	
1. PROJECT Palm Beach Harbor				10. SIZE AND TYPE OF BIT See Remarks			
2. LOCATION (Coordinates or Station) X=815,032 Y=887,665				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)			
3. DRILLING AGENCY Corps of Engineers				12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314			
4. HOLE NO. (As shown on drawing title and file number) WB-PBH95-5				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0			
5. NAME OF DRILLER C. Robbins				14. TOTAL NUMBER OF CORE BOXES			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				15. ELEVATION GROUND WATER TIDAL			
7. THICKNESS OF BURDEN Ft.				16. DATE HOLE STARTED COMPLETED 8/5/95 8/5/95			
8. DEPTH DRILLED INTO ROCK 0 Ft.				17. ELEVATION TOP OF HOLE -38.0 Ft.			
9. TOTAL DEPTH OF HOLE 3.0 Ft.				18. TOTAL CORE RECOVERY FOR BORING 0 %			
				19. SIGNATURE OF Geologist Jim Arthur			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel	
-38.0	.0					-38.0	0
			SAND				
			Washed to top of rock at elevation -41.0	0		NX DRILL RODS	
-41.0	3.0					-41.0	2.5
						Set 6 inch casing to depth 2.7 feet.	5
							7.5
							10
							12.5
							15
							17.5
							20
							22.5

ENG FORM 1836 PREVIOUS EDITIONS ARE OBSOLETE.
MAR 71

PROJECT
Palm Beach Harbor

HOLE NUMBER
WB-PBH95-5

Hole No. WB-PBH95-6

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1		
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks				
2. LOCATION (Coordinates or Station) X=815,220 Y=887,385		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)				
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314				
4. HOLE NO. (As shown on drawing title and file number) WB-PBH95-6		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0				
5. NAME OF DRILLER C. Robbins		14. TOTAL NUMBER OF CORE BOXES				
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL				
7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 8/5/95 8/5/95				
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -37.0 Ft.				
9. TOTAL DEPTH OF HOLE 10.5 Ft.		18. TOTAL CORE RECOVERY FOR BORING 0 %				
		19. SIGNATURE OF Geologist Jim Arthur				
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel
-37.0	.0		SAND, gray fine poorly graded quartz sand, some small shell fragments (SP)			-37.0
		[Dotted pattern]		0		NX DRILL RODS
			Washed to top of rock at elevation -47.5			
-47.5	10.5		Note: Soils are field classified in accordance with the Unified Soils Classification System.			Set 6 inch casing to depth 3.7, then 6.5 feet.

ENG FORM 1030 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Palm Beach Harbor

HOLE NUMBER
WB-PBH95-6

Hole No. WB-PBH95-7

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks		
2. LOCATION (Coordinates or Station) X=815,422 Y=887,549		11. DATUM FOR ELEVATION SHOWN (TBM or NSL) MLW (FEET)		
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Falling 314		
4. HOLE NO. (As shown on drawing title and file number) WB-PBH95-7		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0		
5. NAME OF DRILLER C. Robbins		14. TOTAL NUMBER OF CORE BOXES		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL		
7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 8/5/95 8/5/95		
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -36.4 Ft.		
9. TOTAL DEPTH OF HOLE 5.0 Ft.		18. TOTAL CORE RECOVERY FOR BORING 0 %		
		19. SIGNATURE OF Geologist Jim Arthur		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel
-36.4	.0					-36.4
		[Dotted Pattern]	SAND, gray fine poorly graded quartz sand (SP)			
				0		NX DRILL RODS
-41.4	5.0		Washed to top of rock at elevation -41.4			-41.4
			Note: Soils are field classified in accordance with the Unified Soils Classification System.			Set 6 inch casing to depth 4.5 feet.

Hole No. WB-PBH95-8

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks	
2. LOCATION (Coordinates or Station) X=815,675 Y=887,370		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)	
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314	
4. HOLE NO. (As shown on drawing title and file number) WB-PBH95-8		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0	
5. NAME OF DRILLER C. Robbins		14. TOTAL NUMBER OF CORE BOXES	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL	
7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 8/5/95 8/5/95	
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -36.0 Ft.	
9. TOTAL DEPTH OF HOLE 5.0 Ft.		18. TOTAL CORE RECOVERY FOR BORING 0 %	
19. SIGNATURE OF Geologist Jim Arthur			

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel
-36.0	.0		SAND			-36.0
				0		NX DRILL RODS
-41.0	5.0		Washed to elevation -41.0, no rock encountered			-41.0
						Set 6 inch casing to depth 6.5 feet.

ENG FORM 1030 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Palm Beach Harbor

HOLE NUMBER
WB-PBH95-8

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1		
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks				
2. LOCATION (Coordinates or Station) X=815,813 Y=887,596		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)				
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314				
4. HOLE NO. (As shown on drawing title and file number) WB-PBH95-9		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0				
5. NAME OF DRILLER C. Robbins		14. TOTAL NUMBER OF CORE BOXES				
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL				
7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 8/6/95 8/6/95				
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -45.8 Ft.				
9. TOTAL DEPTH OF HOLE 6.2 Ft.		18. TOTAL CORE RECOVERY FOR BORING 0 %				
		19. SIGNATURE OF Geologist Jim Arthur				
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel
-45.8	.0		SAND			-45.8
		[Dotted Pattern]		0		NX DRILL RODS
			Washed to elevation -52.0, no rock encountered			
-52.0	6.2					-52.0
						Set 6 inch casing to depth 5.4 feet.

Hole No. WB-PBH95-10

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1		
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks				
2. LOCATION (Coordinates or Station) X=816,118 Y=887,317		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)				
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314				
4. HOLE NO. (As shown on drawing title and file number) WB-PBH95-10		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0				
5. NAME OF DRILLER C. Robbins		14. TOTAL NUMBER OF CORE BOXES				
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL				
7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 8/6/95 8/6/95				
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -47.3 Ft.				
9. TOTAL DEPTH OF HOLE 5.1 Ft.		18. TOTAL CORE RECOVERY FOR BORING 0 %				
		19. SIGNATURE OF Geologist Jim Arthur				
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel
-47.3	.0		SAND			-47.3
		[Dotted Pattern]		0		NX DRILL RODS
-52.4	5.1		Washed to elevation -52.4, no rock encountered			-52.4
						Set 6 inch casing to depth 1.2 feet.

ENG FORM 1836 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71


PROJECT
Palm Beach Harbor

HOLE NUMBER
WB-PBH95-10

Hole No.WB-PBH95-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1		
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks				
2. LOCATION (Coordinates or Station) X=816,328 Y=887,597		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)				
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314				
4. HOLE NO. (As shown on drawing title and file number) WB-PBH95-12		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0				
5. NAME OF DRILLER C. Robbins		14. TOTAL NUMBER OF CORE BOXES				
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL				
7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 8/6/95 8/6/95				
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -38.4 Ft.				
9. TOTAL DEPTH OF HOLE 7.5 Ft.		18. TOTAL CORE RECOVERY FOR BORING 0 %				
		19. SIGNATURE OF Geologist Jim Arthur				
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel
-38.4	.0		SAND			-38.4
		[Dotted Pattern]		0		NX DRILL RODS
			Washed to elevation -45.9, no rock encountered			
-45.9	7.5					-45.9
						Set 6 inch casing to depth 3.4 feet.

Hole No. WB-PBH95-13

DRILLING LOG		DIVISION South Atlantic		INSTALLATION Jacksonville District		SHEET 1 OF 1	
1. PROJECT Palm Beach Harbor				10. SIZE AND TYPE OF BIT See Remarks			
2. LOCATION (Coordinates or Station) X=816,422 Y=887,322				11. DATUM FOR ELEVATION SHOWN (TBN or MSL) MLW (FEET)			
3. DRILLING AGENCY Corps of Engineers				12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314			
4. HOLE NO. (As shown on drawing title and file number) WB-PBH95-13				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0			
5. NAME OF DRILLER C. Robbins				14. TOTAL NUMBER OF CORE BOXES			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				15. ELEVATION GROUND WATER TIDAL			
7. THICKNESS OF BURDEN Ft.				16. DATE HOLE STARTED COMPLETED 8/6/95 8/6/95			
8. DEPTH DRILLED INTO ROCK 0 Ft.				17. ELEVATION TOP OF HOLE -43.8 Ft.			
9. TOTAL DEPTH OF HOLE 5.2 Ft.				18. TOTAL CORE RECOVERY FOR BORING 0 %			
				19. SIGNATURE OF Geologist Jim Arthur			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC &	SAMPLE NUMBER	REMARKS Bit or Barrel	
-43.8	.0		SAND			-43.8	0
				0		NX DRILL RODS	-2.5
			Washed to elevation -49.0; no rock encountered				-5
-49.0	5.2					Set 6 inch casing to depth 1.1 feet.	-7.5
							-10
							-12.5
							-15
							-17.5
							-20
							-22.5

ENG FORM 1830 PREVIOUS EDITIONS ARE OBSOLETE.
MAR 71

PROJECT
Palm Beach Harbor

HOLE NUMBER
WB-PBH95-13

Hole No. WB-PBH95-15

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	<i>SHEET 1</i> <i>OF 1</i>
1. PROJECT Palm Beach Harbor	10. SIZE AND TYPE OF BIT See Remarks		
2. LOCATION (Coordinates or Station) X=816,624 Y=887,432	11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)		
3. DRILLING AGENCY Corps of Engineers	12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314		
4. HOLE NO. (As shown on drawing title and file number) WB-PBH95-15	13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0		
5. NAME OF DRILLER C. Robbins	14. TOTAL NUMBER OF CORE BOXES		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED	15. ELEVATION GROUND WATER TIDAL		
7. THICKNESS OF BURDEN Ft.	16. DATE HOLE STARTED COMPLETED 8/6/95 8/6/95		
8. DEPTH DRILLED INTO ROCK 0 Ft.	17. ELEVATION TOP OF HOLE -38.7 Ft.		
9. TOTAL DEPTH OF HOLE 8.4 Ft.	18. TOTAL CORE RECOVERY FOR BORING 0 %		
19. SIGNATURE OF Geologist Jim Arthur			

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel
-38.7	.0		SAND			-38.7
				0		NX DRILL RODS
			Washed to elevation -47.1, no rock encountered			
-47.1	8.4					-47.1
						Set 6 inch casing to depth 4.0 feet.

ENG FORM 1838 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Palm Beach Harbor

HOLE NUMBER
WB-PBH95-15

Hole No. WB-PBH95-17

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks	
2. LOCATION (Coordinates or Station) X=816,721 Y=887,590		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)	
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Falling 314	
4. HOLE NO. (As shown on drawing title and file number) WB-PBH95-17		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0	
5. NAME OF DRILLER C. Robbins		14. TOTAL NUMBER OF CORE BOXES	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL	
7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 8/7/95 8/7/95	
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -37.3 Ft.	
9. TOTAL DEPTH OF HOLE 9.0 Ft.		18. TOTAL CORE RECOVERY FOR BORING 0 %	
		19. SIGNATURE OF Geologist Jim Arthur	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel
-37.3	.0		SAND			-37.3
				0		NX DRILL RODS
			Washed to elevation -45.7, no rock encountered			
-45.7	8.4					-45.7
						Set 6 inch casing to depth 1.4 feet.

ENG FORM 1830 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Palm Beach Harbor

HOLE NUMBER
WB-PBH95-17

Hole No. WB-PBH95-18

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
	1. PROJECT Palm Beach Harbor	10. SIZE AND TYPE OF BIT See Remarks	
	2. LOCATION (Coordinates or Station) X=816,925 Y=887,375	11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)	
	3. DRILLING AGENCY Corps of Engineers	12. MANUFACTURER'S DESIGNATION OF DRILL Falling 314	
	4. HOLE NO. (As shown on drawing title and file number) WB-PBH95-18	13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0	
	5. NAME OF DRILLER C. Robbins	14. TOTAL NUMBER OF CORE BOXES	
	6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED	15. ELEVATION GROUND WATER TIDAL	
	7. THICKNESS OF BURDEN Ft.	16. DATE HOLE STARTED COMPLETED 8/7/95 8/7/95	
	8. DEPTH DRILLED INTO ROCK 0 Ft.	17. ELEVATION TOP OF HOLE -36.4 Ft.	
9. TOTAL DEPTH OF HOLE 9.1 Ft.	18. TOTAL CORE RECOVERY FOR BORING 0 %		
		19. SIGNATURE OF Geologist Jim Arthur	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel
-36.4	.0		SAND			-36.4
				0		NX DRILL RODS
			Washed to elevation -45.5, no rock encountered			
-45.5	9.1					-45.5
						Set 6 inch casing to depth 4.0 feet.

ENG FORM 1838 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Palm Beach Harbor

HOLE NUMBER
WB-PBH95-18

Hole No. WB-PBH95-19

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	<i>SHEET 1</i> <i>OF 1</i>
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks	
2. LOCATION (Coordinates or Station) X=817,127 Y=887,554		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)	
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314	
4. HOLE NO. (As shown on drawing title and file number) WB-PBH95-19		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0	
5. NAME OF DRILLER C. Robbins		14. TOTAL NUMBER OF CORE BOXES	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL	
7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 8/7/95 8/7/95	
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -38.3 Ft.	
9. TOTAL DEPTH OF HOLE 9.0 Ft.		18. TOTAL CORE RECOVERY FOR BORING 0 %	
19. SIGNATURE OF Geologist Jim Arthur			

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel
-38.3	.0					-38.3
		SAND		0		NX DRILL RODS
			Washed to elevation -47.3, no rock encountered			
-47.3	9.0					-47.3
						Set 6 inch casing to depth 3.6 feet.

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks	
2. LOCATION (Coordinates or Station) X=817,331 Y=887,372		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)	
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314	
4. HOLE NO. (As shown on drawing title and file number) WB-PBH95-20		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0	
5. NAME OF DRILLER C. Robbins		14. TOTAL NUMBER OF CORE BOXES	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL	
7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 8/7/95 8/7/95	
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -36.7 Ft.	
9. TOTAL DEPTH OF HOLE 9.9 Ft.		18. TOTAL CORE RECOVERY FOR BORING 0 %	
		19. SIGNATURE OF Geologist Jim Arthur	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel
-36.7	.0		SAND			-36.7
				0		NX DRILL RODS
			Washed to elevation -46.6, no rock encountered			
-46.6	9.9					-46.6
						Set 8 inch casing to depth 4.6 feet.

Hole No. WB-PBH95-21

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
	1. PROJECT Palm Beach Harbor	10. SIZE AND TYPE OF BIT See Remarks	
	2. LOCATION (Coordinates or Station) X=817,514 Y=887,450	11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)	
	3. DRILLING AGENCY Corps of Engineers	12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314	
	4. HOLE NO. (As shown on drawing title and file number) WB-PBH95-21	13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0	
	6. NAME OF DRILLER C. Robbins	14. TOTAL NUMBER OF CORE BOXES	
	6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED	15. ELEVATION GROUND WATER TIDAL	
	7. THICKNESS OF BURDEN Ft.	16. DATE HOLE STARTED COMPLETED 8/7/95 8/7/95	
	8. DEPTH DRILLED INTO ROCK 0 Ft.	17. ELEVATION TOP OF HOLE -37.5 Ft.	
9. TOTAL DEPTH OF HOLE 9.6 Ft.	18. TOTAL CORE RECOVERY FOR BORING 0 %		
	19. SIGNATURE OF Geologist Jim Arthur		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel
-37.5	.0		SAND			-37.5
				0		NX DRILL RODS
			Washed to elevation -47.1, no rock encountered			
-47.1	9.6					-47.1
						Set 6 inch casing to depth 4.2 feet.

ENG FORM 1836 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Palm Beach Harbor

HOLE NUMBER
WB-PBH95-21

Hole No. WB-PBH95-22

DRILLING LOG		DIVISION South Atlantic		INSTALLATION Jacksonville District		SHEET 1 OF 1	
1. PROJECT Palm Beach Harbor				10. SIZE AND TYPE OF BIT See Remarks			
2. LOCATION (Coordinates or Station) X=817,603 Y=887,300				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)			
3. DRILLING AGENCY Corps of Engineers				12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314			
4. HOLE NO. (As shown on drawing title and file number) WB-PBH95-22				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0			
5. NAME OF DRILLER C. Robbins				14. TOTAL NUMBER OF CORE BOXES			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				15. ELEVATION GROUND WATER TIDAL			
7. THICKNESS OF BURDEN Ft.				16. DATE HOLE STARTED COMPLETED 8/7/95 8/7/95			
8. DEPTH DRILLED INTO ROCK 0 Ft.				17. ELEVATION TOP OF HOLE -36.2 Ft.			
9. TOTAL DEPTH OF HOLE 10.5 Ft.				18. TOTAL CORE RECOVERY FOR BORING 0 %			
				19. SIGNATURE OF Geologist Jim Arthur			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel	
-36.2	.0		SAND			-36.2	0
				0		NX DRILL RODS	2.5
			Washed to elevation 46.7, no rock encountered				5
-46.7	10.5					-46.7	7.5
						Set 6 inch casing to depth 5.1 feet.	10
							12.5
							15
							17.5
							20
							22.5

ENG FORM 1836 PREVIOUS EDITIONS ARE OBSOLETE.
MAR 71

PROJECT
Palm Beach Harbor

HOLE NUMBER
WB-PBH95-22

Hole No. CB-LWI-SJ01-3

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 2
1. PROJECT Lake Worth Inlet, Palm Beach Harbor	10. SIZE AND TYPE OF BIT See Remarks		
2. LOCATION (Coordinates or Station) X=816,104 Y=887,141	11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLW NAD-27 FL-E		
3. DRILLING AGENCY Corps of Engineers - Savannah District	12. MANUFACTURER'S DESIGNATION OF DRILL Failing 1500		
4. HOLE NO. (As shown on drawing title and file number) CB-LWI-SJ01-3	13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 18 undisturbed: 0		
5. NAME OF DRILLER Pickett	14. TOTAL NUMBER OF CORE BOXES 1		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED	15. ELEVATION GROUND WATER n/a		
7. THICKNESS OF BURDEN 27.0 Ft.	16. DATE HOLE STARTED COMPLETED 04/02/01 04/02/01		
8. DEPTH DRILLED INTO ROCK 3.0 Ft.	17. ELEVATION TOP OF HOLE -31.9 Ft.		
9. TOTAL DEPTH OF HOLE 30.0 Ft.	18. TOTAL CORE RECOVERY FOR BORING 71.7 %		
19. SIGNATURE OF INSPECTOR J. Arthur, PG			

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel	BLOWS/ ft		
-31.9	0.0					-31.9	0		
			SAND, poorly graded, fine to medium grained, some coarse limestone gravel, trace of silt and small shell fragments, calcareous, gray, (SP)	60	1	SPT	32		
						40	2	SPT	38
								-33.4	19
									8
						40	3	SPT	9
								-34.9	17
			From -36.4 trace of fine limestone gravel, dark gray.				8		
				40	3	SPT	8		
						-36.4	14		
			From -37.4 grey to dark grey.				13		
				47	4	SPT	18		
						-37.9	27		
			From -39.5 grey, no gravel.				20		
				40	5	SPT	27		
						-39.4	28		
							10		
				53	6	SPT	21		
						-40.9	24		
-40.9	9.0						5		
			SAND, silty, fine grained, trace of small shell fragments, calcareous, gray, (SM).	40	7	SPT	20		
								-42.4	24
									12
						40	8	SPT	20
								-43.9	25
									16
						27	9	SPT	31
								-45.4	50
									15
						33	10	SPT	22
								-46.9	46
									15
						47	11	SPT	28
								-48.4	34
				40	12	SPT	24		
						-49.9	35		
							50		
							18		
				67	13	SPT	44		
						-51.4	56		
			From -51.4 fine to medium grained.				15		
				40	14	SPT	32		
						-52.9	21		
-52.9	21.0						4		
			SAND, clayey, fine to medium grained, calcareous, gray (SC).	40	15	SPT	3		
								-54.4	4
								(continued)	

ENG FORM 1836 PREVIOUS EDITIONS ARE OBSOLETE.
MAR 71

PROJECT
Lake Worth Inlet, Palm Beach Harbor

HOLE NUMBER
CB-LWI-SJ01-3

DRILLING LOG (Cont. Sheet)			ELEVATION TOP OF HOLE		SHEET 2 OF 2		
PROJECT Lake Worth Inlet, Palm Beach Harbor			INSTALLATION Jacksonville District				
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel	BLOWS/ ft.
-54.4	22.5					-54.4	7
				40	16	SPT	14
						-55.9	19
				47	17	SPT	15
			From -58.4, some light grey to white fine to medium silty sand.			-57.4	14
				47	18	SPT	20
-58.9	27.0					-58.9	3
			LIMESTONE, hard, highly weathered, porous, pitted and vuggy with small to large vugs, highly jointed, light gray, fossiliferous.	54	Box-1	4" x 5 1/2" Diamond Set Bit Hyd. Press: 200 PSI RGD = 0% D.T. = 5 min.	14
			Moderately hard: 0.4 - 1.0 ft, 1.4 - 2.1 ft. Poorly cemented, badly broken: 2.1 - 2.7 ft. Low angle horizontal open joints: -58.9, -59.3, -59.5, -59.9, -60.1 - 60.3, -60.5, -60.6, -61.2 ft. Low angle horizontal healed joints: -59.7, -60.0, -60.2, -60.6 - 60.8ft Fragmented: -60.3 - -60.5 ft.			-61.9	66
-61.9	30.0						
						140# hammer w/30" drop used with 2.0' split spoon (1 3/8" I.D. X 2" O.D.).	
			Notes: 1. Soils are field visually classified in accordance with the Unified Soils Classification System.				

Hole No. CB-LWI-SJ01-6

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
1. PROJECT Lake Worth Inlet, Palm Beach Harbor	10. SIZE AND TYPE OF BIT See Remarks		
2. LOCATION (Coordinates or Station) X=816,469 Y=887,125	11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLW NAD-27 FI-E		
3. DRILLING AGENCY Corps of Engineers - Savannah District	12. MANUFACTURER'S DESIGNATION OF DRILL Failing 1500		
4. HOLE NO. (As shown on drawing title and file number) CB-LWI-SJ01-6	13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 8 undisturbed: 0		
5. NAME OF DRILLER Pickett	14. TOTAL NUMBER OF CORE BOXES n/a		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED	15. ELEVATION GROUND WATER n/a		
7. THICKNESS OF BURDEN 15.0 Ft.	16. DATE HOLE STARTED COMPLETED 03/14/01 03/14/01		
8. DEPTH DRILLED INTO ROCK 0.0 Ft.	17. ELEVATION TOP OF HOLE -37.2 Ft.		
9. TOTAL DEPTH OF HOLE 15.0 Ft.	18. TOTAL CORE RECOVERY FOR BORING 29 %		
	19. SIGNATURE OF INSPECTOR J. Arthur, PG		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel	BLOWS/ft	
-37.2	0.0					-37.2	0	
		[Dotted pattern]	SAND, poorly graded, fine grained, calcareous, brownish gray, (SP).	0		SPT	10 8	
					0		-38.7	8 10
							-40.2	9 10
				From -41.7 some small shell fragments, gray.	11	1	SPT	7 12
					47	2	SPT	28 15
				From -43.2 fine grained, trace of shell fragments.	47	3	SPT	16 19
				From -44.7 grey and light grey.	27	4	SPT	18 25
				From -46.2 light grey, no shell fragments.	27	5	SPT	17 15
				27	6	SPT	20 15	
				47	7	SPT	23 20	
				27	8	SPT	27 20	
				47	7	SPT	36 44	
				47	7	SPT	40 20	
				33	8	SPT	40 26	
-52.2	15.0					-52.2	25 18	
			Notes: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. No initial splitspoon recovery on drives from 0.0 - 1.5 ft. and 1.5 - 3.0 ft. Re-drove from 0.0 - 3.0 ft then continued drive to 4.5 ft. Recovered 0.5 ft of sand for Jar #1.			140# hammer w/30" drop used with 2.0' split spoon (1 3/8" I.D. X 2" O.D.).	17.5 20 22.5	

ENG FORM 1836 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71


PROJECT
Lake Worth Inlet, Palm Beach Harbor

HOLE NUMBER
CB-LWI-SJ01-6

DRILLING LOG		DIVISION South Atlantic	INSTALLATION		SHEET 1 OF 2 SHEETS
1. PROJECT Lake Worth Inlet Snell Vibracoring 2012 Vibracore Borings			9. SIZE AND TYPE OF BIT See Remarks		
2. BORING DESIGNATION VB-LWI2012-01		LOCATION COORDINATES X = 973,877 Y = 887,228		10. COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)	
3. DRILLING AGENCY Corps of Engineers - Wilmington		CONTRACTOR FILE NO.		11. MANUFACTURER'S DESIGNATION OF DRILL <input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
4. NAME OF DRILLER			12. TOTAL SAMPLES 5		DISTURBED 5
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			DEG. FROM VERTICAL		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A			13. TOTAL NUMBER CORE BOXES 0		14. ELEVATION GROUND WATER
7. DEPTH DRILLED INTO ROCK N/A			15. DATE BORING		STARTED 06-13-12
8. TOTAL DEPTH OF BORING 16.6 Ft.			16. ELEVATION TOP OF BORING -34.8 Ft.		COMPLETED 06-13-12
			17. TOTAL RECOVERY FOR BORING 83 %		18. SIGNATURE AND TITLE OF INSPECTOR Barbara Nist, Geologist

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE
-34.8	0.0		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, few fine to medium-grained sand-sized shell, trace silt, weak reaction with HCl, moist, 10Y 6/1 greenish gray (SP)				Vibracore		0
			At El. -37.8 Ft., some fine to medium-grained sand-sized limestone		1				
			At El. -38.1 Ft., little fine to medium-grained sand-sized shell, 5Y 6/3 pale olive						
			At El. -39.8 Ft., trace shell, 10G 5/1 greenish gray						5
			At El. -42.8 Ft., mostly fine-grained sand-sized quartz, few fine to medium-grained sand-sized sandstone		2				
			From El. -45.4 to -45.5 Ft., some shell up to 1"						10
			From El. -45.8 to -46.0 Ft., some shell up to 1"						
			At El. -46.0 Ft., trace shell, 10G 5/1 greenish gray						
			At El. -46.8 Ft., little fine to medium-grained sand-sized shell		3				
									15

DRILLING LOG (Cont. Sheet)			INSTALLATION			SHEET 2 OF 2 SHEETS																					
PROJECT Lake Worth Inlet Snell Vibracoring 2012			COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)		HORIZONTAL NAD83	VERTICAL MLLW																					
LOCATION COORDINATES X = 973,877 Y = 887,228			ELEVATION TOP OF BORING -34.8 Ft.																								
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE																		
-51.4	16.6		-At El. -49.8 Ft., few fine-grained sand-sized shell, N 5/ gray		4		-51.4																				
			<p>NOTES:</p> <ol style="list-style-type: none"> USACE Jacksonville is the custodian for these original files. Soils are field visually classified in accordance with the Unified Soils Classification System. 20 ft. ft. penetration Laboratory Testing Results <table border="1"> <thead> <tr> <th>SAMPLE ID</th> <th>SAMPLE DEPTH</th> <th>LABORATORY CLASSIFICATION</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3.0/3.5</td> <td>SP*</td> </tr> <tr> <td>1-post</td> <td>3.0/3.5</td> <td>SP*</td> </tr> <tr> <td>2</td> <td>8.0/8.5</td> <td>SP*</td> </tr> <tr> <td>3</td> <td>12.0/12.5</td> <td>SP*</td> </tr> <tr> <td>4</td> <td>15.0/15.5</td> <td>SP*</td> </tr> </tbody> </table> <p>*Lab visual classification based on gradation curve. No Atterberg limits.</p>	SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION	1	3.0/3.5	SP*	1-post	3.0/3.5	SP*	2	8.0/8.5	SP*	3	12.0/12.5	SP*	4	15.0/15.5	SP*				Abbreviations: - NR = Not Recorded. -		
SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION																									
1	3.0/3.5	SP*																									
1-post	3.0/3.5	SP*																									
2	8.0/8.5	SP*																									
3	12.0/12.5	SP*																									
4	15.0/15.5	SP*																									



DRILLING LOG		DIVISION South Atlantic	INSTALLATION		SHEET 1 OF 2 SHEETS
1. PROJECT Lake Worth Inlet Snell Vibracoring 2012 Vibracore Borings			9. SIZE AND TYPE OF BIT See Remarks		
2. BORING DESIGNATION VB-LWI2012-02		LOCATION COORDINATES X = 973,295 Y = 887,326		10. COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)	HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - Wilmington		CONTRACTOR FILE NO.		11. MANUFACTURER'S DESIGNATION OF DRILL <input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
4. NAME OF DRILLER			12. TOTAL SAMPLES		DISTURBED 5
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			DEG. FROM VERTICAL		BEARING
6. THICKNESS OF OVERBURDEN N/A			13. TOTAL NUMBER CORE BOXES 0		UNDISTURBED (UD) 0
7. DEPTH DRILLED INTO ROCK N/A			14. ELEVATION GROUND WATER		
8. TOTAL DEPTH OF BORING 16.0 Ft.			15. DATE BORING		STARTED 06-13-12
			16. ELEVATION TOP OF BORING -37.1 Ft.		COMPLETED 06-13-12
			17. TOTAL RECOVERY FOR BORING 80 %		
			18. SIGNATURE AND TITLE OF INSPECTOR Barbara Nist, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE
-37.1	0.0		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, few fine to medium-grained sand-sized shell, trace silt, moist, 2.5Y 6/2 light brownish gray (SP)				-37.1		0
			At El. -38.9 Ft., little shell, N 5/ gray	NR			Vibracore		
			At El. -39.6 Ft., strong reaction with HCl, One 3" subangular limestone fragment						
			At El. -40.6 Ft., some fine to medium-grained sand-sized quartz, some fine to coarse gravel-sized shell, 5Y 7/1 light gray		1		-41.1		
			At El. -41.1 Ft., some fine to medium-grained sand-sized limestone, few fine to medium-grained sand-sized shell		1-post		-41.1		5-
			At El. -41.3 Ft., N 5/ gray						
			At El. -42.1 Ft., trace shell, N 6/ gray						
			From El. -44.1 to -44.6 Ft., little fine-grained sand-sized shell		2		-44.1		
			At El. -44.9 Ft., One 2" subrounded limestone fragment						
			At El. -46.4 Ft., some medium to coarse-grained sand-sized shell, 10G 5/1 greenish gray						10-
			At El. -47.5 Ft., 5Y 6/4 pale olive						
			At El. -48.0 Ft., weak reaction with HCl, N 6/ gray		3		-48.1		
			At El. -48.9 Ft., Two 1" to 2" subangular beachrock fragment						
			At El. -49.1 Ft., trace shell						
-51.3	14.2		LIMESTONE, moderately hard, moderately weathered, fragmented up tp 2", N 6/ gray						
-52.1	15.0	MW					-52.1		

DRILLING LOG (Cont. Sheet)			INSTALLATION			SHEET 2 OF 2 SHEETS																					
PROJECT			COORDINATE SYSTEM/DATUM		HORIZONTAL	VERTICAL																					
Lake Worth Inlet Snell Vibracoring 2012			State Plane, FLN (U.S. Ft.)		NAD83	MLLW																					
LOCATION COORDINATES			ELEVATION TOP OF BORING																								
X = 973,295 Y = 887,326			-37.1 Ft.																								
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE																		
-53.1	16.0	At El. -51.5 Ft., some fine-gravel sized shell SAND, poorly-graded, mostly fine to - medium-grained sand-sized quartz, trace - fine to medium-grained sand-sized shell, - N 4/ dark gray (SP) -		4		-53.1																				
			<p>NOTES:</p> <ol style="list-style-type: none"> USACE Jacksonville is the custodian for these original files. Soils are field visually classified in accordance with the Unified Soils Classification System. 20 ft. ft. penetration Laboratory Testing Results <table border="1"> <thead> <tr> <th>SAMPLE ID</th> <th>SAMPLE DEPTH</th> <th>LABORATORY CLASSIFICATION</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4.0/4.5</td> <td>SP*</td> </tr> <tr> <td>1-post</td> <td>4.0/4.5</td> <td>SP* -</td> </tr> <tr> <td>2</td> <td>7.0/7.5</td> <td>SP* -</td> </tr> <tr> <td>3</td> <td>11.0/11.5</td> <td>SP* -</td> </tr> <tr> <td>4</td> <td>15.0/15.5</td> <td>SP* -</td> </tr> </tbody> </table> <p>*Lab visual classification based on gradation curve. No Atterberg limits.</p>	SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION	1	4.0/4.5	SP*	1-post	4.0/4.5	SP* -	2	7.0/7.5	SP* -	3	11.0/11.5	SP* -	4	15.0/15.5	SP* -				Abbreviations: NR = Not Recorded.		
SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION																									
1	4.0/4.5	SP*																									
1-post	4.0/4.5	SP* -																									
2	7.0/7.5	SP* -																									
3	11.0/11.5	SP* -																									
4	15.0/15.5	SP* -																									

15

20

25

30

35


DRILLING LOG		DIVISION South Atlantic		INSTALLATION			SHEET 1 OF 2 SHEETS	
1. PROJECT Lake Worth Inlet Snell Vibracoring 2012 Vibracore Borings				9. SIZE AND TYPE OF BIT See Remarks				
2. BORING DESIGNATION VB-LWI2012-03		LOCATION COORDINATES X = 971,934 Y = 887,366		10. COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)		HORIZONTAL NAD83	VERTICAL MLLW	
3. DRILLING AGENCY Corps of Engineers - Wilmington			CONTRACTOR FILE NO.			11. MANUFACTURER'S DESIGNATION OF DRILL <input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER		
4. NAME OF DRILLER				12. TOTAL SAMPLES		DISTURBED 5	UNDISTURBED (UD) 0	
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				DEG. FROM VERTICAL	BEARING		13. TOTAL NUMBER CORE BOXES 0	
6. THICKNESS OF OVERBURDEN N/A				14. ELEVATION GROUND WATER				
7. DEPTH DRILLED INTO ROCK N/A				15. DATE BORING		STARTED 06-13-12	COMPLETED 06-13-12	
8. TOTAL DEPTH OF BORING 18.7 Ft.				16. ELEVATION TOP OF BORING -29.0 Ft.				
				17. TOTAL RECOVERY FOR BORING 93 %				
				18. SIGNATURE AND TITLE OF INSPECTOR Barbara Nist, Geologist				


ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/ 1 FT.	N-VALUE
-29.0	0.0		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, little fine to coarse gravel-sized shell, trace silt, weak reaction with HCl, moist, N 5/ gray (SP)	NR			-29.0 Vibracore		0
-34.0	5.0		At El. -31.5 Ft., little sand to gravel-sized shell At El. -32.0 Ft., some fine to medium-grained sand-sized shell, some fine to medium-grained sand-sized quartz, some fine to coarse-grained sand-sized limestone		1		-32.0		
-34.5	5.5	MWW	LIMESTONE, sandy, moderately hard, moderately weathered, fragmented up to 2", N 4/ dark gray				-37.0		5
			SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, little fine to coarse gravel-sized shell, few fine to medium-grained sand-sized limestone, little limestone fragments up to 2" (SP) At El. -36.0 Ft., limestone fragments discontinue At El. -37.0 Ft., some fine to medium-grained sand-sized limestone, little fine to medium-grained sand-sized shell		2	2-post	-37.0		
			At El. -39.0 Ft., weak reaction with HCl At El. -40.0 Ft., few fine to medium-grained sand-sized shell, 5B 5/1 bluish gray At El. -41.0 Ft., some fine to medium-grained sand-sized shell, little fine to medium-grained sand-sized limestone At El. -42.4 Ft., 5B 6/1 bluish gray		3		-41.0		10
							-44.0		15

DRILLING LOG (Cont. Sheet)			INSTALLATION			SHEET 2 OF 2 SHEETS																					
PROJECT Lake Worth Inlet Snell Vibracoring 2012			COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)		HORIZONTAL NAD83	VERTICAL MLLW																					
LOCATION COORDINATES X = 971,934 Y = 887,366			ELEVATION TOP OF BORING -29.0 Ft.																								
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/ 1 FT.	N-VALUE																		
-47.7	18.7	•••••	-At El. -44.0 Ft., little fine to medium-grained sand-sized shell		4																						
			<p>NOTES:</p> <ol style="list-style-type: none"> USACE Jacksonville is the custodian for these original files. Soils are field visually classified in accordance with the Unified Soils Classification System. 19 ft. ft. penetration Laboratory Testing Results <table border="1"> <thead> <tr> <th>SAMPLE ID</th> <th>SAMPLE DEPTH</th> <th>LABORATORY CLASSIFICATION</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3.0/3.5</td> <td>SP*</td> </tr> <tr> <td>2</td> <td>8.0/8.5</td> <td>SP*</td> </tr> <tr> <td>2-post</td> <td>8.0/8.5</td> <td>SP*</td> </tr> <tr> <td>3</td> <td>12.0/12.5</td> <td>SP*</td> </tr> <tr> <td>4</td> <td>15.0/15.5</td> <td>SP*</td> </tr> </tbody> </table> <p>*Lab visual classification based on gradation curve. No Atterberg limits.</p>	SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION	1	3.0/3.5	SP*	2	8.0/8.5	SP*	2-post	8.0/8.5	SP*	3	12.0/12.5	SP*	4	15.0/15.5	SP*				Abbreviations: - NR = Not Recorded. -		
SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION																									
1	3.0/3.5	SP*																									
2	8.0/8.5	SP*																									
2-post	8.0/8.5	SP*																									
3	12.0/12.5	SP*																									
4	15.0/15.5	SP*																									

DRILLING LOG		DIVISION South Atlantic	INSTALLATION		SHEET 1 OF 2 SHEETS
1. PROJECT Lake Worth Inlet Snell Vibracoring 2012 Vibracore Borings			9. SIZE AND TYPE OF BIT See Remarks		
2. BORING DESIGNATION VB-LWI2012-04		LOCATION COORDINATES X = 973,545 Y = 887,690		10. COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)	HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - Wilmington		CONTRACTOR FILE NO.		11. MANUFACTURER'S DESIGNATION OF DRILL <input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
4. NAME OF DRILLER			12. TOTAL SAMPLES		DISTURBED 5
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			DEG. FROM VERTICAL		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A			13. TOTAL NUMBER CORE BOXES 0		14. ELEVATION GROUND WATER
7. DEPTH DRILLED INTO ROCK N/A			15. DATE BORING		STARTED 06-13-12
8. TOTAL DEPTH OF BORING 17.5 Ft.			16. ELEVATION TOP OF BORING -39.8 Ft.		COMPLETED 06-13-12
			17. TOTAL RECOVERY FOR BORING 87 %		18. SIGNATURE AND TITLE OF INSPECTOR Barbara Nist, Geologist

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE
-39.8	0.0		SAND, poorly-graded, mostly fine-grained sand-sized quartz, trace shell, weak reaction with HCl, moist, 10Y 6/1 greenish gray (SP)	NR			Vibracore		0
			At El. -41.8 Ft., little fine to medium-grained sand-sized shell, few fine to medium-grained sand-sized limestone		1				
			At El. -44.2 Ft., little fine to coarse gravel-sized shell						
			At El. -44.8 Ft., few fine to coarse gravel-sized shell, N 4/ dark gray						5
			At El. -45.8 Ft., some fine to medium-grained sand-sized shell		2				
			At El. -46.1 Ft., little fine to coarse-grained sand-sized shell		2-post				
			At El. -46.7 Ft., few fine to coarse-grained sand-sized shell						
			At El. -48.8 Ft., little fine to coarse-grained sand-sized shell						10
			At El. -51.4 Ft., some fine-grained sand-sized shell						
			At El. -51.6 Ft., few fine to medium-grained sand-sized shell		3				
			At El. -51.8 Ft., some fine to medium-grained sand-sized shell, little fine to medium-grained sand-sized limestone						
			At El. -53.4 Ft., little fine to coarse-grained sand-sized shell						
			At El. -54.1 Ft., few fine to coarse-grained sand-sized shell						15

DRILLING LOG (Cont. Sheet)			INSTALLATION			SHEET 2 OF 2 SHEETS																					
PROJECT Lake Worth Inlet Snell Vibracoring 2012			COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)		HORIZONTAL NAD83	VERTICAL MLLW																					
LOCATION COORDINATES X = 973,545 Y = 887,690			ELEVATION TOP OF BORING -39.8 Ft.																								
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/ 1 FT.	N-VALUE																		
-57.3	17.5		At El. -55.8 Ft., few fine to medium-grained sand-sized shell At El. -56.8 Ft., little sand to gravel-sized shell		4		-55.8 -57.3																				
			<p>NOTES:</p> <ol style="list-style-type: none"> USACE Jacksonville is the custodian for these original files. Soils are field visually classified in accordance with the Unified Soils Classification System. 19 ft. ft. penetration Laboratory Testing Results <table border="1"> <thead> <tr> <th>SAMPLE ID</th> <th>SAMPLE DEPTH</th> <th>LABORATORY CLASSIFICATION</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2.0/2.5</td> <td>SP* -</td> </tr> <tr> <td>2</td> <td>6.0/6.5</td> <td>SP* -</td> </tr> <tr> <td>2-post</td> <td>6.0/6.5</td> <td>SP* -</td> </tr> <tr> <td>3</td> <td>12.0/12.5</td> <td>SP* -</td> </tr> <tr> <td>4</td> <td>16.0/16.5</td> <td>SP* -</td> </tr> </tbody> </table> <p>*Lab visual classification based on gradation curve. No Atterberg limits.</p>	SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION	1	2.0/2.5	SP* -	2	6.0/6.5	SP* -	2-post	6.0/6.5	SP* -	3	12.0/12.5	SP* -	4	16.0/16.5	SP* -				Abbreviations: - NR = Not Recorded. -		
SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION																									
1	2.0/2.5	SP* -																									
2	6.0/6.5	SP* -																									
2-post	6.0/6.5	SP* -																									
3	12.0/12.5	SP* -																									
4	16.0/16.5	SP* -																									



DRILLING LOG		DIVISION South Atlantic	INSTALLATION		SHEET 1 OF 2 SHEETS
1. PROJECT Lake Worth Inlet Snell Vibracoring 2012 Vibracore Borings			9. SIZE AND TYPE OF BIT See Remarks		
2. BORING DESIGNATION VB-LWI2012-05		LOCATION COORDINATES X = 972,557 Y = 887,706		10. COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)	HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - Willmington		CONTRACTOR FILE NO.		11. MANUFACTURER'S DESIGNATION OF DRILL <input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
4. NAME OF DRILLER			12. TOTAL SAMPLES 7		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			DEG. FROM VERTICAL	BEARING	
6. THICKNESS OF OVERBURDEN N/A			13. TOTAL NUMBER CORE BOXES 0		UNDISTURBED (UD)
7. DEPTH DRILLED INTO ROCK N/A			14. ELEVATION GROUND WATER		
8. TOTAL DEPTH OF BORING 20.0 Ft.			15. DATE BORING 06-13-12		STARTED 06-13-12
			16. ELEVATION TOP OF BORING -40.6 Ft.		COMPLETED 06-13-12
			17. TOTAL RECOVERY FOR BORING 100 %		
			18. SIGNATURE AND TITLE OF INSPECTOR Barbara Nist, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE
-40.6	0.0		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, few fine to medium-grained sand-sized shell, weak reaction with HCl, moist, 5Y 6/3 pale olive (SP)				Vibracore		
			At El. -43.0 Ft., N 4/ dark gray						
			From El. -43.6 to -44.1 Ft., little fine to medium-grained sand-sized limestone		1	-post			
			At El. -45.9 Ft., 5Y 6/3 pale olive						
			At El. -46.4 Ft., N 5/ gray						
			At El. -47.4 Ft., trace shell, N 6/ gray						
			At El. -47.6 Ft., few fine to coarse gravel-sized shell, N 7/ light gray		2				
			At El. -48.2 Ft., trace shell						
			At El. -52.4 Ft., little fine to medium-grained sand-sized shell, little fine to medium-grained sand-sized limestone		3				
			At El. -54.1 Ft., trace shell						
-54.7	14.1								
-55.4	14.8		SAND, silty, low plasticity, mostly fine-grained sand-sized quartz, little silt, little shell, weak reaction with HCl, moist,		4				

DRILLING LOG (Cont. Sheet)			INSTALLATION			SHEET 2 OF 2 SHEETS																											
PROJECT Lake Worth Inlet Snell Vibracoring 2012			COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)		HORIZONTAL NAD83	VERTICAL MLLW																											
LOCATION COORDINATES X = 972,557 Y = 887,706			ELEVATION TOP OF BORING -40.6 Ft.																														
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/ 1 FT.	N-VALUE																								
-55.6	15.0	[Dotted pattern]	N 7/ light gray (SM) SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, few silt, no reaction with HCl, moist, N 6/ gray (SP-SM)		5																												
			SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, few silt, few organic matter, no odor, 5Y 3/1 very dark gray (SP)				-57.6																										
			At El. -56.7 Ft., little fine to medium-grained sand-sized shell, trace silt, weak reaction with HCl, moist, N 6/ gray		6																												
-60.6	20.0						-60.6																										
			NOTES: 1. USACE Jacksonville is the custodian for these original files. 2. Soils are field visually classified in accordance with the Unified Soils Classification System. 3. 20 ft. ft. penetration 4. Laboratory Testing Results <table border="1"> <thead> <tr> <th>SAMPLE ID</th> <th>SAMPLE DEPTH</th> <th>LABORATORY CLASSIFICATION</th> </tr> </thead> <tbody> <tr><td>1</td><td>3.0/3.5</td><td>SP*</td></tr> <tr><td>1-post</td><td>3.0/3.5</td><td>SP* -</td></tr> <tr><td>2</td><td>7.0/7.5</td><td>SP* -</td></tr> <tr><td>3</td><td>12.0/12.5</td><td>SP* -</td></tr> <tr><td>4</td><td>14.1/14.6</td><td>SM* -</td></tr> <tr><td>5</td><td>15.0/15.5</td><td>SP* -</td></tr> <tr><td>6</td><td>17.0/17.5</td><td>SP* -</td></tr> </tbody> </table> *Lab visual classification based on gradation curve. No Atterberg limits.	SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION	1	3.0/3.5	SP*	1-post	3.0/3.5	SP* -	2	7.0/7.5	SP* -	3	12.0/12.5	SP* -	4	14.1/14.6	SM* -	5	15.0/15.5	SP* -	6	17.0/17.5	SP* -				Abbreviations: NR = Not Recorded.		
SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION																															
1	3.0/3.5	SP*																															
1-post	3.0/3.5	SP* -																															
2	7.0/7.5	SP* -																															
3	12.0/12.5	SP* -																															
4	14.1/14.6	SM* -																															
5	15.0/15.5	SP* -																															
6	17.0/17.5	SP* -																															

DRILLING LOG		DIVISION South Atlantic	INSTALLATION	SHEET 1 OF 2 SHEETS
1. PROJECT Lake Worth Inlet Snell Vibracoring 2012 Vibracore Borings			9. SIZE AND TYPE OF BIT See Remarks	
2. BORING DESIGNATION VB-LWI2012-06		LOCATION COORDINATES X = 972,193 Y = 887,927		10. COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)
3. DRILLING AGENCY Corps of Engineers - Wilmington		CONTRACTOR FILE NO.		HORIZONTAL NAD83
4. NAME OF DRILLER			11. MANUFACTURER'S DESIGNATION OF DRILL <input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		DEG. FROM VERTICAL	BEARING	12. TOTAL SAMPLES 4
6. THICKNESS OF OVERBURDEN N/A			13. TOTAL NUMBER CORE BOXES 0	
7. DEPTH DRILLED INTO ROCK N/A			14. ELEVATION GROUND WATER	
8. TOTAL DEPTH OF BORING 15.7 Ft.			15. DATE BORING STARTED 06-13-12 COMPLETED 06-13-12	
			16. ELEVATION TOP OF BORING -25.0 Ft.	
			17. TOTAL RECOVERY FOR BORING 100 %	
			18. SIGNATURE AND TITLE OF INSPECTOR Barbara Nist, Geologist	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE
-25.0	0.0		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, little fine to coarse gravel-sized shell, weak reaction with HCl, moist, N 5/ gray (SP)				Vibracore		
			From El. -28.0 to -28.5 Ft., mostly fine-grained sand-sized quartz, little fine to medium-grained sand-sized shell, little fine to medium-grained sand-sized limestone		1				
			At El. -28.8 Ft., some sand to gravel-sized shell, 5Y 6/2 light olive gray						
			At El. -30.0 Ft., few fine to coarse gravel-sized shell, N 4/ dark gray						
			At El. -30.5 Ft., few sand to gravel-sized shell						
			At El. -32.0 Ft., few fine to coarse gravel-sized shell						
			At El. -32.5 Ft., little fine to coarse gravel-sized shell, 5Y 6/3 pale olive						
			At El. -33.1 Ft., some fine-grained sand-sized quartz, some fine to medium-grained sand-sized limestone, little fine to medium-grained sand-sized shell, 10G 6/1 greenish gray		2				
			At El. -35.0 Ft., little fine to coarse gravel-sized shell, 10G 4/1 dark greenish gray		2-post				
			At El. -37.0 Ft., mostly fine to medium-grained sand-sized quartz, few fine to medium-grained sand-sized shell, trace silt		3				

DRILLING LOG (Cont. Sheet)			INSTALLATION				SHEET 2 OF 2 SHEETS																	
PROJECT			COORDINATE SYSTEM/DATUM		HORIZONTAL	VERTICAL																		
Lake Worth Inlet Snell Vibracoring 2012			State Plane, FLN (U.S. Ft.)		NAD83	MLLW																		
LOCATION COORDINATES			ELEVATION TOP OF BORING																					
X = 972,193 Y = 887,927			-25.0 Ft.																					
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE															
-40.7	15.7					-40.7																	
			NOTES: 1. USACE Jacksonville is the custodian for these original files. 2. Soils are field visually classified in accordance with the Unified Soils Classification System. 3. 20 ft. ft. penetration 4. Laboratory Testing Results <table border="1"> <thead> <tr> <th>SAMPLE ID</th> <th>SAMPLE DEPTH</th> <th>LABORATORY CLASSIFICATION</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3.0/3.5</td> <td>SP* -</td> </tr> <tr> <td>2</td> <td>8.0/8.5</td> <td>SP* -</td> </tr> <tr> <td>2-post</td> <td>8.0/8.5</td> <td>SP* -</td> </tr> <tr> <td>3</td> <td>12.0/12.5</td> <td>SP* -</td> </tr> </tbody> </table> *Lab visual classification based on gradation curve. No Atterberg limits.	SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION	1	3.0/3.5	SP* -	2	8.0/8.5	SP* -	2-post	8.0/8.5	SP* -	3	12.0/12.5	SP* -				Abbreviations: NR = Not Recorded.		
SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION																						
1	3.0/3.5	SP* -																						
2	8.0/8.5	SP* -																						
2-post	8.0/8.5	SP* -																						
3	12.0/12.5	SP* -																						

15
20
25
30
35

DRILLING LOG		DIVISION South Atlantic	INSTALLATION			SHEET 1 OF 1 SHEETS
1. PROJECT Lake Worth Inlet Snell Vibracoring 2012 - Vibracore Borings -			9. SIZE AND TYPE OF BIT See Remarks			
2. BORING DESIGNATION VB-LWI2012-07		LOCATION COORDINATES X = 970,832 Y = 887,855		10. COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY - Corps of Engineers - Willmington		CONTRACTOR FILE NO.		11. MANUFACTURER'S DESIGNATION OF DRILL		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER			12. TOTAL SAMPLES		DISTURBED 0	UNDISTURBED (UD) 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			DEG. FROM VERTICAL	BEARING		13. TOTAL NUMBER CORE BOXES 0
6. THICKNESS OF OVERBURDEN N/A			14. ELEVATION GROUND WATER		15. DATE BORING	
7. DEPTH DRILLED INTO ROCK N/A			16. ELEVATION TOP OF BORING -41.5 Ft.		STARTED 06-13-12	COMPLETED 06-13-12
8. TOTAL DEPTH OF BORING 1.0 Ft.			17. TOTAL RECOVERY FOR BORING 100 %		18. SIGNATURE AND TITLE OF INSPECTOR Barbara Nist, Geologist	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE
-41.5	0.0		LIMESTONE, hard, slightly weathered, fragmented,				-41.5		
-42.5	1.0	Si, Wea.		NR			Vibracore		
			BORING TERMINATED IN REFUSAL				Abbreviations: NR = Not Recorded.		
			NOTES:						
			1. USACE Jacksonville is the custodian for these original files.						
			2. Soils are field visually classified in accordance with the Unified Soils Classification System.						
			3. 1 ft. ft. penetration						

DRILLING LOG		DIVISION South Atlantic	INSTALLATION		SHEET 1 OF 1 SHEETS
1. PROJECT Lake Worth Inlet Snell Vibracoring 2012 Vibracore Borings			9. SIZE AND TYPE OF BIT See Remarks		
2. BORING DESIGNATION VB-LWI2012-08		LOCATION COORDINATES X = 970,279 Y = 887,494		10. COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)	HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - Willmington		CONTRACTOR FILE NO.		11. MANUFACTURER'S DESIGNATION OF DRILL <input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
4. NAME OF DRILLER			12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			DEG. FROM VERTICAL	BEARING	UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A			13. TOTAL NUMBER CORE BOXES 0		
7. DEPTH DRILLED INTO ROCK N/A			14. ELEVATION GROUND WATER		
8. TOTAL DEPTH OF BORING 2.0 Ft.			15. DATE BORING		STARTED 06-13-12
			16. ELEVATION TOP OF BORING -41.1 Ft.		COMPLETED 06-13-12
			17. TOTAL RECOVERY FOR BORING 100 %		
			18. SIGNATURE AND TITLE OF INSPECTOR Barbara Nist, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE
-41.1	0.0	Mod. Weathered	SANDSTONE, soft, moderately weathered, fragmented, 2.5Y 6/3 light yellowish brown	NR			-41.1		0
-43.1	2.0						-43.1		
			BORING TERMINATED IN REFUSAL				Abbreviations: NR = Not Recorded.		
			NOTES: 1. USACE Jacksonville is the custodian for these original files. 2. Soils are field visually classified in accordance with the Unified Soils Classification System. 3. 2 ft. ft. penetration						

DRILLING LOG		DIVISION South Atlantic	INSTALLATION		SHEET 1 OF 2 SHEETS
1. PROJECT Lake Worth Inlet Snell Vibracoring 2012 Vibracore Borings			9. SIZE AND TYPE OF BIT See Remarks		
2. BORING DESIGNATION VB-LWI2012-20E		LOCATION COORDINATES X = 972,342 Y = 887,957		10. COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)	HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - Willmington		CONTRACTOR FILE NO.		11. MANUFACTURER'S DESIGNATION OF DRILL <input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
4. NAME OF DRILLER			12. TOTAL SAMPLES		DISTURBED 5
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			DEG. FROM VERTICAL		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A			13. TOTAL NUMBER CORE BOXES 0		14. ELEVATION GROUND WATER
7. DEPTH DRILLED INTO ROCK N/A			15. DATE BORING		STARTED 06-14-12
8. TOTAL DEPTH OF BORING 13.4 Ft.			16. ELEVATION TOP OF BORING -16.6 Ft.		COMPLETED 06-14-12
			17. TOTAL RECOVERY FOR BORING 67 %		18. SIGNATURE AND TITLE OF INSPECTOR Barbara Nist, Geologist


ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE
-16.6	0.0		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, little fine to medium-grained sand-sized shell, weak reaction with HCl, moist, 2.5Y 6/6 olive yellow (SP)	NR			Vibracore		0
-19.6	3.0		At El. -19.3 Ft., few medium to coarse-grained sand-sized shell SAND, poorly-graded, mostly fine to medium-grained sand-sized shell, some fine-grained sand-sized quartz (SP)		1	-post			
-22.8	6.2		At El. -21.6 Ft., 2.5Y 6/4 light yellowish brown						5
-25.0	8.4		SAND, poorly-graded with silt, some fine to medium-grained sand-sized quartz, some fine to medium-grained sand-sized shell, little fine to medium-grained sand-sized limestone, few silt, 5Y 6/1 gray (SP-SM)		2				
-27.0	10.4		SAND, poorly-graded, some fine to medium-grained sand-sized shell, some fine to medium-grained sand-sized quartz, little coarse gravel-sized limestone, N 6/ gray (SP)		3				10
-27.7	11.1	MW	At El. -25.9 Ft., 5Y 6/2 light olive gray At El. -26.6 Ft., some fine to medium-grained sand-sized shell, little fine to medium-grained sand-sized limestone, strong reaction with HCl, moist, 10Y 7/1 light greenish gray						
-28.6	12.0		LIMESTONE, soft, moderately weathered, fragmented up to 2", sandy, few shell, 10Y 7/1 light greenish gray		4				
-30.0	13.4		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, few fine to medium-grained sand-sized shell, weak reaction with HCl, 10Y 7/1 light greenish gray (SP)						
			SAND, poorly-graded, mostly fine to medium-grained sand-sized shell, some fine-grained sand-sized quartz, little fine to				Abbreviations: NR = Not Recorded.		15

DRILLING LOG (Cont. Sheet)			INSTALLATION				SHEET 2																				
							OF 2 SHEETS																				
PROJECT Lake Worth Inlet Snell Vibracoring 2012			COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)		HORIZONTAL NAD83	VERTICAL MLLW																					
LOCATION COORDINATES X = 972,342 Y = 887,957			ELEVATION TOP OF BORING -16.6 Ft.																								
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	ROD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE																		
			medium-grained sand-sized limestone (SP) NOTES: 1. USACE Jacksonville is the custodian for these original files. 2. Soils are field visually classified in accordance with the Unified Soils Classification System. 3. 20 ft. ft. penetration 4. Laboratory Testing Results <table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">SAMPLE ID</th> <th style="text-align: left;">SAMPLE DEPTH</th> <th style="text-align: left;">LABORATORY CLASSIFICATION</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3.0/3.5</td> <td>SP*</td> </tr> <tr> <td>1-post</td> <td>3.0/3.5</td> <td>SP* -</td> </tr> <tr> <td>2</td> <td>6.0/6.5</td> <td>SP-SM* -</td> </tr> <tr> <td>3</td> <td>9.0/9.5</td> <td>SP* -</td> </tr> <tr> <td>4</td> <td>12.0/12.5</td> <td>SP* -</td> </tr> </tbody> </table> *Lab visual classification based on gradation curve. No Atterberg limits.	SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION	1	3.0/3.5	SP*	1-post	3.0/3.5	SP* -	2	6.0/6.5	SP-SM* -	3	9.0/9.5	SP* -	4	12.0/12.5	SP* -					15	
SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION																									
1	3.0/3.5	SP*																									
1-post	3.0/3.5	SP* -																									
2	6.0/6.5	SP-SM* -																									
3	9.0/9.5	SP* -																									
4	12.0/12.5	SP* -																									
								20																			
								25																			
								30																			
								35																			

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

WORK ORDER: 7760
REQUISITION: RM-CW-95-0159

Lake Worth Inlet Feasibility Study, Attachment C, Geotechnical




Page 84 of 304



DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
 CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

WORK ORDER: 7760
 REQUISITION: RM-CW-95-0159

Lake Worth Inlet Feasibility Study, Attachment C, Geotechnical



COBBLES	GRAVEL		SAND			SILT OR CLAY
	COARSE	FINE	COARSE	MEDIUM	FINE	

Sample No.	Elevation (ft)	Classification	Nat w%	LL	PL	PI	Project
1	-38.0 to -39.5	(VISUAL) TAN, POORLY GRADED SAND (SP), WITH A TRACE OF GRAVEL SIZE SHELL AND SAND SIZE SHELL FRAGMENTS. SPECIFIC GRAVITY = 2.73. VISUAL PERCENT SHELL IS APPROX. = 4%.					PALM BEACH HARBOR MAINTENANCE DREDGING
							Lab No. 73/7090
							Boring No. CB-PBH-95-2

GRADATION CURVES


Date 08/26/95



DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
 CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

WORK ORDER: 7760
 REQUISITION: RM-CW-95-0159

Lake Worth Inlet Feasibility Study, Attachment C, Geotechnical



COBBLES	GRAVEL		SAND			SILT OR CLAY
	COARSE	FINE	COARSE	MEDIUM	FINE	

Sample No.	Elevation (ft)	Classification	Nat w%	LL	PL	PI	Project
1	-37.1 to -38.6	(VISUAL) LT. TAN, POORLY GRADED SAND (SP), WITH A TRACE OF GRAVEL SIZE SHELL AND A LITTLE SAND SIZE SHELL FRAGMENTS. SPECIFIC GRAVITY = 2.74. VISUAL PERCENT SHELL IS APPROX. = 17%.					PALM BEACH HARBOR MAINTENANCE DREDGING
							Lab No. 73/7094
							Boring No. CB-PBH-95-6
GRADATION CURVES							Date 08/26/95


Page 86 of 304



DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

WORK ORDER: 7760
REQUISITION: RM-CW-95-0159

Lake Worth Inlet Feasibility Study, Attachment C, Geotechnical



COBBLES	GRAVEL		SAND			SILT OR CLAY
	COARSE	FINE	COARSE	MEDIUM	FINE	

Sample No.	Elevation (ft)	Classification	Nat w%	LL	PL	PI	Project
1	-36.8 to -38.3	(VISUAL) LT. TAN, POORLY GRADED SAND (SP), WITH A TRACE OF SAND SIZE SHELL FRAGMENTS. SPECIFIC GRAVITY = 2.73. VISUAL PERCENT SHELL IS APPROX. = 8%.					PALM BEACH HARBOR MAINTENANCE DREDGING
							Lab No. 73/7095
							Boring No. CB-PBH-95-7

GRADATION CURVES

Date 08/26/95


Page 87 of 304



DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

WORK ORDER: 7760
REQUISITION: RM-CW-95-0159

Lake Worth Inlet Feasibility Study, Attachment C, Geotechnical




COBBLES	GRAVEL		SAND			SILT OR CLAY
	COARSE	FINE	COARSE	MEDIUM	FINE	

Sample No.	Elevation (ft)	Classification	Nat w%	LL	PL	PI	Project
2	-38.3 to -39.8	(VISUAL) LT. TAN, POORLY GRADED SILTY SAND (SP-SM), WITH A LITTLE SAND SIZE SHELL FRAGMENTS. SPECIFIC GRAVITY = 2.71. VISUAL PERCENT SHELL IS APPROX. = 11%.					PALM BEACH HARBOR MAINTENANCE DREDGING
							Lab No. 73/7096
							Boring No. CB-PBH-95-7
GRADATION CURVES							Date 08/26/95

Page 88 of 304






COBBLES	GRAVEL		SAND			SILT OR CLAY
	COARSE	FINE	COARSE	MEDIUM	FINE	

Sample No.	Elevation (ft)	Classification	Nat w%	LL	PL	PI	Project
1	-37.3 to -38.8	(VISUAL) LT. TAN, POORLY GRADED SILTY SAND (SP-SM), WITH A LITTLE SAND SIZE SHELL FRAGMENTS. SPECIFIC GRAVITY = 2.77. VISUAL PERCENT SHELL = 17%.					PALM BEACH HARBOR MAINTENANCE DREDGING
							Lab No. 73/7097
							Boring No. CB-PBH-95-8
							Date 08/26/95

GRADATION CURVES



Grain Size Distribution Report



% COBBLES	% GRAVEL	% SAND	% SILT	% CLAY	USCS	AASHTO	PL	LL
0	2.1	97.0	0.9		SP	A-3		

SIEVE	PERCENT FINER			SIEVE	PERCENT FINER			SOIL DESCRIPTION
inches size	○			number size	○			○ SAND, fine quartz, trace shell, trace silt, gray
3/8	100.0			#4	97.9			REMARKS: ○
X	GRAIN SIZE			#7	96.3			
D60	0.355			#10	94.6			
D30	0.245			#14	91.9			
D10	0.189			#18	88.7			
X	COEFFICIENTS			#25	84.0			
C _c	0.90			#35	75.2			
C _u	1.88			#45	60.0			
				#60	31.8			
				#80	7.6			
				#120	2.3			
				#170	1.0			
				#230	0.9			
				#270	0.9			

○ Source: CB PB00-5

Sample No.: 1

Elev./Depth: 40.0-45.0

DRIVE SAMPLE


-36.9 to -41.9

Law Engineering and Environmental Services, Inc.

Client: US Army Corp of Engineers
 Project: Palm Beach Harbor (Lakeworth Inlet) Clam Bucket Samples
 Project No.: 40521-8-8051-30

U.S. ARMY CORPS OF ENGINEERS
SOUTH ATLANTIC DIVISION LABORATORY
MARIETTA, GEORGIA

SUSPENDED SEDIMENT-TIME CURVE




- NOTES:**
1. Test specimens (100 grams/ liter ,moist weight of specimen) suspended in sea water(salinity about 11 ppt) in 100 cm. long bottom withdrawal tubes.
 2. Suspended sediment-time curves represent the contact surface between the sediment still in suspension and the "clear" water on top at the elapsed time indicated.
 3. See grain-size data on enclosed gradation curve.
 4. Percent Solids = 89.64

PROJECT	PALM BEACH HARBOR MAINTENANCE DREDGING	REQ'N NO.	RM-CW-95-0159
		W.O. NO.	7760
AREA		DATE RECEIVED	21-Aug-95
		DATE REPORTED	28-Aug-95
BORING NO.	CB-PBH-95-2	ELEVATION	-38.0 to -39.5
SAMPLE NO.	1	LAB NO.	73/7090


U.S. ARMY CORPS OF ENGINEERS
SOUTH ATLANTIC DIVISION LABORATORY
MARIETTA, GEORGIA

SUSPENDED SEDIMENT-TIME CURVE




- NOTES:**
1. Test specimens (100 grams/ liter ,moist weight of specimen) suspended in sea water(salinity about 11 ppt) in 100 cm. long bottom withdrawal tubes.
 2. Suspended sediment-time curves represent the contact surface between the sediment still in suspension and the "clear" water on top at the elapsed time indicated.
 3. See grain-size data on enclosed gradation curve.
 4. Percent Solids = 90.02

PROJECT	PALM BEACH HARBOR MAINTENANCE DREDGING	REQ'N NO.	RM-CW-95-0159
		W.O. NO.	7760
AREA		DATE RECEIVED	21-Aug-95
		DATE REPORTED	28-Aug-95
BORING NO.	CB-PBH-95-7	ELEVATION	-36.8 to -38.3
SAMPLE NO.	1	LAB NO.	73/7095




PROJECT Lake Worth Inlet Snell Vibracoring 2012
BORING NO. VB-LWI/2012-01
BORING ELEV. -34.8 Ft., MLLW
DATE 9/18/2012

GRADATION CURVES
greenis



GRADATION CURVES

SAJ FORM 2087
JUN 02



HYDROMETER

U. S. STANDARD SIEVE NUMBERS

U. S. STANDARD SIEVE OPENING IN INCHES

PERCENT FINER BY WEIGHT

PERCENT COARSER BY WEIGHT

GRAIN SIZE IN MILLIMETERS

COBBLES	GRAVEL		SAND		SILT OR CLAY
	COARSE	FINE	COARSE	FINE	

Sample No.	Depth	Classification	Munsell	Visual % Shell (est)	%CO ₃	G _s	Org %	w _r	LL	PL	PI
3	12.0 to 12.5 Ft.	SAND, poorly-graded, mostly fine-grained sand-sized quartz, little fine to medium-grained sand-sized shell, greenish gray (SP)	10G 5/1	12							

PROJECT Lake Worth Inlet Snell Vibracoring 2012


Vibracore Borings

BORING NO. VB-LWI/2012-01

BORING ELEV. -34.8 Ft., MLLW


DATE 9/18/2012

GRADATION CURVES



GRADATION CURVES


SAJ FORM 2087
JUN 02



PROJECT	Lake Worth Inlet Snell Vibracoring 2012
BORING NO.	Vibracore Borings
BORING ELEV.	VB-LWI/2012-02
DATE	-37.1 Ft., MLLW
DATE	9/18/2012

Sample No.	Depth	Classification	GRAVEL		SAND			FINE		PI				
			COARSE	FINE	MUNSELL	Visual Shell (%)	%CO ₃	G _s	Org %		w _n	LL	PL	
1	4.0 to 4.5 Ft.	SAND, poorly-graded, some fine-grained sand-sized quartz, some fine to medium-grained sand-sized limestone, few fine to medium-grained sand-sized shell,			5Y 7/1	11	56							
trace silt, li GRADATION CURVES														


SAJ FORM 2087
JUN 02



Sample No.	Depth	Classification	Munsell	Visual % Shell (est)	%CO ₃	G _s	Org %	w _r	LL	PL	PI	PROJECT	Lake Worth Inlet Snell Vibracoring 2012
												BORING NO.	VB-LWI/2012-02
												BORING ELEV.	-37.1 Ft., MLLW
												DATE	9/18/2012

GRADATION CURVES


SAJ FORM 2087
JUN 02



PROJECT	Lake Worth Inlet Snell Vibracoring 2012
BORING NO.	Vibracore Borings VB-LWI/2012-02
BORING ELEV.	-37.1 Ft., MLLW
DATE	9/18/2012

Sample No.	Depth	Classification	GRAVEL			SAND			SILT OR CLAY				
			COARSE	FINE	Munsell	Visual % Shell (est)	%CO ₃	G _s	Org %	w _r	LL	PL	PI
3	11.0 to 11.5 Ft.	SAND, poorly-graded, mostly fine-grained sand-sized quartz, little fine-grained sand-sized shell, gray (SP)			N 6/	26							


GRADATION CURVES




PROJECT	Lake Worth Inlet Snell Vibracoring 2012
BORING NO.	Vibracore Borings
BORING NO.	VB-LWI/2012-02
BORING ELEV.	-37.1 Ft., MLLW
DATE	9/18/2012

Sample No.	Depth	Classification	Munsell	Visual % Shell (est)	%CO ₃	G _s	Org %	w _r	LL	PL	PI
4	15.0 to 15.5 Ft.	SAND, poorly-graded, mostly fine-grained sand-sized quartz, little fine to medium-grained sand-sized shell, gray (SP)	N 5/	25							

GRADATION CURVES



Sample No.	● 1	Depth	3.0 to 3.5 Ft.	Classification	SAND, poorly-graded, some fine to medium-grained sand-sized shell, some fine-grained sand-sized quartz, some fine to coarse-grained sand-sized limestone, gray (SP)	Munsell	N 5/	Visual % Shell (est)	45	%CO₃		G_s		Org %		w_p		LL		PL		PI	
GRADATION CURVES																							
PROJECT Lake Worth Inlet Snell Vibracoring 2012																							
BORING NO. VB-LWI/2012-03																							
BORING ELEV. -29.0 Ft., MLLW																							
DATE 9/18/2012																							




PROJECT Lake Worth Inlet Snell Vibracoring 2012

BORING NO. VB-LWI/2012-03

BORING ELEV. -29.0 Ft., MLLW


DATE 9/18/2012

GRADATION CURVES




PROJECT Lake Worth Inlet Snell Vibracoring 2012
BORING NO. VB-LWI/2012-03
BORING ELEV. -29.0 Ft., MLLW
DATE 9/18/2012

GRADATION CURVES




GRADATION CURVES

SAJ FORM 2087
JUN 02




PROJECT Lake Worth Inlet Snell Vibracoring 2012
BORING NO. VB-LW/2012-04
BORING ELEV. -39.8 Ft., MLLW
DATE 9/18/2012

GRADATION CURVES



GRADATION CURVES


SAJ FORM 2087
JUN 02



PROJECT	Lake Worth Inlet Snell Vibracoring 2012
BORING NO.	Vibracore Borings
BORING ELEV.	VB-LW/2012-04
DATE	-39.8 Ft., MLLW 9/18/2012

Sample No.	Depth	Classification	GRAVEL		SAND			SILT OR CLAY						
			COARSE	FINE	Munsell	Visual % Shell (est)	%CO ₃	G _s	Org %	w _r	LL	PL	PI	
3	12.0 to 12.5 Ft.	SAND, poorly-graded, mostly fine-grained sand-sized quartz, some fine to medium-grained sand-sized shell, little fine to medium-grained sand-sized limestone, gravel	10Y	6/1	35									

SAJ FORM 2087
JUN 02



HYDROMETER

U. S. STANDARD SIEVE NUMBERS

U. S. STANDARD SIEVE OPENING IN INCHES

PERCENT FINER BY WEIGHT

PERCENT COARSER BY WEIGHT

GRAIN SIZE IN MILLIMETERS

COBBLES	GRAVEL		SAND			SILT OR CLAY
	COARSE	FINE	COARSE	MEDIUM	FINE	

Sample No.	Depth	Classification	Munsell	Visual % Shell (est)	%CO ₃	G _s	Org %	w _r	LL	PL	PI
● 4	16.0 to 16.5 Ft.	SAND, poorly-graded, mostly fine-grained sand-sized quartz, little fine to medium-grained sand-sized limestone, few fine to medium-grained sand-sized shell,	10Y 6/1	7							

PROJECT Lake Worth Inlet Snell Vibracoring 2012


Vibracore Borings

BORING NO. VB-LWI/2012-04

BORING ELEV. -39.8 Ft., MLLW

DATE 9/18/2012


GRADATION CURVES
greenis




PROJECT Lake Worth Inlet Snell Vibracoring 2012
BORING NO. VB-LWI/2012-05
BORING ELEV. -40.6 Ft., MLLW
DATE 9/18/2012

GRADATION CURVES

pale o



SAJ FORM 2087
JUN 02



U.S. STANDARD SIEVE OPENING IN INCHES

U.S. STANDARD SIEVE NUMBERS

HYDROMETER


PERCENT COARSER BY WEIGHT

COBBLES			GRAVEL		SAND		SILT OR CLAY				
Sample No.	Depth	Classification	Munsell	Visual % Shell (est)	% CO ₃	G _s	Org %	w _p	LL	PL	PI
3	12.0 to 12.5 Ft.	SAND, poorly-graded, mostly fine-grained sand-sized quartz, little fine to medium-grained sand-sized shell, little fine to medium-grained sand-sized limestone, light gray	N 7/	26							

PROJECT	Lake Worth Inlet Snell Vibracoring 2012
BORING NO.	Vibracore Borings VB-LWI/2012-05
BORING ELEV.	-40.6 Ft., MLLW
DATE	9/18/2012

(GRADATION CURVES)


SAJ FORM 2087 JUN 02




PROJECT	Lake Worth Inlet Snell Vibracoring 2012
BORING NO.	Vibracore Borings
BORING NO.	VB-LWI/2012-05
BORING ELEV.	-40.6 Ft., MLLW
DATE	9/18/2012

Sample No.	Depth	Classification	GRAVEL			SAND			SILT OR CLAY		
			COARSE	FINE		COARSE	MEDIUM	FINE			
			Munsell	Visual % Shell (est)	%CO ₃	G _s	Org %	w _n	LL	PL	PI
● 5	15.0 to 15.5 Ft.	SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, few fine to medium-grained sand-sized limestone, trace silt, very dark gray (SP)	5Y 3/1								

GRADATION CURVES




SAJ FORM 2087
JUN 02



PROJECT	Lake Worth Inlet Snell Vibracoring 2012
BORING NO.	Vibracore Borings VB-LWI/2012-06
BORING ELEV.	-25.0 Ft., MLLW
DATE	9/20/2012


GRADATION CURVES



PROJECT	Lake Worth Inlet Snell Vibracoring 2012
BORING NO.	Vibracore Borings VB-LWI/2012-06
BORING ELEV.	-25.0 Ft., MLLW
DATE	9/20/2012


Sample No.	Depth	Classification	GRAVEL		SAND			SILT OR CLAY					
			COARSE	FINE	MUNSELL	Visual % Shell (est)	%CO ₃	G _s	Org %	w _r	LL	PL	PI
● 2	8.0 to 8.5 Ft.	SAND, poorly-graded, some fine-grained sand-sized quartz, some fine to medium-grained sand-sized limestone, little fine to medium-grained sand-sized shell,	10G 6/1	15	57								


GRADATION CURVES
greenis



PROJECT Lake Worth Inlet Snell Vibracoring 2012
BORING NO. VB-LWI/2012-06
BORING ELEV. -25.0 Ft., MLLW
DATE 9/20/2012

GRADATION CURVES





COBBLES		GRAVEL		SAND		SILT OR CLAY	
Depth		Classification		Munsell	Visual % Shell (est)	%CO₃	PI
● 2	6.0 to 6.5 Ft.	SAND, poorly graded with silt, some fine to medium-grained sand-sized quartz, some fine to medium-grained sand-sized shell, little fine to medium-grained sand-sized lime sand-sized limes		5Y 6/1	35		
PROJECT		Lake Worth Inlet Snell Vibracoring 2012					
BORING NO.		Vibracore Borings					
BORING ELEV.		-16.6 Ft., MLLW					
DATE		9/20/2012					
GRADATION CURVES							
sand-sized limes (SP-SM)							

SAJ FORM 2087
JUN 02

**Boring Logs and Laboratory Results:
Settling Basins**

Hole No. CB-PBH95-4

DRILLING LOG		DIVISION	INSTALLATION		SHEET 1 OF 1		
1. PROJECT Palm Beach Harbor		South Atlantic	Jacksonville District				
2. LOCATION (Coordinates or Station) X=816,821 Y=887,739		10. SIZE AND TYPE OF BIT See Remarks		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)			
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 2 undisturbed: 0			
4. HOLE NO. (As shown on drawing title and file number) CB-PBH95-4		14. TOTAL NUMBER OF CORE BOXES 1		15. ELEVATION GROUND WATER TIDAL			
5. NAME OF DRILLER C. Robbins		16. DATE HOLE STARTED COMPLETED 8/8/95 8/8/95		17. ELEVATION TOP OF HOLE -32.1 Ft.			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		18. TOTAL CORE RECOVERY FOR BORING 47 %		19. SIGNATURE OF Geologist Jim Arthur			
7. THICKNESS OF BURDEN Ft.		19. SIGNATURE OF Geologist Jim Arthur					
8. DEPTH DRILLED INTO ROCK 0 Ft.							
9. TOTAL DEPTH OF HOLE 4.5 Ft.							
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel	BLOWS/ft.
-32.1	.0					-32.1	0
		SAND, gray fine poorly graded quartz sand (SP)		0		SPLIT SPOON	3
-33.6	1.5		Below elevation -33.6 trace of small shell fragments				4
				67	1	SPLIT SPOON	9
							17
						-35.1	2.5
				73	2	SPLIT SPOON	30
-36.6	4.5					-36.6	50
			NOTE: Soils are field visually classified in accordance with the Unified Soils Classification System. Samples recovered using a 140# hammer with 30" drop used on a 2 foot split spoon (1-3/8" ID x 2" OD) SAMPLE ELEVATION LABORATORY CLASSIFICATION -33.6 to -35.1 (SP-SM)* -35.1 to -36.6 (SP-SM)* * Visual classification based on gradation curve. No Atterberg Limits.			Set 6 inch casing to depth 5.1 feet, drilled using Basco salt water drilling mud.	5
							7.5
							10
							12.5
							15
							17.5
							20
							22.5

Hole No. CB-PBH95-5

DRILLING LOG		DIVISION South Atlantic		INSTALLATION Jacksonville District		SHEET 1 OF 1	
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)			
2. LOCATION (Coordinates or Station) X=816,636 Y=887,707		12. MANUFACTURER'S DESIGNATION OF DRILL Falling 314		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 3 undisturbed: 0			
3. DRILLING AGENCY Corps of Engineers		14. TOTAL NUMBER OF CORE BOXES 1		15. ELEVATION GROUND WATER TIDAL			
4. HOLE NO. (As shown on drawing title and file number) CB-PBH95-5		16. DATE HOLE STARTED COMPLETED 8/9/95 8/9/95		17. ELEVATION TOP OF HOLE -36.5 Ft.			
5. NAME OF DRILLER C. Robbins		18. TOTAL CORE RECOVERY FOR BORING 56 %		19. SIGNATURE OF Geologist Jim Arthur			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		7. THICKNESS OF BURDEN Ft.		8. DEPTH DRILLED INTO ROCK 0 Ft.		9. TOTAL DEPTH OF HOLE 4.5 Ft.	
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel	BLOWS / ft ²
-36.5	.0					-36.5	0
		SAND, gray fine poorly graded quartz sand, trace small shell fragments (SP)		47	1	SPLIT SPOON	3 6 8
						-38.0	15
					60	2	SPLIT SPOON
-39.5	3.0		below elevation -39.5, some shell fragments up to 1/2"			-39.5	2.5
							12
				60	3	SPLIT SPOON	24
-41.0	4.5					-41.0	24
			NOTE: Soils are field visually classified in accordance with the Unified Soils Classification System. Samples recovered using a 140# hammer with 30" drop used on a 2 foot split spoon (1-3/8" ID x 2" OD) SAMPLE LABORATORY ELEVATION CLASSIFICATION -36.5 to -38.0 (SP-SM)* * Visual classification based on gradation curve. No Atterberg Limits.			Set 6 inch casing to depth 1.9 feet, drilled using Basco salt water drilling mud.	5 7.5 10 12.5 15 17.5 20 22.5

ENG FORM 1838 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Palm Beach Harbor

HOLE NUMBER
CB-PBH95-5

Hole No. CB-LWI-SB01-1

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 2
1. PROJECT Lake Worth Inlet, Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks	
2. LOCATION (Coordinates or Station) X=816,353 Y=887,881		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLW NAD-27 FL-E	
3. DRILLING AGENCY Corps of Engineers - Savannah District		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 1500	
4. HOLE NO. (As shown on drawing title and file number) CB-LWI-SB01-1		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 20 undisturbed: 0	
5. NAME OF DRILLER Pickett		14. TOTAL NUMBER OF CORE BOXES 3	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER n/a	
7. THICKNESS OF BURDEN 30.0 Ft.		16. DATE HOLE STARTED COMPLETED 03/31/01 03/31/01	
8. DEPTH DRILLED INTO ROCK 0.0 Ft.		17. ELEVATION TOP OF HOLE -5.70 Ft.	
9. TOTAL DEPTH OF HOLE 30.0 Ft.		18. TOTAL CORE RECOVERY FOR BORING 67 %	
		19. SIGNATURE OF INSPECTOR C. Moores	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel	
-5.7	0.0					-5.7	0
			SAND, poorly graded, fine to medium grained, few shell fragments, calcareous, reddish tan, (SP).	100	1	SPT	
						-7.2	
				100	2	SPT	
						-8.7	2.5
			At -10.2 layers reddish tan sand with gray sand	40	3	SPT	
						-10.2	
			From -11.7 greyish tan, little shells at -11.7'	37	4	SPT	5
						-11.7	
				40	5	SPT	
						-13.2	7.5
				57	6	SPT	
						-14.7	
			At -17.7 fine grained, few shell fragments, gray	47	7	SPT	10
						-16.2	
				47	8	SPT	
						-17.7	12.5
			From -19.2 trace medium grained sand, grayish tan	47	9	SPT	
						-19.2	
				47	10	SPT	15
						-20.7	
				60	11	SPT	
						-22.2	17.5
			From -23.7 all fine grained, gray	60	12	SPT	
						-23.7	
				60	13	SPT	20
			At -25.2 trace medium grained, with thin layers of shells			-25.2	
				57	14	SPT	
						-26.7	22.5
				53	15	SPT	
						-28.2	
						(continued)	

ENG FORM 1836 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Lake Worth Inlet, Palm Beach Harbor

HOLE NUMBER
CB-LWI-SB01-1

DRILLING LOG (Cont. Sheet)			ELEVATION TOP OF HOLE		SHEET 2 OF 2	
PROJECT Lake Worth Inlet, Palm Beach Harbor			INSTALLATION Jacksonville District			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel
-28.2	22.5	[Stippled pattern]	From -28.2 all fine grained,	80	16	-28.2 SPT
				100	17	-29.7 SPT
				100	18	-31.2 SPT
				100	19	-32.7 SPT
				100	20	-34.2 SPT
-35.7	30.0					
			Notes: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. Blow counts not recorded for this boring.			140# hammer w/30" drop used with 2.0' split spoon (1 3/8" I.D. X 2" O.D.).

ENG FORM 1836 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Lake Worth Inlet, Palm Beach Harbor

HOLE NUMBER
CB-LWI-SB01-1

Hole No. CB-LWI-SB01-2

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 2
1. PROJECT Lake Worth Inlet, Palm Beach Harbor	10. SIZE AND TYPE OF BIT See Remarks		
2. LOCATION (Coordinates or Station) X=816,535 Y=887,880	11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLW NAD-27 FI-E		
3. DRILLING AGENCY Corps of Engineers - Savannah District	12. MANUFACTURER'S DESIGNATION OF DRILL Failing 1500		
4. HOLE NO. (As shown on drawing title and file number) CB-LWI-SB01-2	13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 17 undisturbed: 0		
6. NAME OF DRILLER Pickett	14. TOTAL NUMBER OF CORE BOXES 0 of 0		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED	15. ELEVATION GROUND WATER n/a		
7. THICKNESS OF BURDEN 25.5 Ft.	16. DATE HOLE STARTED COMPLETED 03/23/01 03/23/01		
8. DEPTH DRILLED INTO ROCK 0.0 Ft.	17. ELEVATION TOP OF HOLE -10.4 Ft.		
9. TOTAL DEPTH OF HOLE 25.5 Ft.	18. TOTAL CORE RECOVERY FOR BORING 51 %		
	19. SIGNATURE OF INSPECTOR J. Arthur, PG		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel	BLOWS/ft	
-10.4	0.0					-10.4	0	
			SAND, poorly graded, fine to medium, trace of small shell fragments, calcareous, brownish gray (SP).	53	1	SPT	8 9 5	
			From -13.4 brownish grey and grey.	53	2	SPT	3 5 10	
			From -14.9 some small shell fragments, gray.	40	3	SPT	8 8 13	
				40	4	SPT	10 14 16	
				40	5	SPT	8 19 21	
				47	6	SPT	8 18 23	
				47	7	SPT	16 24 27	
				53	8	SPT	18 21 22	
				From -22.9 to -23.4 layer of small shell fragments.	67	9	SPT	13 22 30
				At -25.4 trace of silt and small shell fragments.	67	10	SPT	21 18 31
					53	11	SPT	19 30 40
					60	12	SPT	10 36 43
					60	13	SPT	22 41 45
				At -32.9 some small shell fragments, trace of fine limestone gravel.	60	14	SPT	23 23 16
					53	15	SPT	4 6 12
						(continued)	22.5	

ENG FORM 1838 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT Lake Worth Inlet, Palm Beach Harbor	HOLE NUMBER CB-LWI-SB01-2
--	------------------------------

DRILLING LOG (Cont. Sheet)			ELEVATION TOP OF HOLE -10.4 Ft.		SHEET 2 OF 2		
PROJECT Lake Worth Inlet, Palm Beach Harbor			INSTALLATION Jacksonville District				
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel	BLOWS/ 5'
-32.9	22.5		At -34.4 no gravel.	27	16	SPT	8
							8
				10			
				15			
-35.9	25.5			47	17	SPT	21
		23					
			Notes: 1. Soils are field visually classified in accordance with the Unified Soils Classification System.			140# hammer w/30" drop used with 2.0' split spoon (1 3/8" I.D. X 2" O.D.).	

ENG FORM 1836 PREVIOUS EDITIONS ARE OBSOLETE.
MAR 71

PROJECT
Lake Worth Inlet, Palm Beach Harbor

HOLE NUMBER
CB-LWI-SB01-2

Hole No. CB-LWI-SB01-3

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
1. PROJECT Lake Worth Inlet, Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks	
2. LOCATION (Coordinates or Station) X=816,703 Y=887,879		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLW NAD-27 FL-E	
3. DRILLING AGENCY Corps of Engineers - Savannah District		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 1500	
4. HOLE NO. (As shown on drawing title and file number) CB-LWI-SB01-3		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 10 undisturbed: 0	
6. NAME OF DRILLER Pickett		14. TOTAL NUMBER OF CORE BOXES n/a	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER n/a	
7. THICKNESS OF BURDEN 15.0 Ft.		16. DATE HOLE STARTED COMPLETED 03/22/01 03/22/01	
8. DEPTH DRILLED INTO ROCK 0.0 Ft.		17. ELEVATION TOP OF HOLE -19.9 Ft.	
9. TOTAL DEPTH OF HOLE 15.0 Ft.		18. TOTAL CORE RECOVERY FOR BORING 25.5 %	
		19. SIGNATURE OF INSPECTOR J. Arthur, PG	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel	BLOWS/ft ²	
-19.9	0.0					-19.9	0	
			SAND, poorly graded, fine to medium grained, some small shell fragments, gray (SP). From -21.4 trace of small shell fragments. from -31.9 some small shell fragments. At -34.9 trace of silt and small shell fragments.	40	1	SPT	10 9 5 4	
				40	2	SPT	-21.4 -22.9	6 11
				60	3	SPT	-24.4	10 10
				53	4	SPT	-25.9	12 11
				53	5	SPT	-27.4	13 8
				33	6	SPT	-28.9	15 20 12
				33	7	SPT	-30.4	17 10 33
				40	8	SPT	-31.9	16 20 29
				40	9	SPT	-33.4	19 23 34
				40	10	SPT	-34.9	18 23
-34.9	15.0					-34.9	27 15	
			Notes: 1. Soils are field visually classified in accordance with the Unified Soils Classification System.			140# hammer w/30" drop used with 2.0' split spoon (1 3/8" I.D. X 2" O.D.).	17.5 20 22.5	


ENG FORM 1830 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Lake Worth Inlet, Palm Beach Harbor

HOLE NUMBER
CB-LWI-SB01-3

Hole No. CB-LWI-SB01-4

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
1. PROJECT Lake Worth Inlet, Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks	
2. LOCATION (Coordinates or Station) X=816,891 Y=887,877		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLW NAD-27 FL-E	
3. DRILLING AGENCY Corps of Engineers - Savannah District		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 1500	
4. HOLE NO. (As shown on drawing title and file number) CB-LWI-SB01-4		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 1 undisturbed: 0	
5. NAME OF DRILLER Pickett		14. TOTAL NUMBER OF CORE BOXES n/a	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER n/a	
7. THICKNESS OF BURDEN 1.5 Ft.		16. DATE HOLE STARTED COMPLETED 03/22/01 03/22/01	
8. DEPTH DRILLED INTO ROCK 0.0 Ft.		17. ELEVATION TOP OF HOLE -33.7 Ft.	
9. TOTAL DEPTH OF HOLE 1.5 Ft.		18. TOTAL CORE RECOVERY FOR BORING 100 %	
		19. SIGNATURE OF INSPECTOR J. Arthur, PG	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel	BLOWS / 5'
-33.7	0.0					-33.7	0
-35.2	1.5		SAND, poorly graded, fine to medium, some small shell fragments, calcareous, gray, (SP).	100	1	SPT	3 4 9
			Notes: 1. Soils are field visually classified in accordance with the Unified Soils Classification System.			140# hammer w/30" drop used with 2.0' split spoon (1 3/8" I.D. X 2" O.D.).	2.5 5 7.5 10 12.5 15 17.5 20 22.5

ENG FORM 1836 PREVIOUS EDITIONS ARE OBSOLETE.
MAR 71

PROJECT
Lake Worth Inlet, Palm Beach Harbor

HOLE NUMBER
CB-LWI-SB01-4

Hole No. CB-LWI-PSB01-1



DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 2
1. PROJECT Lake Worth Inlet, Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks	
2. LOCATION (Coordinates or Station) X=816,502 Y=888,542		11. DATUM FOR ELEVATION SHOWN (TBM or NSL) MLLW NAD-27 FL-E	
3. DRILLING AGENCY Corps of Engineers - Savannah District		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 1500	
4. HOLE NO. (As shown on drawing title and file number) CB-LWI-PSB01-1		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 9 undisturbed: 0	
6. NAME OF DRILLER Pickett		14. TOTAL NUMBER OF CORE BOXES n/a	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER n/a	
7. THICKNESS OF BURDEN 25.5 Ft.		16. DATE HOLE STARTED COMPLETED 04/01/01 04/01/01	
8. DEPTH DRILLED INTO ROCK 4.0 Ft.		17. ELEVATION TOP OF HOLE -5.50 Ft.	
9. TOTAL DEPTH OF HOLE 29.5 Ft.		18. TOTAL CORE RECOVERY FOR BORING n/a %	
		19. SIGNATURE OF INSPECTOR C. Moores	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel	
-5.5	0.0					-5.5	0
			SAND, poorly graded, fine to medium grained, calcareous, grayish tan, (SP).	50	1,d	5 Foot Sampler 56 blows for 5 feet	2.5
-10.5	5.0		Below -10.5, grey.			-10.5	5
				50	2,2d	5 Foot Sampler 138 blows for 5 feet	7.5
-15.5	10.0		below -15.5, fine grained.			-15.5	10
				58	3,3d	5 Foot Sampler 125 blows for 4.5 feet	12.5
				50	4,4d	SPLITSPOON 146 blows for 2 feet	15
				50	5,5d	SPLITSPOON 143 blows for 2 feet	17.5
-25.0	19.5				6,6d	SPLITSPOON 179 blows for 2 feet	20
-25.5	20.0		below -25.0, fine to medium grained. At -25.5 to -26.0, limestone layers.		7,7d	SPLITSPOON 307 blows for 2 feet	20
					8,8d	SPLITSPOON 152 blows for 2 feet	22.5
(continued)							

ENG FORM 1836 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Lake Worth Inlet, Palm Beach Harbor

HOLE NUMBER
CB-LWI-PSB01-1

DRILLING LOG (Cont. Sheet)		ELEVATION TOP OF HOLE		SHEET 2 OF 2		
PROJECT			INSTALLATION			
Lake Worth Inlet, Palm Beach Harbor			Jacksonville District			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel
-28.0	22.5				8,8d	SPLITSPOON -29.0 152 blows for 2 feet
-30.9	25.4					9,9d -30.9 195 blows for 2 feet
-35.0	29.5		LIMESTONE, very hard to hard, moderately weathered, moderately vuggy, medium size vugs, pitted, dark gray/gray, fossiliferous	30	Box 1	Core Barrel Hyd. Press: 200 PSI H2O Return: 100% RGD = 25% D.T. = 4 min
			Notes: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. Driller noted hard cap then very soft at Limestone.			300# hammer w/18" drop used with 5.0' sampler (24" I.D. X 2 1/2" O.D.). 140# hammer with 30" drop used on 2" splitspoon. (1 3/8" ID x 2" OD) Blow counts do not correlate to the N-values of SPT

ENG FORM 1830 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Lake Worth Inlet, Palm Beach Harbor

HOLE NUMBER
CB-LWI-PSB01-1

Hole No. CB-LWI-PSB01-2

DRILLING LOG		DIVISION	INSTALLATION	SHEET 1 OF 2		
1. PROJECT Lake Worth Inlet, Palm Beach Harbor		South Atlantic	Jacksonville District			
2. LOCATION (Coordinates or Station) X=816,690 Y=888,531			10. SIZE AND TYPE OF BIT See Remarks			
3. DRILLING AGENCY Corps of Engineers - Savannah District			11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLW NAD-27 FL-E			
4. HOLE NO. (As shown on drawing title and file number) CB-LWI-PSB01-2			12. MANUFACTURER'S DESIGNATION OF DRILL Failing 1500			
5. NAME OF DRILLER Pickett			13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 4 undisturbed: 0			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			14. TOTAL NUMBER OF CORE BOXES n/a			
7. THICKNESS OF BURDEN 20.0 Ft.			15. ELEVATION GROUND WATER n/a			
8. DEPTH DRILLED INTO ROCK 0.0 Ft.			16. DATE HOLE STARTED COMPLETED 03/26/01 03/26/01			
9. TOTAL DEPTH OF HOLE 20.0 Ft.			17. ELEVATION TOP OF HOLE -14.8 Ft.			
			18. TOTAL CORE RECOVERY FOR BORING 62 %			
			19. SIGNATURE OF INSPECTOR J. Arthur, PG			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel
-14.8	0.0		SAND, fine to medium, calcareous, gray (SP).			-14.8
				67	1	5 Foot Sampler 219 blows for 5 feet
						-19.8
				54	2	5 Foot Sampler 128 blows for 5 feet
						-24.8
			Below -24.8, trace of silt and small shell fragments.			
				64	3	5 Foot Sampler 188 blows for 5 feet
						-29.8
				66	4	5 Foot Sampler 210 blows for 5 feet
						-34.8
			Notes: 1. Soils are field visually classified in accordance with the Unified Soils Classification System.			300# hammer w/18" drop used with 5.0' sampler (2" I.D. X 2 1/2" O.D.). Blow counts do not correlate to the N-values of SPT.
						(continued)

ENG FORM 1630 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Lake Worth Inlet, Palm Beach Harbor

HOLE NUMBER
CB-LWI-PSB01-2

DRILLING LOG (Cont. Sheet)			ELEVATION TOP OF HOLE		SHEET 2	
			-14.8 Ft.		OF 2	
PROJECT			INSTALLATION			
Lake Worth Inlet, Palm Beach Harbor			Jacksonville District			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel
			SAMPLE ELEVATION -19.8 to -24.8 -29.8 to -34.8 NOTE: Laboratory classification based on gradation curve.			
						22.5
						25
						27.5
						30
						32.5
						35
						37.5
						40
						42.5
						45
						47.5
						50

ENG FORM 1838 PREVIOUS EDITIONS ARE OBSOLETE.
MAR 71

PROJECT
Lake Worth Inlet, Palm Beach Harbor

HOLE NUMBER
CB-LWI-PSB01-2

Hole No. CB-LWI-PSB01-3

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 2
	1. PROJECT Lake Worth Inlet, Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks
2. LOCATION (Coordinates or Station) X=816,901 Y=888,531		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLW NAD-27 FL-E	
3. DRILLING AGENCY Corps of Engineers - Savannah District		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 1500	
4. HOLE NO. (As shown on drawing title and file number) CB-LWI-PSB01-3		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 4 undisturbed: 0	
5. NAME OF DRILLER Pickett		14. TOTAL NUMBER OF CORE BOXES n/a	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER n/a	
7. THICKNESS OF BURDEN 20.0 Ft.		16. DATE HOLE STARTED COMPLETED 03/26/01 03/26/01	
8. DEPTH DRILLED INTO ROCK 0.0 Ft.		17. ELEVATION TOP OF HOLE -14.7 Ft.	
9. TOTAL DEPTH OF HOLE 20.0 Ft.		18. TOTAL CORE RECOVERY FOR BORING 46 %	
		19. SIGNATURE OF INSPECTOR J. Arthur, PG	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel
-14.7	0.0		SAND, fine to medium, calcareous, gray (SP)			-14.7
				20	1	5 Foot Sampler 34 blows for 5 feet
-19.7	5.0		Below -19.7, some small shell fragments.			-19.7
				40	2	5 Foot Sampler 94 blows for 5 feet
-24.7	10.0		Below -24.7, trace of small shell fragments and silt.			-24.7
				64	3	5 Foot Sampler 225 blows for 5 feet
						-29.7
				60	4	5 Foot Sampler 180 blows for 5 feet
-34.7	20.0					-34.7
			Notes: 1. Soils are field visually classified in accordance with the Unified Soils Classification System.			300# hammer w/18" drop used with 5.0' sampler (2" I.D. X 2 1/2" O.D.). Blow counts do not correlate to the N-values of SPT
						(continued)

ENG FORM 1636 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Lake Worth Inlet, Palm Beach Harbor

HOLE NUMBER
CB-LWI-PSB01-3

DRILLING LOG (Cont. Sheet)		ELEVATION TOP OF HOLE -14.7 Ft.		SHEET 2 OF 2		
PROJECT Lake Worth Inlet, Palm Beach Harbor			INSTALLATION Jacksonville District			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC #	SAMPLE NUMBER	REMARKS Bit & Barrel
			<p>SAMPLE ELEVATION -14.7 to -19.7 -24.7 to -29.7</p> <p>LABORATORY CLASSIFICATION (SP-SM) (SM)</p> <p>NOTE: Laboratory Classification based on gradation curves.</p>			



ENG FORM 1836 PREVIOUS EDITIONS ARE OBSOLETE.
MAR 71

PROJECT
Lake Worth Inlet, Palm Beach Harbor

HOLE NUMBER
CB-LWI-PSB01-3

Hole No. CB-LWI-PSB01-4

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 2
1. PROJECT Lake Worth Inlet, Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks	
2. LOCATION (Coordinates or Station) X=816,473 Y=888,289		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLW NAD-27 FL-E	
3. DRILLING AGENCY Corps of Engineers - Savannah District		12. MANUFACTURER'S DESIGNATION OF DRILL Failing I500	
4. HOLE NO. (As shown on drawing title and file number) CB-LWI-PSB01-4		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 6 undisturbed: 0	
5. NAME OF DRILLER Pickett		14. TOTAL NUMBER OF CORE BOXES n/a	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER n/a	
7. THICKNESS OF BURDEN 30.0 Ft.		16. DATE HOLE STARTED COMPLETED 03/31/01 03/31/01	
8. DEPTH DRILLED INTO ROCK 0.0 Ft.		17. ELEVATION TOP OF HOLE -5.17 Ft.	
9. TOTAL DEPTH OF HOLE 30.0 Ft.		18. TOTAL CORE RECOVERY FOR BORING 35 %	
19. SIGNATURE OF INSPECTOR C. Moores			

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel		
-5.2	0.0		SAND, fine to medium grained, calcareous, minor shell fragments, tan, (SP).	18	1,1d	5 Foot Sampler 51 blows for 5 feet	0	
-10.2	5.0		Below -10.2 trace silt, gray				2.5	
					36	2,2d	5 Foot Sampler 141 blows for 5 feet	5
-15.2	10.0			SAND, fine to medium grained, calcareous, minor shell fragments, gray (SM).	42	3,3d	5 Foot Sampler 153 blows for 5 feet	7.5
-20.2	15.0			SAND, fine grained, calcareous, gray (SP)	52	4,4d	5 Foot Sampler 155 blows for 5 feet	10
				Below -25.2 trace wood fragments, few shell fragments	44	5,5d	5 Foot Sampler 161 blows for 5 feet	12.5
	20.0						15	
							17.5	
							20	
							22.5	
(continued)								

ENR FORM 1838 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71	PROJECT Lake Worth Inlet, Palm Beach Harbor	HOLE NUMBER CB-LWI-PSB01-4
--	---	--------------------------------------

DRILLING LOG (Cont. Sheet)		ELEVATION TOP OF HOLE		SHEET 2 OF 2		
PROJECT Lake Worth Inlet, Palm Beach Harbor		INSTALLATION Jacksonville District				
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel
-27.7	22.5					
				44	5,5d	5 Foot Sampler 161 blows for 5 feet -30.2
				18	6,6d	5 Foot Sampler 164 blows for 5 feet
-34.9	29.7		At -34.9 large shell fragments, tan.			
-35.2	30.0					-35.2
			Notes: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. SAMPLE ELEVATION LABORATORY CLASSIFICATION -5.2 to -10.2 (SP-SM) -15.2 to -20.2 (SM) -25.2 to -30.2 (SM) NOTE: Laboratory Classification based on gradation curve.			300# hammer w/18" drop used with 5.0' sampler (2" I.D. X 2 1/2" O.D.). Blow counts do not correlate to the N-values of SPT

ENG FORM 1830 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Lake Worth Inlet, Palm Beach Harbor

HOLE NUMBER
CB-LWI-PSB01-4

Hole No. CB-LWI-PSB01-5

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 2
1. PROJECT Lake Worth Inlet, Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks	
2. LOCATION (Coordinates or Station) X=816,676 Y=888,289		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLW NAD-27 FL-E	
3. DRILLING AGENCY Corps of Engineers - Savannah District		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 1500	
4. HOLE NO. (As shown on drawing title and file number) CB-LWI-PSB01-5		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 6 undisturbed: 0	
6. NAME OF DRILLER Pickett		14. TOTAL NUMBER OF CORE BOXES n/a	
9. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER n/a	
7. THICKNESS OF BURDEN 24.0 Ft.		16. DATE HOLE STARTED COMPLETED 03/26/01 03/26/01	
8. DEPTH DRILLED INTO ROCK 0.0 Ft.		17. ELEVATION TOP OF HOLE -11.3 Ft.	
9. TOTAL DEPTH OF HOLE 24.0 Ft.		18. TOTAL CORE RECOVERY FOR BORING 60 %	
19. SIGNATURE OF INSPECTOR J. Arthur, PG			

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel		
-11.3	0.0		SAND, fine grained, calcareous, gray, (SP).	85	1	5 Foot Sampler 34 blows for 2 feet	0	
-13.3	2.0		Below -13.3, fine to medium grained.	60	2	5 Foot Sampler 21 blows for 2 feet	2.5	
					64	3	5 Foot Sampler 121 blows for 5 feet	5
					64	4	5 Foot Sampler 174 blows for 5 feet	7.5
					40	5	5 Foot Sampler 225 blows for 5 feet	10
					60	6	5 Foot Sampler 160 blows for 5 feet	12.5
						(continued)	15	
							17.5	
							20	
							22.5	

ENG FORM 1630 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71	PROJECT Lake Worth Inlet, Palm Beach Harbor	HOLE NUMBER CB-LWI-PSB01-5
---	--	-------------------------------

DRILLING LOG (Cont. Sheet)		ELEVATION TOP OF HOLE		SHEET 2 OF 2								
PROJECT Lake Worth Inlet, Palm Beach Harbor			INSTALLATION Jacksonville District									
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel						
-33.8	22.5											
		[Stippled Pattern]		60	6	5 Foot Sampler 160 blows for 5 feet						
-35.3	24.0					-35.3						
			<p>Notes:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">SAMPLE ELEVATION</td> <td style="width: 50%;">LABORATORY CLASSIFICATION</td> </tr> <tr> <td>-15.3 to -20.3</td> <td>(SM)</td> </tr> <tr> <td>-25.3 to -30.3</td> <td>(SM)</td> </tr> </table> <p>NOTE: Laboratory Classification based on gradation curve.</p>	SAMPLE ELEVATION	LABORATORY CLASSIFICATION	-15.3 to -20.3	(SM)	-25.3 to -30.3	(SM)			<p>300# hammer w/18" drop used with 5.0' sampler (2" I.D. X 2 1/2" O.D.).</p> <p style="color: red;">Blow counts do not correlate to the N-values of SPT</p>
SAMPLE ELEVATION	LABORATORY CLASSIFICATION											
-15.3 to -20.3	(SM)											
-25.3 to -30.3	(SM)											

ENG FORM 1636 PREVIOUS EDITIONS ARE OBSOLETE.
MAR 71

PROJECT
Lake Worth Inlet, Palm Beach Harbor

HOLE NUMBER
CB-LWI-PSB01-5

Hole No. CB-LWI-PSB01-6

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 2
1. PROJECT Lake Worth Inlet, Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks	
2. LOCATION (Coordinates or Station) X=816,893 Y=888,299		11. DAYUM FOR ELEVATION SHOWN (TBM or NSL) MLLW NAD-27 FL-E	
3. DRILLING AGENCY Corps of Engineers - Savannah District		12. MANUFACTURER'S DESIGNATION OF DRILL Failing I500	
4. HOLE NO. (As shown on drawing title and file number) CB-LWI-PSB01-6		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 5 undisturbed: 0	
5. NAME OF DRILLER Pickett		14. TOTAL NUMBER OF CORE BOXES n/a	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER n/a	
7. THICKNESS OF BURDEN 19.0 Ft.		16. DATE HOLE STARTED COMPLETED 03/25/01 03/25/01	
8. DEPTH DRILLED INTO ROCK 0.0 Ft.		17. ELEVATION TOP OF HOLE -16.3 Ft.	
9. TOTAL DEPTH OF HOLE 19.0 Ft.		18. TOTAL CORE RECOVERY FOR BORING 52 %	
		19. SIGNATURE OF INSPECTOR J. Arthur, PG	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel	
-16.3	0.0		SAND, fine grained, calcareous, gray, (SP).	70	1	5 Foot Sampler 19 blows for 2 feet	0
-18.3	2.0		Below -18.3, fine to medium grained.	46	2	5 Foot Sampler 125 blows for 5 feet	2.5
-23.3	7.0		Below -23.3, small shell fragments, gray and brownish gray.	26	3	5 Foot Sampler 107 blows for 5 feet	7.5
-28.3	12.0		Below -18.3, grey.	56	4	5 Foot Sampler 206 blows for 5 feet	12.5
-35.3	19.0				100	5	5 Foot Sampler 26 blows for 2 feet
			Notes: 1. Soils are field visually classified in accordance with the Unified Soils Classification System.			300# hammer w/18" drop used with 5.0' sampler (2" I.D. X 2 1/2" O.D.) Blow counts do not correlate to the N-values of SPT	20
						(continued)	22.5

ENG FORM 1636 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Lake Worth Inlet, Palm Beach Harbor

HOLE NUMBER
CB-LWI-PSB01-6

DRILLING LOG (Cont. Sheet)		ELEVATION TOP OF HOLE -16.3 Ft.		SHEET 2 OF 2		
PROJECT Lake Worth Inlet, Palm Beach Harbor			INSTALLATION Jacksonville District			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel
			SAMPLE ELEVATION -18.3 to -23.3 -28.3 to -33.3 LABORATORY CLASSIFICATION (SP-SM) (SM) NOTE: Laboratory Classification based on gradation curve.			

22.5
25
27.5
30
32.5
35
37.5
40
42.5
45
47.5
50

Hole No.CB-LWI-PSB01-7

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 2
	1. PROJECT Lake Worth Inlet, Palm Beach Harbor	10. SIZE AND TYPE OF BIT See Remarks	
2. LOCATION (Coordinates of Station) X=816,471 Y=888,050		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLW NAD-27 FL-E	
3. DRILLING AGENCY Corps of Engineers - Savannah District		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 1500	
4. HOLE NO. (As shown on drawing title and file number) CB-LWI-PSB01-7		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 7 undisturbed: 0	
5. NAME OF DRILLER Pickett		14. TOTAL NUMBER OF CORE BOXES n/a	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER n/a	
7. THICKNESS OF BURDEN 27.4 Ft.		16. DATE HOLE STARTED COMPLETED 03/25/01 03/25/01	
8. DEPTH DRILLED INTO ROCK 0.0 Ft.		17. ELEVATION TOP OF HOLE -7.6 Ft.	
9. TOTAL DEPTH OF HOLE 27.4 Ft.		18. TOTAL CORE RECOVERY FOR BORING 44 %	
19. SIGNATURE OF INSPECTOR J. Arthur, PG			

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel
-7.6	0.0					-7.6
			SAND, fine grained, calcareous, gray, (SP).	75	1	5 Foot Sampler 28 blows for 2 feet
						-9.6
				80	2	5 Foot Sampler 19 blows for 2 feet
-11.6	4.0		SAND, fine to medium grained, calcareous, gray, (SM).			-11.6
				28	3	5 Foot Sampler 112 blows for 5 feet
-16.6	9.0		SAND, fine to medium grained, trace of silt, calcareous, gray, (SP).			-16.6
				52	4	5 Foot Sampler 150 blows for 5 feet
-21.6	14.0		SAND, fine to medium grained, calcareous, gray, (SM).			-21.6
				38	5	5 Foot Sampler 89 blows for 5 feet
-26.6	19.0		Below -26.6, some small shell fragments.			-26.6
				40	6	5 Foot Sampler 86 blows for 5 feet
(continued)						

ENG FORM 1030 MAR 71	PREVIOUS EDITIONS ARE OBSOLETE.	PROJECT Lake Worth Inlet, Palm Beach Harbor	HOLE NUMBER CB-LWI-PSB01-7
-------------------------	---------------------------------	---	--------------------------------------

DRILLING LOG (Cont. Sheet)		ELEVATION TOP OF HOLE		SHEET 2 OF 2														
PROJECT Lake Worth Inlet, Palm Beach Harbor			INSTALLATION Jacksonville District															
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel												
-30.1	22.5			40	6	5 Foot Sampler 86 blows for 5 feet -31.6												
				32	7	5 Foot Sampler 80 blows for 5 feet												
-35.0	27.4		<p>0 Notes:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <table border="0"> <tr> <td>SAMPLE ELEVATION</td> <td>LABORATORY CLASSIFICATION</td> </tr> <tr> <td>-7.6 to -9.6</td> <td>(SP-SM)</td> </tr> <tr> <td>-11.6 to -16.6</td> <td>(SM)</td> </tr> <tr> <td>-16.6 to -21.6</td> <td>(SM)</td> </tr> <tr> <td>-21.6 to -26.6</td> <td>(SM)</td> </tr> <tr> <td>-26.6 to -31.6</td> <td>(SM)</td> </tr> </table> <p>NOTES: Laboratory classification based on gradation curves.</p>	SAMPLE ELEVATION	LABORATORY CLASSIFICATION	-7.6 to -9.6	(SP-SM)	-11.6 to -16.6	(SM)	-16.6 to -21.6	(SM)	-21.6 to -26.6	(SM)	-26.6 to -31.6	(SM)			<p>300# hammer w/18" drop used with 5.0' sampler (2" I.D. X 2 1/2" O.D.).</p> <p>Blow counts do not correlate to the N-values of SPT</p>
SAMPLE ELEVATION	LABORATORY CLASSIFICATION																	
-7.6 to -9.6	(SP-SM)																	
-11.6 to -16.6	(SM)																	
-16.6 to -21.6	(SM)																	
-21.6 to -26.6	(SM)																	
-26.6 to -31.6	(SM)																	

Hole No. CB-LWI-PSB01-8

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 2
1. PROJECT Lake Worth Inlet, Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks	
2. LOCATION (Coordinates or Station) X=816,683 Y=888,058		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLW NAD-27 FL-E	
3. DRILLING AGENCY Corps of Engineers - Savannah District		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 1500	
4. HOLE NO. (As shown on drawing title and file number) CB-LWI-PSB01-8		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 7 undisturbed: 0	
5. NAME OF DRILLER Pickett		14. TOTAL NUMBER OF CORE BOXES n/a	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER n/a	
7. THICKNESS OF BURDEN 22.1 Ft.		16. DATE HOLE STARTED COMPLETED 03/24/01 03/24/01	
8. DEPTH DRILLED INTO ROCK 0.0 Ft.		17. ELEVATION TOP OF HOLE -12.9 Ft.	
9. TOTAL DEPTH OF HOLE 22.1 Ft.		18. TOTAL CORE RECOVERY FOR BORING 39 %	
19. SIGNATURE OF INSPECTOR J. Arthur, PG			

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel
-12.9	0.0					-12.9
			SAND, fine grained, calcareous, small shell fragments, gray, (SP).	20	1	5 Foot Sampler 0 blows for 1.5 feet
				60	2	5 Foot Sampler 0 blows for 2 feet
				60	3	5 Foot Sampler 33 blows for 5 feet
				23	4	5 Foot Sampler 72 blows for 5 feet
-22.4	9.5		Below -22.4, fine to medium grained.			-22.4
				28	5	5 Foot Sampler 135 blows for 5 feet
-27.4	14.5		SAND, fine to medium grained, calcareous, some small shell fragments and fine limestone gravel, gray, (SM).			-27.4
				30	6	5 Foot Sampler 190 blows for 5 feet
-32.4	19.5		SAND, fine to medium grained, calcareous, some small shell fragments, gray (SP).			-32.4
				80	7	5 Foot Sampler 115 blows for 2.6 feet
-35.0	22.1		Soils are field visually classified in accordance with the Unified Soils Classification System.			-35.0
						300# hammer, 18" drop, 5-foot (continued) 2" ID x 2 1/2" OD

ENG FORM 1330 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT Lake Worth Inlet, Palm Beach Harbor	HOLE NUMBER CB-LWI-PSB01-8
---	--------------------------------------

Blow counts do not correlate to

DRILLING LOG (Cont. Sheet)		ELEVATION TOP OF HOLE -12.9 Ft.		SHEET 2 OF 2		
PROJECT Lake Worth Inlet, Palm Beach Harbor			INSTALLATION Jacksonville District			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC #	SAMPLE NUMBER	REMARKS Bit & Barrel
			<p style="text-align: center;">SAMPLE LABORATORY ELEVATION CLASSIFICATION -18.4 to -22.4 (SM) -27.4 to -32.4 (SM)</p> <p>NOTES: Laboratory Classification based on gradation curves.</p>			
						22.5
						25
						27.5
						30
						32.5
						35
						37.5
						40
						42.5
						45
						47.5
						50
<small>ENG FORM 1030 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71</small>			PROJECT Lake Worth Inlet, Palm Beach Harbor		HOLE NUMBER CB-LWI-PSB01-8	

Hole No. CB-LWI-PSB01-9

DRILLING LOG		DIVISION	INSTALLATION	SHEET 1 OF 1		
1. PROJECT		South Atlantic	Jacksonville District	10. SIZE AND TYPE OF BIT See Remarks		
2. LOCATION (Coordinates or Station)		Lake Worth Inlet, Palm Beach Harbor	MLLW NAD-27 FL-E	11. DATUM FOR ELEVATION SHOWN (TBM or MSL)		
3. DRILLING AGENCY		Corps of Engineers - Savannah District	Failing 1500	12. MANUFACTURER'S DESIGNATION OF DRILL		
4. HOLE NO. (As shown on drawing title and file number)		CB-LWI-PSB01-9	disturbed: 5 undisturbed: 0	13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN		
6. NAME OF DRILLER		Pickett	n/a	14. TOTAL NUMBER OF CORE BOXES		
6. DIRECTION OF HOLE		<input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED	n/a	15. ELEVATION GROUND WATER		
7. THICKNESS OF BURDEN		16.5 Ft.	03/24/01 03/24/01	16. DATE HOLE STARTED COMPLETED		
8. DEPTH DRILLED INTO ROCK		0.0 Ft.	-18.5 Ft.	17. ELEVATION TOP OF HOLE		
9. TOTAL DEPTH OF HOLE		16.5 Ft.	24 %	18. TOTAL CORE RECOVERY FOR BORING		
			J. Arthur, PG	19. SIGNATURE OF INSPECTOR		
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit & Barrel
-18.5	0.0					-18.5
			SAND, fine to medium grained, calcareous, some small shell fragments, brownish gray, (SP).	15	1	5 Foot Sampler 6 blows for 2 feet
-20.5	2.0		Below -20.5, gray.	50	2	5 Foot Sampler 65 blows for 1 foot
				14	3	5 Foot Sampler 120 blows for 5 feet
-26.5	8.0		SAND, fine to medium grained, calcareous, some small shell fragments, gray, (SM)	18	4	5 Foot sampler 116 blows for 5 feet
-31.5	13.0		Below -31.5, fine grained, trace of small shell fragments.	43	5	5 Foot Sampler 166 blows for 3.5 feet
-35.0	16.5		Notes: I. Soils are field visually classified in accordance with the Unified Soils Classification System. SAMPLE ELEVATION -20.5 to -21.5 -21.5 to -35.0 LABORATORY CLASSIFICATION (SP-SM) (SM) NOTES: Laboratory Classification based on gradation curve.			300# hammer w/18" drop used with 5.0' sampler (2" I.D. X 2 1/2" O.D.). Blow counts do not correlate to the N-values of SPT


ENG FORM 1636 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Lake Worth Inlet, Palm Beach Harbor

HOLE NUMBER
CB-LWI-PSB01-9

Hole No. WB-PBH95-11

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks	
2. LOCATION (Coordinates or Station) X=816,282 Y=887,701		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)	
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314	
4. HOLE NO. (As shown on drawing title and file number) WB-PBH95-11		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0	
5. NAME OF DRILLER C. Robbins		14. TOTAL NUMBER OF CORE BOXES	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL	
7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 8/6/95 8/6/95	
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -29.7 Ft.	
9. TOTAL DEPTH OF HOLE 12.3 Ft.		18. TOTAL CORE RECOVERY FOR BORING 0 %	
		19. SIGNATURE OF Geologist Jim Arthur	


ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel
-29.7	.0					-29.7
			SAND, grayish tan fine to medium poorly graded quartz sand, some small shell fragments (SP)			
				0		NX DRILL RODS
-42.0	12.3		Washed to elevation -42.0, no rock encountered			-42.0
			Note: Soils are field classified in accordance with the Unified Soils Classification System.			Set 6 inch casing to depth 5.0, then 9.3 feet.

ENG FORM 1030 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Palm Beach Harbor

HOLE NUMBER
WB-PBH95-11

Hole No. WB-PBH95-14

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1		
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks				
2. LOCATION (Coordinates or Station) X=816,527 Y=887,758		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)				
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314				
4. HOLE NO. (As shown on drawing title and file number) WB-PBH95-14		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0				
5. NAME OF DRILLER C. Robbins		14. TOTAL NUMBER OF CORE BOXES				
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL				
7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 8/6/95 8/6/95				
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -26.4 Ft.				
9. TOTAL DEPTH OF HOLE 17.5 Ft.		18. TOTAL CORE RECOVERY FOR BORING 0 %				
		19. SIGNATURE OF Geologist Jim Arthur				
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel
-26.4	.0					-26.4
			SAND, gray fine poorly graded quartz sand (SP)			
				0		NX DRILL RODS
			Washed to elevation -43.9, no rock encountered			
-43.9	17.5					-43.9
			Note: Soils are field classified in accordance with the Unified Soils Classification System.			Set 6 inch casing to depth 7.2 feet.

ENG FORM 1030 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Palm Beach Harbor

HOLE NUMBER
WB-PBH95-14

Hole No.WB-PBH95-16

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks		
2. LOCATION (Coordinates or Station) X=816,723 Y=887,755		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)		
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Falling 314		
4. HOLE NO. (As shown on drawing title and file number) WB-PBH95-16		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0		
5. NAME OF DRILLER C. Robbins		14. TOTAL NUMBER OF CORE BOXES		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL		
7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 8/7/95 8/7/95		
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -33.5 Ft.		
9. TOTAL DEPTH OF HOLE 10.9 Ft.		18. TOTAL CORE RECOVERY FOR BORING 0 %		
		19. SIGNATURE OF Geologist Jim Arthur		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel
-33.5	.0		SAND			-33.5
				0		NX DRILL RODS
			Washed to elevation -44.4, no rock encountered			
-44.4	10.9					-44.4
						Set 6 inch casing to depth 3.5 feet.

ENG FORM 1836 PREVIOUS EDITIONS ARE OBSOLETE.
MAR 71


PROJECT
Palm Beach Harbor

HOLE NUMBER
WB-PBH95-16

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
 CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

WORK ORDER: 7760
 REQUISITION: RM-CW-95-0159

Lake Worth Inlet Feasibility Study, Attachment C, Geotechnical



COBBLES	GRAVEL		SAND			SILT OR CLAY
	COARSE	FINE	COARSE	MEDIUM	FINE	

Sample No.	Elevation (ft)	Classification	Nat w%	LL	PL	PI	Project
1	-33.6 to -35.1	(VISUAL) LT. GRAY, POORLY GRADED SILTY SAND (SP-SM), WITH A TRACE OF SAND SIZE SHELL FRAGMENTS. SPECIFIC GRAVITY = 2.70. VISUAL PERCENT SHELL IS APPROX. = 2%.					PALM BEACH HARBOR MAINTENANCE DREDGING
							Lab No. 73/7091
							Boring No. CB-PBH-95-4
							Date 08/26/95


GRADATION CURVES



DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
 CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

WORK ORDER: 7760
 REQUISITION: RM-CW-95-0159

Lake Worth Inlet Feasibility Study, Attachment C, Geotechnical



COBBLES	GRAVEL		SAND			SILT OR CLAY
	COARSE	FINE	COARSE	MEDIUM	FINE	

Sample No.	Elevation (ft)	Classification	Nat w%	LL	PL	PI	Project
2	-35.1 to -36.6	(VISUAL) LT. GRAY, POORLY GRADED SILTY SAND (SP-SM), WITH A TRACE OF SAND SIZE SHELL FRAGMENTS. SPECIFIC GRAVITY = 2.70. VISUAL PERCENT SHELL IS APPROX. = 1%.					PALM BEACH HARBOR MAINTENANCE DREDGING
							Lab No. 73/7092
							Boring No. CB-PBH-95-4
							Date 08/26/95


GRADATION CURVES

Page 149 of 304



DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
 CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

WORK ORDER: 7760
 REQUISITION: RM-CW-95-0159



COBBLES	GRAVEL		SAND			SILT OR CLAY
	COARSE	FINE	COARSE	MEDIUM	FINE	


Sample No.	Elevation (ft)	Classification	Nat w%	LL	PL	PI	Project
1	-33.6 to -35.1	(VISUAL) LT. GRAY, POORLY GRADED SILTY SAND (SP-SM), WITH A TRACE OF SAND SIZE SHELL FRAGMENTS. SPECIFIC GRAVITY = 2.70. VISUAL PERCENT SHELL IS APPROX. = 2%.					PALM BEACH HARBOR MAINTENANCE DREDGING
							Lab No. 73/7091
							Boring No. CB-PBH-95-4
							Date 08/26/95

GRADATION CURVES




DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

WORK ORDER: 7760
REQUISITION: RM-CW-95-0159



GRADATION CURVES






COBBLES	GRAVEL		SAND			SILT OR CLAY
	COARSE	FINE	COARSE	MEDIUM	FINE	


Sample No.	Elevation (ft)	Classification	Nat w%	LL	PL	PI	Project
1	-36.5 to -38.0	(VISUAL) LT. TAN, POORLY GRADED SILTY SAND (SP-SM), WITH A TRACE OF SAND SIZE SHELL FRAGMENTS. SPECIFIC GRAVITY = 2.71. VISUAL PERCENT SHELL IS APPROX. = 3%.					PALM BEACH HARBOR MAINTENANCE DREDGING
							Lab No. 73/7093
							Boring No. CB-PBH-95-5
GRADATION CURVES							Date 08/26/95







GRADATION CURVES

ENG FORM 2087
MAY 63







ENG FORM 2087
MAY 63




ENG FORM 2087
 MAY 63




ENG FORM 2087
MAY 63






ENG FORM 2087
MAY 63




GRADATION CURVES


ENG FORM 2087
MAY 63




ENG FORM 2087
MAY 63




ENG FORM 2087
MAY 63




ENG FORM 2087
MAY 63





Sample No.	Elev or Depth	Classification	% CO ₂	G _s	Nat w %	LL	PL	PI	COBBLES		GRAVEL		SAND			SILT OR CLAY		
									COARSE	FINE	COARSE	MEDIUM	FINE					
● 1	El. to	SAND, poorly graded with silt, mostly fine grained quartz, few silt, trace medium grained carbonate, brown (SP-SM)																
GRADATION CURVES									Project	Paim Beach Harbor								
									Area									
									Boring No.	LWI-PSB01-7								
									Date	9/23/2002								






GRADATION CURVES






ENG FORM 2087
MAY 63




ENG FORM 2087
MAY 63




COBBLES	GRAVEL		SAND			SILT OR CLAY		
	COARSE	FINE	COARSE	MEDIUM	FINE			

Sample No.	Elev or Depth	Classification	% CO ₂	G _s	Nat w %	LL	PL	PI	Project
● 6	El. to	SAND, silty, mostly fine grained quartz, little silt, little coarse to medium grained carbonate, gray (SM)							Palm Beach Harbor
									Area
									Boring No. LWI-PSB01-8
									Date 9/23/2002

GRADATION CURVES



ENG FORM 2087
MAY 63



GRADATION CURVES

Sponsor Supplied
Boring Logs and Laboratory Results:
North Jetty and Area B-2

LAKE WORTH INLET

SAND TRANSFER PLANT

DISCHARGE PIPE

TOWN OF PALM BEACH

BID NO. 95-14

GEOTECHNICAL BORING

INFO.

APPENDIX B
SUBSURFACE EXPLORATION REPORT
ARDAMAN AND ASSOCIATES, INC.
FEBRUARY 15, 1995



Ardaman & Associates, Inc.

Geotechnical Engineering, Inc.
10000 N.W. 11th St.

File No. 95-2007
February 15, 1995

Coastal Planning and Engineering, Inc.
2481 N.W. Boca Raton Blvd.
Boca Raton, Florida 33431

Attn: Douglas W. Mann, P.E.

**SUBSURFACE EXPLORATION REPORT
LAKE WORTH INLET CORINGS
PALM BEACH COUNTY, FLORIDA**

Ardaman & Associates, Inc. has completed the subsurface exploration and studies of the project site described in our proposal dated July 6, 1994. The work was requested by Mr. Douglas Mann of Coastal Planning & Engineering, Inc. and authorized by Robert Clinger of Palm Beach County Environmental Resources Management. Our work included two Standard Penetration Test (SPT) borings with cores, laboratory testing, and engineering analyses. This report describes our explorations and tests, reports their findings, and summarizes our conclusions. Our report has been prepared specifically for this project. It is intended for the exclusive use of Coastal Planning and Engineering, Inc. and their representatives.

FIELD EXPLORATION

Two Standard Penetration Test (SPT) borings were performed at the locations shown on the Boring Location Plan, Figure 1. The SPT borings were completed at depth 100 feet. The work was performed in accordance with the procedures recommended in ASTM D-1586. The boring logs and a description of our drilling and testing procedures are included in the Appendix.

In addition to the SPT borings, nine 5 foot coring runs were performed at the depths described in the boring logs.

The boring locations were laid out by our field crew by tape measurements from nearby jettys. We estimate that the actual boring locations are within about 10 feet of the locations shown in Figure 1. If you need to know the boring locations more accurately, we recommend that you retain a surveyor. Note that the drilling locations are not accessible to our standard tire-mounted equipment.

Our drillers examined the soil recovered from the SPT sampler and maintained a log for each boring. The soil samples were taken to our laboratory where they were inspected and classified using nomenclature consistent with the Unified Soil Classification System (ASTM D-2487). The soil classifications and other pertinent data obtained from our explorations and laboratory examinations and tests are reported on the boring logs in the Appendix.

10000 N.W. 11th St., Boca Raton, Florida 33431 Phone (407) 997-2222 Fax (407) 997-7371
10000 N.W. 11th St., Boca Raton, Florida 33431 Phone (407) 997-2222 Fax (407) 997-7371

The soil samples recovered from our explorations will be kept in our laboratory for 60 days, then discarded unless you request otherwise.

SUBSURFACE CONDITIONS

The boring logs in the Appendix present a detailed description of the soils encountered at the locations and the depths explored. The soil stratification shown on the boring logs is based on examination of recovered soil samples and interpretation of the driller's field logs. It indicates only the approximate boundaries between soil types. The actual transitions between adjacent soil strata may be gradual and indistinct.

CORING

A total of nine, two-inch diameter, coring runs were attempted at different depths in Boring B-2 as directed by the engineers. Most of these runs were made at depth below 30 feet, which was not anticipated. The depths, descriptions, and percent recovery are described on the boring logs in the Appendix. Two core samples from each of the first six coring runs and one core sample from the seventh run were tested for compressive strength according to ASTM D-2938. Core samples from coring runs 8 and 9 could not be tested. Table I shows the results of the compression tests.


TABLE I
COMPRESSION TESTS
FEBRUARY 13, 1995

SAMPLE I.D.	LOAD (lbs)	SURFACE AREA (in ²)	COMPRESSIVE STRENGTH (psi)
1st Core 7.5-14.5'	3700	3.142	1178
1st Core 7.5-14.5'	2650	3.142	907
2nd Core 14.5-24.5'	1500	3.142	477
2nd Core 14.5-24.5'	1600	3.142	509
3rd Core 30.0-35.0'	2300	3.142	732
3rd Core 30.0-35.0'	2030	3.142	648
4th Core 35.0-40.0'	2750	3.142	875
4th Core 35.0-40.0'	2900	3.142	923
5th Core 41.0-46.0'	1000	3.142	318
5th Core 41.0-46.0'	900	3.142	288
6th Core 47.5-52.5'	650	3.142	207
6th Core 47.5-52.5'	730	3.142	232
7th Core 52.5-57.5'	450	3.142	143


It has been a pleasure to assist you on this phase of your project. Please contact us whenever we may be of service to you, and please call if you have any questions concerning this report.

Sincerely,

ARDAMAN & ASSOCIATES, INC.




Sean C. Donahue, E.I.
Staff Engineer



Roberto E. Balbis, P.E.
Principal
Fla. Reg. No. 15832

SCD/REB:icm

B-2 WEST OF DISCHARGE ON BEACH



B-1 NEAR PLANT

403876

FIGURE 1

STANDARD PENETRATION TEST BORING LOG

BORING B-1

PROJECT: LAKE WORTH INLET
 PIPELINE CROSSING
 BORING LOCATION: NORTH JETTY
 WATER OBSERVED AT DEPTH 5 FEET

FILE NO. 95-2007
 BORING B-1
 ELEV: 7.792
 DRILLER: SG & PR
 DATE DRILLED: 1-20-95

ELEVATION DEPTH	SOIL SYMBOLS AND SAMPLER SYMBOLS	SOIL DESCRIPTION	SAMPLE NO	N VALUE
10				
5		ORANGE BROWN FINE SAND WITH SHELL		
5	4/6 9/6 11/6	SAME	1	19
0				
-5	7/6 10/6 11/6	SAME. LARGER SHELL FRAGMENTS	2	21
-10				
-15	11/6 15/6 20/6	SAME. GRADING GRAYISH AT 15 FEET	3	35
-20	12/6 21/6 22/6	GRAY BROWN CEMENTED SAND AND SHELL	4	43
-25	20/6 19/6 32/6	GRAY FINE SAND	5	51
-20	Boring Continues			

BORING COMPLETED AT DEPTH 100.5 FEET

FIELD TEST DATA ARE "BLOWS"/"INCHES DRIVEN", 140-LB HAMMER, 30-INCH FALL.

Ardaman & Associates, Inc.

STANDARD PENETRATION TEST BORING LOG

BORING B-1

PROJECT: LAKE WORTH INLET
 PIPELINE CROSSING
 BORING LOCATION: NORTH JETTY
 WATER OBSERVED AT DEPTH 5 FEET

FILE NO. 95-2007
 BORING B-1
 ELEV: 7.792
 DRILLER: SG & PR
 DATE DRILLED: 1-20-95

ELEVATION DEPTH	SOIL SYMBOLS AND SAMPLER SYMBOLS	SOIL DESCRIPTION	SAMPLE NO	N VALUE	
-20		SAME, VERY FINE SAND	6	57	
-25		BROWN GRAY SAND WITH SHELL FRAGMENTS	7	45	
-30		LIGHT BROWN SHELL FRAGMENTS AND SAND	8	60/4'	
-35		SAME	9	26	
-40		SAME	10	46	
-45		SAME	11	82	
-50		Boring Continues			

BORING COMPLETED AT DEPTH 100.5 FEET

FIELD TEST DATA ARE "BLOKS"/"INCHES DRIVEN", 140-LB HAMMER, 30-INCH FALL.

Ardaman & Associates, Inc.

STANDARD PENETRATION TEST BORING LOG

BORING B-1

PROJECT: LAKE WORTH INLET
 PIPELINE CROSSING
 BORING LOCATION: NORTH JETTY

FILE NO. 95-2007
 BORING B-1
 ELEV: 7.792
 DRILLER: SG & PA
 DATE DRILLED: 1-20-95

WATER OBSERVED AT DEPTH 5 FEET

ELEVATION DEPTH	SOIL SYMBOLS AND SAMPLER SYMBOLS	SOIL DESCRIPTION	SAMPLE NO	N VALUE	
-50		SAME	12	67	
-60		BROWN GRAY SLIGHTLY SILTY VERY FINE SAND WITH SHELL	13	28	
-65		DARK BROWN SANDY PEAT	14	9	
-70		LIGHT GRAY CEMENTED SAND AND SHELL	15	700/11	
-75		SAME	16	27	
-80		LOST CIRCULATION AT 81 TO 84 FEET			
-85		LIGHT BROWN	17	29	

BORING COMPLETED AT DEPTH 100.5 FEET

FIELD TEST DATA ARE "BLOWS"/"INCHES DRIVEN". 140-LB HAMMER, 30-INCH FALL.

Ardaman & Associates, Inc.

STANDARD PENETRATION TEST BORING LOG

BORING B-1

PROJECT: LAKE WORTH INLET
 PIPELINE CROSSING
 BORING LOCATION: NORTH JETTY

FILE NO. 95-2007
 BORING B-1
 ELEV: 7.792
 DRILLER: SG & PR
 DATE DRILLED: 1-20-95

WATER OBSERVED AT DEPTH 5 FEET

ELEVATION DEPTH	SOIL SYMBOLS AND SAMPLER SYMBOLS	SOIL DESCRIPTION	SAMPLE NO	N VALUE
	<p style="text-align: right;">15/3 17/3 14/6</p> <p style="text-align: right;">15/6 17/3 16/3</p> <p style="text-align: right;">10/3 13/3 15/6</p>	<p>LIGHT GRAY CEMENTED SAND AND SHELL</p> <p>SAME</p> <p>SAME</p>	<p>18</p> <p>19</p> <p>20</p>	<p>31</p> <p>35</p> <p>26</p>

BORING COMPLETED AT DEPTH 100.5 FEET

FIELD TEST DATA ARE "BLOWS"/"INCHES DRIVEN". 140-LB HAMMER, 30-INCH FALL.

Ardaman & Associates, Inc.

STANDARD PENETRATION TEST BORING LOG

BORING B-2

PROJECT: LAKE WORTH INLET
 PIPELINE CROSSING
 BORING LOCATION: SOUTH JETTY

FILE NO. 95-2007
 BORING B-2
 ELEV: 2.99
 DRILLER: SG & PR
 DATE DRILLED: 1-26-95

WATER OBSERVED AT DEPTH 3 FEET

ELEVATION DEPTH	SOIL SYMBOLS AND SAMPLER SYMBOLS	SOIL DESCRIPTION	SAMPLE NO	N VALUE
3 0 0 5 -3 -10 -15 -20 -25		BROWNISH GRAY FINE SAND WITH SHELL FRAGMENTS CEMENTED SAND AND SHELL FIRST CORE RUN AT 8.5 TO 12 FEET RECOVERY-100% ROD-78% CEMENTED SAND AND SHELL, BROWN AT TOP, GRADING GRAY, FINER AND DENSER WITH DEPTH YELLOWISH BROWN FINE SAND, SOME CEMENTATION LIGHT BROWN CEMENTED SAND AND FINE SHELL SECOND CORE RUN AT 19.5 TO 24.5 FEET RECOVERY-85% ROD-67% UPPER 2 FEET LIGHT BROWN CEMENTED SAND AND FINE SHELL; NEXT 2 FEET COARSER AND MORE SHELL LIGHT BROWN SHELL FRAGMENTS WITH SAND LIGHT BROWN CEMENTED FINE SHELL AND SAND	1 2 3 4 5	21 50/1" 28 13

BORING COMPLETED AT DEPTH 100 FEET
 CORING DONE WITH 2-INCH DOUBLE-TUBE BARREL
 FIELD TEST DATA ARE "BLOWS"/"INCHES DRIVEN", 140-LB HAMMER, 30-INCH FALL.

Ardaman & Associates, Inc.

STANDARD PENETRATION TEST BORING LOG

BORING B-2

PROJECT: LAKE WORTH INLET
PIPELINE CROSSING
BORING LOCATION: SOUTH JETTY

FILE NO. 95-2007
BORING B-2
ELEV: 2.99
DRILLER: SG & PR
DATE DRILLED: 1-26-95

WATER OBSERVED AT DEPTH 3 FEET

ELEVATION DEPTH	SOIL SYMBOLS AND SAMPLER SYMBOLS	SOIL DESCRIPTION	SAMPLE NO	N VALUE
-25 -30	<p>28 1/2 33 1/2</p>	<p>THIRD CORE RUN AT 30 TO 35 FEET RECOVERY=100% RQD=83% WEAKLY CEMENTED AT TOP. GRADING BETTER CEMENTED WITH DEPTH</p> <p>LIGHT GRAY CEMENTED FINE SAND WITH SHELL</p>	6	50/4*
-35 -40	<p>15 1/2 50 1/4</p>	<p>FOURTH CORE RUN AT 35 TO 40 FEET RECOVERY=88% RQD=87% TOP 2 FEET MOSTLY CEMENTED FINE GRAY SAND; REMAINDER IS COARSER, MORE POROUS</p>	7	50/4*
-45 -50	<p>54 1/2 30 1/2 52 1/2</p>	<p>SIXTH CORE RUN AT 47.5 TO 52.5 FEET RECOVERY=100% RQD=92% FIRST FOOT LARGE SHELLS AND POROUS LOWER 4 FEET MOSTLY CEMENTED GRAY FINE SAND</p>	8	80/10*
-55		<p>SEVENTH CORE RUN AT 52.5 TO 57.5 FEET RECOVERY=100% RQD=92% GRAY CEMENTED SAND, SOME SHELL</p>		
-55		<p>EIGHTH CORE RUN AT 57.5 TO 62.5 FEET RECOVERY=70% NO PIECES LONGER THAN 4 INCHES. POROUS GRAY CEMENTED FINE SAND</p>		

BORING COMPLETED AT DEPTH 100 FEET
CORING DONE WITH 2-INCH DOUBLE-TUBE BARREL
FIELD TEST DATA ARE "BLOWS"/"INCHES DRIVEN". 140-LB HAMMER, 30-INCH FALL.

Ardaman & Associates, Inc.

STANDARD PENETRATION TEST BORING LOG

BORING B-2

PROJECT: LAKE WORTH INLET
 PIPELINE CROSSING
 BORING LOCATION: SOUTH JETTY
 WATER OBSERVED AT DEPTH 3 FEET

FILE NO. 95-2007
 BORING B-2
 ELEV: 2.99
 DRILLER: SG & PR
 DATE DRILLED: 1-26-95

ELEVATION DEPTH	SOIL SYMBOLS AND SAMPLER SYMBOLS	SOIL DESCRIPTION	SAMPLE NO	N VALUE
<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <p>-85</p><p>-90</p><p>-95</p><p>-100</p> </div> </div>	<p style="text-align: center;">LIGHT GRAY CEMENTED SAND, SOME SHELL</p>	<p style="text-align: center;">14</p> <p style="text-align: center;">15</p> <p style="text-align: center;">16</p>	<p style="text-align: center;">45</p> <p style="text-align: center;">20</p> <p style="text-align: center;">12</p>	

BORING COMPLETED AT DEPTH 100 FEET
 CORING DONE WITH 2-INCH DOUBLE-TUBE BARREL
 FIELD TEST DATA ARE "BLOKS"/"INCHES DRIVEN". 140-LB HAMMER, 30-INCH FALL.

Ardaman & Associates, Inc.


TOTAL P.15

ADDENDUM 1
BID NO. 95-14

APPENDIX A

- C. Add new Dames & Moore Boring Log DM-3 and results of unconfined strength tests on selected core samples (attached) to Appendix A, Site Geotechnical Reports

DM-3 LOCATED
APPROXIMATELY 520
FEET WEST OF DM-1
ON NORTH SIDE OF INLET



**BORING LOCATION PLAN
PLATE 2**


**LAKE WORTH INLET PIPELINE
PALM BEACH COUNTY, FLORIDA**



REVISIONS
BY DATE

BY TATA DATE 07/20/95
CHECKED BY MULLIN


D & M JOB NO. 14859-013-141



REVISIONS
 BY TATA DATE 07/20/95
 CHECKED BY MULLIN
 BY DATE

D & M JOB NO. 14859-013-141

BORING DM-3 (CONTINUED)



BORING COMPLETED AT 80.5 FT.

- ▣ DISTURBED SAMPLE
- UNDISTURBED SAMPLE
- NO SAMPLE RECOVERED
- ▣ STANDARD PENETRATION TEST
- ↕ WATER LEVEL
- CORE RUN
- REC = 26 — PERCENT RECOVERED
- RQD = 0 — ROCK QUALITY DESIGNATION

LOG OF BORING


PROJECT: SAND TRANSFER REPLACEMENT PIPELINE
 LOCATION: LAKE WORTH INLET, FLORIDA



**LAKE WORTH INLET
SAND TRANSFER PIPELINE
BID NO. 95-14**

BORING DM-3 ROCK CORES UNCONFINED COMPRESSIVE STRENGTH TESTS		
Sample No.	Depth (Feet)	Qu (psi)
1	28 - 28.5	1893
2	30 - 30.5	4545
3	36 - 36.5	303
4	43 - 43.5	909
5	48 - 48.5	575
6	51.5 - 52	681
7	57 - 57.5	1893
8	60.5 - 61	590
9	65.5 - 66	681

14859\DM3Core.tbl



6400 CONGRESS AVENUE, SUITE 2500, BOCA RATON, FLORIDA 33487
(407) 994-6500 FAX: (407) 994-6524

February 12, 1996

Town of Palm Beach
951 Old Okeechobee Road
West Palm Beach, Florida 33401

Attention: Mr. Jim Bowser

**Additional Borings
Directionally Drilled Pipeline
Lake Worth Inlet
Palm Beach County, Florida**


Per our recommendation, the Town of Palm Beach subcontracted a subsurface drilling company to perform up to three additional borings at the reference project. The purpose of the borings was to further investigate the subsurface conditions in the area of alternative alignments proposed by Counties Corporation for the continuation of efforts to install the directional drilled pipeline beneath the inlet. The borings were also specifically performed to investigate and address the depth of the jetty in the alternate alignment area as the contractor, Counties Corporation, is claiming the jetty extends to a depth of 45 feet in this area.

The location of the borings performed is shown on the attached Site plan, Plate 1 and Boring Location plan, Plate 2. Boring DM-4 was drilled through the top of the concrete jetty cap at a location just south of previous boring DM-3. Boring DM-5 was also drilled through the top of the jetty cap at an accessible location 125 feet east of DM-3. Boring DM-6 was drilled approximately 45 feet north and approximately 50 feet east of boring DM-4. Boring DM-6 was located north of the jetty, intermediate to the alternative alignments proposed by Counties Corporation. This boring was performed to locate the top of the underlying Coquina rock layer at that location. The results of the borings through the jetty at locations DM-4 and DM-5, indicates that the jetty material was found to a depth of 12 feet beneath the top of the jetty at both locations. The performance of the borings was observed by a representative of Counties Corporation. Summary generalized descriptions of the materials encountered in the borings are as follows:

Boring DM-4 (Elevation + 6.2 feet NGVD)

<u>Depth (feet)</u>	<u>Description</u>
0 - 8	Concrete jetty cap

14859-013\Bowser16.ltr



Town of Palm Beach

February 12, 1996

Page 2


8 - 12	Granite jetty rip rap and sand infilled voids
12 - 22	Brown fine to medium sand with shell fragments
22 - 23	Gray fine sand, (dense)
23 - 50	Gray, moderately to well cemented sand and shell (Coquina)

Boring DM-5 (Elevation +6.2 feet NGVD)

0 - 8.25	Concrete jetty cap
8.25 - 12	Granite jetty rip rap
12 - 23.5	Brown, medium to fine sand with shell fragments, (medium dense to very dense)
23.5 - 34	Gray, fine sand with fragmented shell, (medium dense to very dense)
34 - 40	Brown gray medium sand and shell, uncemented, (dense)
40 - 47	Gray fine sand with fragmented shell and trace of silt, (medium to very dense)
47 - 50	Gray brown and tan, cemented fine sand and shell (Coquina)

Boring DM-6 (Elevation 7.0 feet NGVD - Estimated)

0 - 17.5	Brown, fine to medium sand and shell, (dense)
17.5 - 26.5	Gray fine sand, (dense)
26.5 - 35	Gray, moderately to well cemented sand and shell (Coquina)


DAMES & MOORE

Town of Palm Beach
 February 12, 1996
Page 3

Detailed descriptions and the results of the borings are provided on the attached boring logs, Plates 3, 4 and 5.

Based on the above, there is factual boring data to contradict the reported assessment of the contractor's geophysical report which stated that the jetty rock was located to a depth of 45 feet at the DM-3 area. The jetty rock was found only to a depth of 12 feet below the top of the jetty in borings DM-4 and DM-5 indicating the rip rap was likely placed on the prevailing ground surface at the time the jetty was constructed in 1925 and that the geophysical report missed this layer altogether. Furthermore, the result of these borings indicate the geologic conditions encountered to be consistent with those reported by and reflected in the borings provided to the contractor at the time of the bid.

Respectfully Submitted,
 DAMES & MOORE, INC.



Thomas F. Mullin, P.E.
 Associate

TFM/enc


Attachment

Plate 1	Site Location Plan
Plate 2	Boring Location Plan
Plate 3	Log of Boring DM-4
Plate 4	Log of Boring DM-5
Plate 5	Log of Boring DM-6

cc: Bob Clinger - PBC Dept. of Environmental Resources Mgmt.
 Doug Mann - Coastal Planning & Engineering




2/12/96




**SITE PLAN
PLATE 1**

**LAKE WORTH INLET PIPELINE
PALM BEACH COUNTY, FLORIDA**




**BORING LOCATION PLAN
PLATE 2**

**LAKE WORTH INLET PIPELINE
PALM BEACH COUNTY, FLORIDA**




LOG OF BORING



REVISIONS BY DATE
 BY TATA DATE 02/12/96
 CHECKED BY MULLIN

D & M JOB NO. 14859-013-141

LOG OF BORING



REVISIONS
BY DATE

BY TATA DATE 02/12/96
CHECKED BY MULLIN

D & M JOB NO. 14859-013-141

LOG OF BORING

Boring Logs and Laboratory Results:

Cut-1

Cut-2

Area C

X=813,880 Y=887,350

HOLE NO. CB-6

DEPARTMENT OF THE ARMY DIVISION <u>Corps of Engineers</u> INSTALLATION <u>Jacksonville, Florida</u>			1. PROJECT Palm Beach Harbor		SHEET 1 OF 1	
DRILLING LOG			2. LOCATION (coordinates or Station) Sta 62+25 Rge -100		3. DRILLING AGENCY Corps of Engineers	
4. HOLE NO. (As shown on drawing title and file No.) CB-6			5. NAME OF DRILLER G. M. Lineberger			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DEGREES WITH VERTICAL			7. THICKNESS OF OVERBURDEN		8. DEPTH DRILLED INTO ROCK	
10. SIZE AND TYPE OF BIT 2" I.D. Spoon-SEE REMARKS			11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		12. MANUFACTURER'S DESIGNATION OF DRILL Sprague & Henwood 40C	
13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED UNDISTURBED			14. TOTAL NO. CORE BOXES 1		15. ELEV. GROUND WATER Tidal 16. DATE HOLE STARTED COMPLETED 5/25/62 5/25/62	
17. ELEV. TOP OF HOLE -25.7			18. TOTAL CORE RECOVERY FOR BORING (%) 80		19. NAME OF GEOLOGIST R. G. Kretchman	
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX ON SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
-25.7	0.0					Bit & Barrel Bls/Ft -25.7
			SAND, medium to fine, quartz, brown, wet, limestone fragments below -29.7 (SP)	80	2	Sample taken from wash Washed Casing -29.7
-34.7	9.0					16 14 2" I.D. SPOON 7 -34.7
-37.1	11.4		LIMESTONE, hard, gray, fossiliferous, friable, 80% to 90% shell 10% to 20% calcareous matrix	100		NX DIA -37.2
			SANDSTONE, hard gray, shelly, very porous, very permeable, friable, 90% sand, 10% calcareous matrix	80		NX DIA -39.7
-41.7	16.0			50		NX DIA -41.7
						Blow counts do not correlate to the N-values of SPT 300# Hammer w/18" Drop Used on 2" I.D. Spoon

2

ENG FORM 1836 (TRANSLUCENT) PREVIOUS EDITIONS ARE OBSOLETE
 JUN 57 (EM 1110-2-1801)

PROJECT Palm Beach Harbor HOLE NO. CB-6

X = 813,765 Y = 887,500

HOLE NO. CB-7

DEPARTMENT OF THE ARMY Corps of Engineers DIVISION INSTALLATION Jacksonville, Florida			1. PROJECT Palm Beach Harbor		SHEET 1 OF 1	
DRILLING LOG			2. LOCATION (Coordinates or Station) Sta-63+50 Rge-85 Ft. North of S.Jetty		3. DRILLING AGENCY Corps of Engineers	
4. HOLE NO. (As shown on drawing title and file No.) CB-7			5. NAME OF DRILLER G. M. Lineberger			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DEGREES WITH VERTICAL			7. THICKNESS OF OVER-BURDEN	8. DEPTH DRILLED INTO ROCK	9. TOTAL DEPTH OF HOLE 16.2	
10. SIZE AND TYPE OF BIT 2" I.D. Spoon - SEE REMARKS			11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MTL	12. MANUFACTURER'S DESIGNATION OF DRILL CD-21		
13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED		14. TOTAL NO. CORE BOXES 1	15. ELEV. GROUND WATER Tidal	16. DATE HOLE STARTED 5/5/62	COMPLETED 5/5/62	
17. ELEV. TOP OF HOLE -26.4		18. TOTAL CORE RECOVERY FOR BORING (%) 83	19. SIGNATURE OF SUPERVISOR Geologist R. G. Kretzman			
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (drilling time, water loss, depth of weathering, etc., if significant)
-26.4	0.0					Bit & Barrel Bls/Ft
						-26.4
			SAND- fine to coarse, quartz, dark gray, slightly clayey, limestone fragments, slightly shelly, (SP)	78	1	-27.4 WASHED CASING Pushed 4 2" I.D. Spoon 7 11 7
-34.4	8.0			82	2	Pushed 16 11
			SAND, CLAYEY - fine to coarse quartz, dark gray, shelly, limestone fragments (SC)		3	9 4
-37.4	11.0			50		-37.4 " " 90
-38.4	12.0		SANDSTONE - medium to hard, gray, porous, friable, permeable, shelly	100		-40.5 NX Dia
			LIMESTONE - hard, gray, fossiliferous permeable, porous, friable	100		-42.6 NX Dia
-42.6	16.2		very sandy, thin irregular layers of sandstone.			
						Blow counts do not correlate to the N-values of SPT
						300 lb. Hammer w/18" Drop Used on 2" I.D. Spoon

2

X = 813,300 Y = 887,310

HOLE NO. CB-8

DEPARTMENT OF THE ARMY DIVISION Corps of Engineers INSTALLATION Jacksonville, Florida			1. PROJECT Palm Beach Harbor		SHEET 1 OF 1		
DRILLING LOG			2. LOCATION (Coordinates or Station) Sta-68+50 Rge-100		3. DRILLING AGENCY Corps of Engineers		
4. HOLE NO. (As shown on drawing title and file No.) CB-8			5. NAME OF DRILLER G. M. Lineberger				
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DEGREES WITH VERTICAL			7. THICKNESS OF OVERBURDEN		8. DEPTH DRILLED INTO ROCK		
10. SIZE AND TYPE OF BIT See Remarks *			11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		12. MANUFACTURER'S DESIGNATION OF DRILL CD-21		
13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED UNDISTURBED			14. TOTAL NO. CORE BOXES 1		15. ELEV. GROUND WATER Tidal		
17. ELEV. TOP OF HOLE -18.5 **			18. TOTAL CORE RECOVERY FOR BORING (%) 70		16. DATE HOLE STARTED 5/2/62 COMPLETED 5/2/62		
19. SIGNATURE OF INSPECTOR R. G. Kretzman			19. SIGNATURE OF PROJECT Geologist				
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (description)		% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (drilling time, water loss, depth of weathering, etc., if significant)
							Bit & Barrel BLS/Ft
-18.5	0.0						-18.5
-20.5	2.0	II	LIMESTONE-medium hard, gray, fossiliferous, very sandy, porous, permeable, friable.		50	-	-20.5 2" I.D. SPOON 25
		I	SANDSTONE-hard, gray, very porous, very permeable, very friable, slightly shelly, shelly bottom 6.0, dense layers from -37.2 to -37.5 and from -39.8 to -40.1, consists of 80% to 90% quartz and calcareous sand; and 10% to 20% calcareous matrix.		95	-	-22.7 NX DIA
					90	-	-24.9 NX DIA
					88	-	-27.4 NX DIA
					80	-	-29.9 NX DIA
					62	-	-32.5 NX DIA
					52	-	-35.0 NX DIA
					80	-	-37.5 NX DIA
					70	-	-40.0 NX DIA
-42.0	23.5				33	-	-42.0 NX DIA
							* 300# Hammer with 18" Drop used on 2" I.D. Spoon. Blow counts do not correlate to the N-values of SPT ** (Bottom of Inlet)

X = 813,340 Y = 887,190

HOLE NO. CB-9

DEPARTMENT OF THE ARMY DIVISION <u>Corps of Engineers</u> INSTALLATION <u>Jacksonville, Florida</u>			1. PROJECT <u>Palm Beach Harbor</u>		SHEET 1 OF 1	
DRILLING LOG			2. LOCATION (Coordinates or Station) <u>Sta- 68+50 Rge-220</u>			
4. HOLE NO. (As shown on drawing title and file No.) <u>CB-9</u>			3. DRILLING AGENCY <u>Corps of Engineers</u>			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DEGREES WITH VERTICAL			7. THICKNESS OF OVERBURDEN		8. DEPTH DRILLED INTO ROCK	
10. SIZE AND TYPE OF BIT SEE 11. DATUM FOR ELEVATION SHOWN (TBM or MSL) <u>MLW</u>			12. MANUFACTURER'S DESIGNATION OF DRILL <u>Sprague & Henwood 40C</u>			
13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED UNDISTURBED			14. TOTAL NO. CORE BOXES <u>1</u>		15. ELEV. GROUND WATER <u>Tidal</u>	
17. ELEV. TOP OF HOLE <u>-28.0</u>			18. TOTAL CORE RECOVERY FOR BORING (%) <u>82</u>		16. DATE HOLE STARTED <u>5/8/62</u> COMPLETED <u>5/8/62</u>	
19. SURVEYOR OR INSPECTOR <u>R. G. Kretchman</u>			19. CHARACTER OF INSPECTION <u>Geologist</u>			
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
						Bit & Barrel Bls/Ft
-28.0	0.0					-28.0
-29.0	1.0		SAND - quartz, loose, brown			-29.0 WASHED CASING
			SANDSTONE - hard, gray, shelly, very porous, very permeable, very friable, 80% to 90% sand in a 10% to 20% calcareous matrix	80		NX Dia
				80		-31.5 NX Dia
-34.4	6.4		LIMESTONE - hard, gray, fossiliferous, porous, permeable, friable, sandy to very sandy,	75		-34.0 NX Dia
				75		-36.5 NX Dia
				75		-39.5 NX Dia
-42.0	14.0			100		-42.0 NX Dia

X = 812, 850 Y = 887, 150

HOLE NO. CB-10

DEPARTMENT OF THE ARMY DIVISION <u>Corps of Engineers</u> INSTALLATION <u>Jacksonville, Florida</u>		1. PROJECT PALM BEACH HARBOR		SHEET 1 OF 1			
DRILLING LOG		2. LOCATION (Coordinates or Station) STA: 73+00 RGE -100		3. DRILLING AGENCY Corps of Engineers			
4. HOLE NO. (As shown on drawing title and file No.) CB#10		5. NAME OF DRILLER G. M. Lineberger		6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DEGREES WITH VERTICAL			
7. THICKNESS OF OVERBURDEN		8. DEPTH DRILLED INTO ROCK		9. TOTAL DEPTH OF HOLE 38'			
10. SIZE AND TYPE OF BIT SEE 2" I.D. Spoon REMARKS		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		12. MANUFACTURER'S DESIGNATION OF DRILL CD-21			
13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED		14. TOTAL NO. CORE BOXES 2		15. ELEV. GROUND WATER tidal			
16. DATE HOLE STARTED 5/1/62		17. ELEV. TOP OF HOLE -4.8		18. TOTAL CORE RECOVERY FOR BORING (%) 74%			
19. SIGNATURE OF XXXXXXXXXX Geologist R. G. Kretzman							
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	NO. CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (drilling time, water loss, depth of weathering, etc., if significant)	
-4.8	0.0					Bit & Barrel Bls/Ft	
		I-I	SANDSTONE, medium hard, gray, very porous, very permeable, very friable, 80% to 90% quartz and calcareous sand, 10% to 20% calcareous matrix, samples look like NX DIA CORES	66		-4.8	
		I-I		2" I.D. Spoon	24		
		I-I			25		
		I-I			88		
		I-I			57		
		I-I			81		
		I-I			70		
		I-I			75		
		I-I			87		
		I-I			18		
-17.8	13.0	I-I	LIMESTONE, medium hard, gray fossiliferous, very porous and permeable, friable, 90% shells 10 matrix			-17.8	
		I-I		2" I.D. Spoon	45		
-18.8	14.0	I-I	LIMESTONE, hard, tan (except gray upper 0.5') fossiliferous dense, solution holes & permeable bottom 1.0', consists of shells and sand in calcareous matrix.	55		-18.8	
		I-I			NX		
		I-I			DIA		
		I-I			NX		
		I-I			DIA		
		I-I		NX			
		I-I		DIA			
		I-I		NX			
		I-I		DIA			
-28.8	24.0	I-I	SAND, medium to fine, gray, sandstone fragments, (SP)			-28.8	
		I-I			5		
		I-I		20			
		I-I		28			
		I-I		36			
		I-I		14			
		I-I		6			
		I-I		4			
		I-I		8			
		I-I		14			
		I-I		9			
		I-I		43			
-40.8	36.0	I-I	LIMESTONE - medium hard, gray fossiliferous, sandy, slightly porous, slightly permeable, friable	75	3	-40.8	
		I-I			12		
-42.8	38.0	I-I				-42.8	
						70	
						91	
Blow counts do not correlate to the N-values of SPT							
300# Hammer with 18" Drop Used on 2" I.D. Spoon							

X = 813,915 Y = 887,220

HOLE NO. CB-15

DEPARTMENT OF THE ARMY Corps of Engineers DIVISION Jacksonville, Florida INSTALLATION			1. PROJECT Palm Beach Harbor		SHEET 1 OF 1	
DRILLING LOG			2. LOCATION (coordinates or station) STA 62+90 RGE 350		3. DRILLING AGENCY Corps of Engineers	
4. HOLE NO. (As shown on drawing title and file no.) CB-15			5. NAME OF DRILLER G. M. Lineberger			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DEGREES WITH VERTICAL			7. THICKNESS OF OVERBURDEN		8. DEPTH DRILLED INTO ROCK	
10. SIZE AND TYPE OF BIT See remarks			11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		12. MANUFACTURER'S DESIGNATION OF DRILL Sprague Genwood 400	
13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED UNDISTURBED			14. TOTAL NO. CORE BOXES 1/2		15. ELEV. GROUND WATER Tidal	
16. DATE HOLE STARTED 2/10/64 COMPLETED 2/10/64			17. ELEV. TOP OF HOLE -31.0			
18. TOTAL CORE RECOVERY FOR BORING (%) 61			19. SIGNATURE OF INSPECTOR R. G. Kretschman			
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (drilling time, water loss, depth of weathering, etc., if significant)
-31.0	0.0					Bit & Barrel Bls/Ft
-32.0	1.0		SAND, quartz, loose (SP)			-32.0 2" I.D. Spoon Washed
			SANDSTONE, hard, tan, fossiliferous, porous, permeable, very friable, consists of 50% quartz sand and 50% fine shell fragments in a calcareous matrix	34		NX DIAMOND
				97		" "
				71		" "
-43.0	12.0					Blow counts do not correlate to the N-values of SPT 300# Hammer w/18" Drop Used on 12" I.D. Spoon

X = 813,665 Y = 887,320

HOLE NO. CB-16

DEPARTMENT OF THE ARMY DIVISION <u>Corps of Engineers</u> INSTALLATION <u>Jacksonville, Florida</u>			1. PROJECT <u>Palm Beach Harbor</u>		SHEET <u>1</u> OF <u>1</u>
DRILLING LOG			2. LOCATION (Coordinate or Station) <u>STA 85+00 RCB 200</u>		3. DRILLING AGENCY <u>Corps of Engineers</u>
4. HOLE NO. (As shown on drawing title and file no.) <u>CB-16</u>			5. NAME OF DRILLER <u>G. N. Linnemann</u>		6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DEGREES WITH VERTICAL
7. THICKNESS OF OVERBURDEN			8. DEPTH DRILLED INTO ROCK	9. TOTAL DEPTH OF HOLE <u>12.5</u>	
10. SIZE AND TYPE OF BIT See remarks		11. DATUM FOR ELEVATION SHOWN (Type of mark) <u>MIN</u>	12. MANUFACTURER'S DESIGNATION OF DRILL <u>Corrug 8 Henwood 400</u>		
13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED UNDISTURBED		14. TOTAL NO. CORE BOXES <u>1/2</u>	15. ELEV. GROUND WATER <u>tidal</u>	16. DATE HOLE STARTED <u>2/7/64</u>	16. DATE HOLE COMPLETED <u>2/7/64</u>
17. ELEV. TOP OF HOLE <u>-30.7</u>		18. TOTAL CORE RECOVERY FOR BORING (%) <u>75</u>	19. SURVEYOR OR INSPECTOR <u>R. G. Kretschmer</u>		
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)	
-30.7	0.0			Bit & Barrel -30.7	
			SANDSTONE, hard, gray, porous, permeable, friable, consists of 95% quartz sand with 5% calcareous matrix except 20% shells from -39.0 to -41.0	DIAMOND NX -35.7	
				DIAMOND NX -40.7	
-43.2	12.5			DIAMOND NX -43.2	
				300# Hammer w/18" Drop Used on 2" I.D. Spoon Blow counts do not correlate to the N-values of SPT	

ENG FORM 1 MAR 61 1836

(SM 1110-1-1801) TRANSLUCENT

PREVIOUS EDITION MAY BE USED UNTIL EXHAUSTED.

PROJECT Palm Beach Hbr.

HOLE NO. CB-16

X=813,190 Y=887,140

HOLE NO. CB-17

DEPARTMENT OF THE ARMY DIVISION Corps of Engineers INSTALLATION Jacksonville, Florida			1- PROJECT Palm Beach Harbor		SHEET 1 OF 1	
DRILLING LOG			2- LOCATION (Coordinates or Station) STA 70+10 RGE 220			
4- HOLE NO. (As shown on drawing title and file no.) CB-17			3- DRILLING AGENCY Corps of Engineers			
6- DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DEGREES WITH VERTICAL			7- THICKNESS OF OVERBURDEN		8- DEPTH DRILLED INTO ROCK	
10- SIZE AND TYPE OF BIT See remarks			11- DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		12- MANUFACTURER'S DESIGNATION OF DRILL Sprague & Henwood 40C	
13- TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED UNDISTURBED			14- TOTAL NO. CORE BOXES 1/2		15- ELEV. GROUND WATER Tidal	
17- ELEV. TOP OF HOLE -29.3			18- TOTAL CORE RECOVERY FOR BORING (%) 83		16- DATE HOLE STARTED 2/6/64 COMPLETED 2/6/64	
19- SUPERVISOR OF OPERATION Geologist Robert G. Kretschman			20- CORE BOX OR RECOVERY NO.		REMARKS (drilling time, water loss, depth of weathering, etc., if significant)	
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE BOX OR RECOVERY NO.	SAMPLE NO.	REMARKS
-29.3	0.0					Bit & Barrel Bls/Ft.
-30.3	1.0		SAND, medium to fine, quartz, gray, (SP)		1*	-30.3-2" I.D. Spoon washed
			SANDSTONE, hard, gray to tan, porous, permeable, friable, consists of approximately 75% quartz sand, 20% shell fragments and 5% calcareous matrix	80		NX DIAMOND
				90		" "
						-35.3
						-38.3
-41.3	12.0			77		" "
			*Wash sample			300# Hammer w/18" Drop Used on 2" I.D. Spoon Blow counts do not correlate to the N-values of SPT

ENG FORM 1 MAR 61 1836

(EM 1110-1-1801) PREVIOUS EDITION MAY BE USED UNTIL EXHAUSTED.

PROJECT Palm Beach Hbr. HOLE NO. CB-17

X = 812,400 Y = 886,775

HOLE NO. CB-18

DEPARTMENT OF THE ARMY Corps of Engineers DIVISION _____ INSTALLATION Jacksonville, Florida		1. PROJECT Palm Beach Harbor		SHEET 1 OF 1		
DRILLING LOG		2. LOCATION (Coordinates or Station) STA 78+98 RGE 290				
4. HOLE NO. (As shown on drawing title and file No.) CB-18		3. DRILLING AGENCY Corps of Engineers				
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DEGREES WITH VERTICAL _____		7. THICKNESS OF OVER-BURDEN _____		8. DEPTH DRILLED INTO ROCK _____	9. TOTAL DEPTH OF HOLE 12.1	
10. SIZE AND TYPE OF BIT See remarks		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		12. MANUFACTURER'S DESIGNATION OF DRILL Sprague & Henwood 40C		
13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED _____ UNDISTURBED _____		14. TOTAL NO. CORE BOXES 1/2	15. ELEV. GROUND WATER Tidal	16. DATE HOLE STARTED 2/4/64 COMPLETED 2/4/64		
17. ELEV. TOP OF HOLE -30.8		18. TOTAL CORE RECOVERY FOR BORING (%) 73		19. SIGNATURE OF INSPECTOR Geologist R. G. Kretchman		
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (drilling time, water loss, depth of weathering, etc., if significant)
-30.8	0.0					Bit & Barrel Bls/Ft -30.8
			SAND, medium to fine, quartz, gray, compact (SP)		1*	2" I.D. Spoon Washed Casing -32.9
-35.4	4.6			60	2	" " 10 5 17
			LIMESTONE, medium hard, gray, fossiliferous, very sandy, shelly, porous, permeable			-37.9 31 32
-38.2	7.4					10 19 19 5 2
			SAND, medium to fine, quartz, gray, shelly, compact (SP)	75	3	" " -42.9
-42.9	12.1					Blow counts do not correlate to the N-values of SPT 300# Hammer w/18" Drop Used on 2" I.D. Spoon
			*Wash sample			

X=812,185 Y=886,800

HOLE NO. CB-19

DEPARTMENT OF THE ARMY DIVISION <u>Corps of Engineers</u> INSTALLATION <u>Jacksonville, Florida</u>			1- PROJECT <u>Palm Beach Harbor</u>		SHEET <u>1</u> OF <u>1</u>		
DRILLING LOG			2- LOCATION (Coordinates or Station) <u>STA 80+83 RGE 170</u>				
4- HOLE NO. (As shown on drawing title and file no.) CB-19			3- DRILLING AGENCY <u>Corps of Engineers</u>				
6- DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DEGREES WITH VERTICAL			7- THICKNESS OF OVERBURDEN		8- DEPTH DRILLED INTO ROCK		
10- SIZE AND TYPE OF BIT See remarks			11- DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		12- MANUFACTURER'S DESIGNATION OF DRILL Sprague & Henwood 40C		
13- TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED		14- TOTAL NO. CORE BOXES 1/2		15- ELEV. GROUND WATER Tidal		16- DATE HOLE STARTED 1/31/64 COMPLETED 1/31/64	
17- ELEV. TOP OF HOLE -29.3		18- TOTAL CORE RECOVERY FOR BORING (%) 71		19- SIGNATURE OF INSPECTOR R. G. Kretzman			
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (drilling time, water loss, depth of weathering, etc., if significant)	
-29.3	0.0					Bit & Barrel Bls/Ft	
			SAND, medium to fine quartz, gray, compact, slightly shelly (SP)		1*	-29.3 2" I.D. Spoon Washed -31.3	
-34.3	5.0		LIMESTONE, medium hard, gray, 90% shell fragments with calcareous matrix	80	2	" " 5 13	
-35.8	6.5		LIMESTONE, hard, gray, porous, friable, consists of 95% shell fragments in a calcareous matrix	50		-35.8 11	
-40.8	11.5					NX DIAMOND -40.8	
			*wash sample			300# Hammer w/18" Drop Used on 2" I.D. Spoon Blow counts do not correlate to the N-values of SPT	

X = 811,750 Y = 886,525

HOLE NO. CB-20

DEPARTMENT OF THE ARMY Corps of Engineers DIVISION Jacksonville, Florida INSTALLATION			1. PROJECT Palm Beach Harbor		SHEET 1 OF 1	
DRILLING LOG			2. LOCATION (Coordinates or Station) STA 85+70 RGE 170			
4. HOLE NO. (As shown on drawing title and file no.) CB-20			3. DRILLING AGENCY Corps of Engineers			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			7. THICKNESS OF OVER-BURDEN		8. DEPTH DRILLED INTO ROCK	
10. SIZE AND TYPE OF BIT See remarks			11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		12. MANUFACTURER'S DESIGNATION OF DRILL Sprague & Henwood 40C	
13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED UNDISTURBED			14. TOTAL NO. CORE BOXES 1/2		15. ELEV. GROUND WATER Tidal	
17. ELEV. TOP OF HOLE -30.8			18. TOTAL CORE RECOVERY FOR BORING (%) 80		16. DATE HOLE STARTED 1/29/64 COMPLETED 1/29/64	
19. SIGNATURE OF INSPECTOR R. G. Kretchman			20. SIGNATURE OF INSPECTOR Geologist			
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (drilling time, water loss, depth of weathering, etc., if significant)
-30.8	0.0					Bit & Barrel Bls/Ft
-31.8	1.0	⋮	SAND, fine, quartz, gray (SP)		1	-30.8
-35.0	4.2	⋮	SANDSTONE, medium hard, gray, fossiliferous, porous, permeable, friable, calcareous matrix	80	2	2" I.D. Spoon
-40.8	10.0	⋮	SAND, fine to coarse, 20% quartz, 80% calcareous (sand-sized shell fragments), compact, gray (SP)	80	3	-35.8
						300# Hammer w/18" Drop Used on 2" I.D. Spoon Blow counts do not correlate to the N-values of SPT

X = 812,000

Y = 886,520

HOLE NO. CB-21

DEPARTMENT OF THE ARMY DIVISION <u>Corps of Engineers</u> INSTALLATION <u>Jacksonville, Florida</u>		1- PROJECT <u>Palm Beach Harbor</u>		SHEET <u>1</u> OF <u>1</u>		
DRILLING LOG		2- LOCATION (Coordinates or Station) <u>STA 83+70 RGE 350</u>		3- DRILLING AGENCY <u>Corps of Engineers</u>		
4- HOLE NO. (As shown on drawing title and file no.) <u>CB-21</u>		5- NAME OF DRILLER <u>C. R. Mason</u>		6- DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DEGREES WITH VERTICAL		
7- THICKNESS OF OVERBURDEN		8- DEPTH DRILLED INTO ROCK		9- TOTAL DEPTH OF HOLE <u>22'</u>		
10- SIZE AND TYPE OF BIT <u>See remarks</u>		11- DATUM FOR ELEVATION SHOWN (TBM or MSL) <u>MLW</u>		12- MANUFACTURER'S DESIGNATION OF DRILL <u>Sprague & Henwood 40C</u>		
13- TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED		14- TOTAL NO. CORE BOXES <u>1/2</u>		15- ELEV. GROUND WATER <u>tidal</u>		
16- DATE HOLE STARTED <u>1/28/64</u>		17- DATE HOLE COMPLETED <u>1/28/64</u>		18- TOTAL CORE RECOVERY FOR BORING (%) <u>73</u>		
19- ELEV. TOP OF HOLE <u>-19.4</u>		20- SIGNATURE OF INSPECTOR <u>R. G. Kretzman</u>		21- SIGNATURE OF DRILLER <u>C. R. Mason</u>		
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
-19.4	0.0					Bit & Barrel Bls/Ft
-21.4	2.0		PEAT, tan to brown, very compact	100	1	2" I.D. Spoon
			SAND, medium to fine, quartz, light gray, compact, (SP)	80	2	" "
				65	3	" "
				70	4	" "
-40.0	20.6		*LIMESTONE, medium hard,	70	5	" "
-41.4	22.0					
			*Description of material between -40.0 & -41.4 mlw based on behavior of driver hammer; no sample recovery.			300# Hammer w/18" Drop Used on 2" I.D. Spoon Blow counts do not correlate to the N-values of SPT

DRILLING LOG		DIVISION South Atlantic	INSTALLATION		SHEET 1 OF 1 SHEETS
1. PROJECT Lake Worth Inlet Snell Vibracoring 2012 Vibracore Borings			9. SIZE AND TYPE OF BIT See Remarks		
2. BORING DESIGNATION VB-LWI2012-10		LOCATION COORDINATES X = 968,825 Y = 887,410		10. COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)	HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - Wilmington		CONTRACTOR FILE NO.		11. MANUFACTURER'S DESIGNATION OF DRILL <input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
4. NAME OF DRILLER			12. TOTAL SAMPLES		DISTURBED 1
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			DEG. FROM VERTICAL	BEARING	UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A			13. TOTAL NUMBER CORE BOXES 0		
7. DEPTH DRILLED INTO ROCK N/A			14. ELEVATION GROUND WATER		
8. TOTAL DEPTH OF BORING 3.5 Ft.			15. DATE BORING		STARTED 06-13-12
			16. ELEVATION TOP OF BORING -12.7 Ft.		COMPLETED 06-13-12
			17. TOTAL RECOVERY FOR BORING 100 %		
			18. SIGNATURE AND TITLE OF INSPECTOR Barbara Nist, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE						
-12.7	0.0						-12.7								
			SAND, silty, low plasticity, mostly fine to medium-grained sand-sized quartz, little silt, little fine to coarse gravel-sized shell, weak reaction with HCl, moist, N 3/ very dark gray (SM)	NR			Vibracore								
					1										
-14.7	2.0						-13.7								
		Mod. Wea.	SANDSTONE, soft, moderately weathered, fragmented up to 2", few sand to gravel-sized shell, 2.5Y 4/1 dark gray												
-16.2	3.5						-16.2								
			BORING TERMINATED IN REFUSAL				Abbreviations: NR = Not Recorded.								
			NOTES: 1. USACE Jacksonville is the custodian for these original files. 2. Soils are field visually classified in accordance with the Unified Soils Classification System. 3. 5 ft. ft. penetration 4. Laboratory Testing Results												
			<table border="1"> <thead> <tr> <th>SAMPLE ID</th> <th>SAMPLE DEPTH</th> <th>LABORATORY CLASSIFICATION</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1.0/1.5</td> <td>SM*</td> </tr> </tbody> </table>	SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION	1	1.0/1.5	SM*						
SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION													
1	1.0/1.5	SM*													
			*Lab visual classification based on gradation curve. No Atterberg limits.												


DRILLING LOG		DIVISION South Atlantic	INSTALLATION		SHEET 1 OF 1 SHEETS
1. PROJECT Lake Worth Inlet Snell Vibracoring 2012 Vibracore Borings			9. SIZE AND TYPE OF BIT See Remarks		
2. BORING DESIGNATION VB-LWI2012-11		LOCATION COORDINATES X = 968,517 Y = 886,930		10. COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)	HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - Wilmington		CONTRACTOR FILE NO.		11. MANUFACTURER'S DESIGNATION OF DRILL <input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
4. NAME OF DRILLER			12. TOTAL SAMPLES	DISTURBED 0	UNDISTURBED (UD) 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			DEG. FROM VERTICAL	BEARING	
6. THICKNESS OF OVERBURDEN N/A			13. TOTAL NUMBER CORE BOXES 0		
7. DEPTH DRILLED INTO ROCK N/A			14. ELEVATION GROUND WATER		
8. TOTAL DEPTH OF BORING 2.8 Ft.			15. DATE BORING STARTED 06-13-12 COMPLETED 06-13-12		
			16. ELEVATION TOP OF BORING -38.6 Ft.		
			17. TOTAL RECOVERY FOR BORING 100 %		
			18. SIGNATURE AND TITLE OF INSPECTOR Barbara Nist, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE
-38.6	0.0		SAND, poorly-graded, mostly fine-grained sand-sized quartz, little shell, weak reaction with HCl, moist, 5Y 6/1 gray (SP)				-38.6		
-40.4	1.8		LIMESTONE, moderately hard, moderately weathered, fragmented, 5Y 6/1 gray	NR			Vibracore		
-41.4	2.8	MW	BORING TERMINATED IN REFUSAL				Abbreviations: NR = Not Recorded.		
			NOTES: 1. USACE Jacksonville is the custodian for these original files. 2. Soils are field visually classified in accordance with the Unified Soils Classification System. 3. 2.8 ft. ft. penetration						


DRILLING LOG		DIVISION South Atlantic	INSTALLATION		SHEET 1 OF 2 SHEETS
1. PROJECT Lake Worth Inlet Snell Vibracoring 2012 Vibracore Borings			9. SIZE AND TYPE OF BIT See Remarks		
2. BORING DESIGNATION VB-LWI2012-12		LOCATION COORDINATES X = 967,956 Y = 886,965		10. COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)	HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - Wilmington		CONTRACTOR FILE NO.		11. MANUFACTURER'S DESIGNATION OF DRILL <input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
4. NAME OF DRILLER			12. TOTAL SAMPLES		DISTURBED 4
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			DEG. FROM VERTICAL	UNDISTURBED (UD) 0	
6. THICKNESS OF OVERBURDEN N/A			13. TOTAL NUMBER CORE BOXES 0		
7. DEPTH DRILLED INTO ROCK N/A			14. ELEVATION GROUND WATER		
8. TOTAL DEPTH OF BORING 19.0 Ft.			15. DATE BORING		STARTED 06-13-12
			16. ELEVATION TOP OF BORING -38.5 Ft.		COMPLETED 06-13-12
			17. TOTAL RECOVERY FOR BORING 95 %		
			18. SIGNATURE AND TITLE OF INSPECTOR Barbara Nist, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE
-38.5	0.0		SAND, poorly-graded, mostly fine to coarse-grained sand-sized shell, little fine-grained sand-sized quartz, little silt, strong reaction with HCl, wet, weak cementation, 5Y 7/3 pale yellow (SP)	NR			-38.5 Vibracore		0
-42.1	3.6				1		-40.5 -40.5		
-42.3	3.8	M	LIMESTONE, hard, moderately weathered, fragmented, 5Y 6/1 gray						
			SAND, silty, mostly fine to coarse-grained sand-sized shell, little silt, little fine to medium-grained sand-sized quartz, strong reaction with HCl, moist, weak cementation, 2.5Y 7/2 light gray (SM)		2		-43.5		5
-47.0	8.5		SAND, poorly-graded with silt, mostly fine to coarse-grained sand-sized shell, little fine to medium-grained sand-sized quartz, few silt, 2.5Y 7/2 light gray (SP-SM) At El. -47.5 Ft., some fine to medium-grained sand-sized shell, little fine to medium-grained sand-sized limestone		3		-47.5		10
-51.9	13.4	Mod. Weathered	LIMESTONE, hard, moderately weathered, fragmented up to 3", interbedded layers of beachrock, 2.5Y 7/4 pale yellow						15

DRILLING LOG (Cont. Sheet)			INSTALLATION			SHEET 2 OF 2 SHEETS																		
PROJECT			COORDINATE SYSTEM/DATUM		HORIZONTAL	VERTICAL																		
Lake Worth Inlet Snell Vibracoring 2012			State Plane, FLN (U.S. Ft.)		NAD83	MLLW																		
LOCATION COORDINATES			ELEVATION TOP OF BORING																					
X = 967,956 Y = 886,965			-38.5 Ft.																					
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/ 1 FT.	N-VALUE															
-55.3	16.8	Mod. Weathered	At El. -53.5 Ft., 5Y 7/1 light gray																					
-57.2	18.7		SAND, poorly-graded, mostly fine-grained sand-sized quartz, few fine to coarse-grained sand-sized shell, weak reaction with HCl, moist, 5Y 7/1 light gray (SP) At El. -56.1 Ft., few limestone fragments																					
-57.5	19.0	M	LIMESTONE, hard, moderately weathered, fragmented up to 2", interbedded layers of beachrock				-57.5																	
			<p>NOTES:</p> <ol style="list-style-type: none"> USACE Jacksonville is the custodian for these original files. Soils are field visually classified in accordance with the Unified Soils Classification System. 20 ft. ft. penetration Laboratory Testing Results <table border="1"> <thead> <tr> <th>SAMPLE ID</th> <th>SAMPLE DEPTH</th> <th>LABORATORY CLASSIFICATION</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2.0/2.5</td> <td>SP*</td> </tr> <tr> <td>1-post</td> <td>2.0/2.5</td> <td>SP*</td> </tr> <tr> <td>2</td> <td>5.0/5.5</td> <td>SM*</td> </tr> <tr> <td>3</td> <td>9.0/9.5</td> <td>SP-SM*</td> </tr> </tbody> </table> <p>*Lab visual classification based on gradation curve. No Atterberg limits.</p>	SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION	1	2.0/2.5	SP*	1-post	2.0/2.5	SP*	2	5.0/5.5	SM*	3	9.0/9.5	SP-SM*				Abbreviations: NR = Not Recorded.		
SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION																						
1	2.0/2.5	SP*																						
1-post	2.0/2.5	SP*																						
2	5.0/5.5	SM*																						
3	9.0/9.5	SP-SM*																						




SAJ FORM 2087
JUN 02



Sample No.	Depth	Classification	Munsell	Visual % Shell (est)	%CO ₃	G _s	Org %	w _r	LL	PL	PI
● 1	1.0 to 1.5 Ft.	SAND, silty, some fine-grained sand-sized quartz, some sand to gravel-sized limestone, little silt, few fine to medium-grained sand-sized shell, very dark gray (SM)	N 3/	6							


GRADATION CURVES

PROJECT	Lake Worth Inlet Snell Vibracoring 2012
BORING NO.	Vibracore Borings VB-LWI/2012-10
BORING ELEV.	-12.7 Ft., MLLW
DATE	9/20/2012



PROJECT	Lake Worth Inlet Snell Vibracoring 2012
BORING NO.	Vibracore Borings VB-LWI/2012-12
BORING ELEV.	-38.5 Ft., MLLW
DATE	9/20/2012


GRADATION CURVES



PROJECT	Lake Worth Inlet Snell Vibracoring 2012
BORING NO.	Vibracore Borings VB-LWI/2012-12
BORING ELEV.	-38.5 Ft., MLLW
DATE	9/20/2012

GRADATION CURVES

SAJ FORM 2087
JUN 02



PROJECT	Lake Worth Inlet Snell Vibracoring 2012
BORING NO.	Vibracore Borings VB-LWI/2012-12
BORING ELEV.	-38.5 Ft., MLLW
DATE	9/20/2012

GRADATION CURVES
(SP-SM)

SAJ FORM 2087
JUN 02

Boring Logs and Laboratory Results

Turning Basin

Area G

Area D

X = 810, 135 Y = 885, 480

Hole No. CB-24

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1 SHEETS
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT see remarks		
2. LOCATION (Coordinates or Station) Sta: 13+75 Rge: 1075		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Joy		
4. HOLE NO. (As shown on drawing title and file number) CB-24		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN		
5. NAME OF DRILLER B. J. Sealey		14. TOTAL NUMBER CORE BOXES 1/2		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER Tidal		
7. THICKNESS OF OVERBURDEN		16. DATE HOLE STARTED 11/21/65 COMPLETED 11/21/65		
8. DEPTH DRILLED INTO ROCK		17. ELEVATION TOP OF HOLE -13.1		
9. TOTAL DEPTH OF HOLE 28.0'		18. TOTAL CORE RECOVERY FOR BORING 58 %		
19. NAME OF LOGGING ENGINEER/Geologist J. S. Gentile				

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
						Bit & Barrel Bls./ft.
-13.1	0.0					-13.1
-15.8	2.7	•••••	SAND, fine to medium, quartz, gray (SP)	86	1	2" I.D. spoon Settled ↓ 19 11
-19.5	6.4	II	LIMESTONE, medium hard, very porous, very sandy in composition, thin bedded, beds loose sand, light gray, slightly fossiliferous			-18.1 69 43 20
-23.2	10.1	•••••	SAND, fine to medium, quartz, riddled with thin beds limestone and calcareous sandstone, light gray (SP)	32	2	11 8 9
-25.1	12.0	II	LIMESTONE, medium hard, very porous, very sandy in composition, thin bedded, beds loose sand, light gray, slightly fossiliferous	56	3	32 33 13
-29.9	16.8	•••••	SAND, fine to medium, quartz, riddled with thin beds limestone and calcareous sandstone light gray (SP)		4	12 12 19 42
-30.8	17.7	II	LIMESTONE, hard, very porous, sandy, fossiliferous, light gray	52	5	86 40 62
-40.2	27.1	•••••	SAND, fine to medium, quartz, thin beds limestone and calcareous sandstone, light gray, (SP)	64	6	10 17 26 35 45 36
-41.1	28.0	II	LIMESTONE, hard, porous, sandy, fossiliferous, light gray,	60		35 75
						300# hammer with 18" drop used on 2" I.D. spoon Blow counts do not correlate to the N-values of SPT

X=809,730 Y=886,585

Hole No. CB-26

DRILLING LOG		DIVISION South Atlantic		INSTALLATION Jacksonville District		SHEET OF 1 SHEETS	
1. PROJECT Palm Beach Harbor				10. SIZE AND TYPE OF BIT see remarks			
2. LOCATION (Coordinates or Station) Sta: 18+00 Rge: 25.0				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY Corps of Engineers				12. MANUFACTURER'S DESIGNATION OF DRILL JOY			
4. HOLE NO. (As shown on drawing title and file number) CB-26				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED	
5. NAME OF DRILLER L.D. Johnson				14. TOTAL NUMBER CORE BOXES 1/2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER TIDAL		16. DATE HOLE STARTED 10/15/65 COMPLETED 10/15/65	
7. THICKNESS OF OVERBURDEN				17. ELEVATION TOP OF HOLE -21.0			
8. DEPTH DRILLED INTO ROCK				18. TOTAL CORE RECOVERY FOR BORING 43 %			
9. TOTAL DEPTH OF HOLE 20.0'				19. DRILLER'S SIGNATURE Geologist J.S. Gentile			
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g	
-21.0	0.0					BIT & BARREL Bls/ft.	
						-21.0	
			SAND, fine to medium quartz, gray, (SP) interspersed with thin beds medium hard limestone, light gray from -25.0 to -29.8	18	1	2" I.D. Spoon SETTLED	
						2	
						2	
						7	
						6	
						5	
						3	
						8	
-29.8	8.8			50	2	-26.0	
			LIMESTONE, medium hard, thin bedded, sandy, light gray slightly fossiliferous.			-31.0	
-31.4	10.4					10	
			SAND, fine to medium quartz, light gray, riddled with thin beds limestone and calcareous sandstone, 30 percent rock from -34.0 to -37.0	38	3	4	
						10	
						54	
						46	
-39.3	16.3				4	38	
			LIMESTONE, hard, very porous, very fossiliferous, sandy, thin bedded, light gray	66		164	
-40.3	19.3					192	
			SAND, fine to medium quartz (SP)			212	
-41.0	20.0					-41.0	
						55	
						300# Hammer with 18" drop used on 2" I.D. spoon. Blow counts do not correlate to the N-values of SPT	

X=809,860 Y=885,880

Hole No. CB-27

DRILLING LOG		DIVISION		INSTALLATION		SHEET	
South Atlantic		Jacksonville District		SHEET 1		OF 1 SHEETS	
1. PROJECT Palm Beach Harbor				10. SIZE AND TYPE OF BIT See remarks			
2. LOCATION (Coordinates or Station) Sta:16+50 Rge: 675				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY Corps of Engineers				12. MANUFACTURER'S DESIGNATION OF DRILL Joy			
4. HOLE NO. (As shown on drawing title and file number) CB-27				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED	
5. NAME OF DRILLER B. J. Sealey.				14. TOTAL NUMBER CORE BOXES 1/2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER Tidal		16. DATE HOLE STARTED 10/20/65 COMPLETED 10/20/65	
7. THICKNESS OF OVERBURDEN				17. ELEVATION TOP OF HOLE -13.2			
8. DEPTH DRILLED INTO ROCK				18. TOTAL CORE RECOVERY FOR BORING 56%			
9. TOTAL DEPTH OF HOLE 28.0'				19. SIGNATURE OF SUPERVISOR Geologist J. S. Gentile			
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	SAMPLE NO.	REMARKS (Drilling time, water lost, depth of weathering, etc., if significant)	
-13.2	0.0					Bit & Barrel Bls./ft.	
			SAND, fine to medium, quartz and shelly, gray (SP)	74	1	2" I.D. spoon Settled	
			Tan, slightly silty from -19.2 to -21.4				
-21.4	8.2			60	2	" "	
-23.2	10.0		LIMESTONE, medium hard, porous, thin bedded, sandy in composition, light gray, fossiliferous			" "	
			SAND, fine to medium, quartz, slightly silty, loose, tan (SP)	22	3	" "	
			Light Gray, well compacted, riddled with thin beds of limestone and calcareous sandstone, from -29.4 to 41.2 (approximately 30% to 40% rock in this formation)	58	4	" "	
				54	5	" "	
-41.2	28.0			66	6	" "	
						300# hammer with 18" drop used on 2" I.D. spoon Blow counts do not correlate to the N-values of SPT	

X=810,200 Y=886.540

Hole No. CB-28

DRILLING LOG		DIVISION South Atlantic		INSTALLATION Jacksonville District		SHEET OF 1 SHEETS	
1. PROJECT PALM BEACH HARBOR				10. SIZE AND TYPE OF BIT SEE REMARKS			
2. LOCATION (Coordinates or Station) STA: 13+25 Rge: 0.0				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY Corps of Engineers				12. MANUFACTURER'S DESIGNATION OF DRILL JOY			
4. HOLE NO. (As shown on drawing title and file number) CB-28		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN		DISTURBED		UNDISTURBED	
5. NAME OF DRILLER L.D. Johnson				14. TOTAL NUMBER CORE BOXES 1/2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER TIDAL		16. DATE HOLE STARTED 10/13/65 COMPLETED 10/13/65	
7. THICKNESS OF OVERBURDEN				17. ELEVATION TOP OF HOLE -29.1			
8. DEPTH DRILLED INTO ROCK				18. TOTAL CORE RECOVERY FOR BORING 69 %			
9. TOTAL DEPTH OF HOLE 12.0'				19. SUPERVISOR Geologist J.S. Gentile			
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g	
-29.1	0.0					BIT & BARREL Bls/ft.	
-32.9	3.8		SAND, fine to medium, quartz, slightly silty, gray, (SP)	38	1	-29.1 2" I.D. Spoon SETTLED	
-37.1	8.0		LIMESTONE, calcareous sandstone, medium hard, porous, sandy composition, thin bedded, fossiliferous, solution holes, Bed hard limestone from -37.1 to -38.1	44		2 7 13 17 25 30 45 80	
-38.1	9.0					-34.1 "	
-38.8	9.7					-	
-41.1	12.0		SAND, fine to medium, quartz, tight, clean, light gray, thin lenses limestone (SP)	54		-39.1 -41.1 "	
						300# hammer with 18" drop used on 2" I.D. spoon. Blow counts do not correlate to the N-values of SPT	

X = 810,180 Y = 886,050

Hole No. CB-29

DRILLING LOG		DIVISION		INSTALLATION		SHEET	
SOUTH ATLANTIC		Jacksonville District		SHEET 1 OF 1 SHEETS			
1. PROJECT PALM BEACH HARBOR				10. SIZE AND TYPE OF BIT See remarks			
2. LOCATION (Coordinates or Station) STA 13+25 Rge: 500				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY Corps of Engineers				12. MANUFACTURER'S DESIGNATION OF DRILL JOY			
4. HOLE NO. (As shown on drawing title and file number) CB-29				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED	
5. NAME OF DRILLER I. D. Johnson				14. TOTAL NUMBER CORE BOXES 1/2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER TIDAL			
7. THICKNESS OF OVERBURDEN				16. DATE HOLE		STARTED COMPLETED	
8. DEPTH DRILLED INTO ROCK				10/12/65		10/12/65	
9. TOTAL DEPTH OF HOLE 22.0'				17. ELEVATION TOP OF HOLE -29.0			
				18. TOTAL CORE RECOVERY FOR BORING 57 %			
				19. NAME OF DRILLER Geologist J. S. Gentile			
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)	
a	b	c	d	e	f	g	
-29.0	0.0					BIT & BARREL Bls/ft. -29.0	
-30.7	1.7	•••••	SAND, fine to medium, quartz, slightly silty, dark gray (SP)		1	2" I.D. Spoon 6"	
-33.4	4.4		LIMESTONE, medium hard, very porous, thin bedded, sandy, composition, lenses loose sand, light gray, slightly fossiliferous	56		20 34 42	
-39.7	10.7	•••••	SAND, fine, quartz, very tight, clean, few isolated lenses calcareous sandstone, (SP)	54	2	30 74 77 70	
-41.0	12.0		LIMESTONE, hard, porous, very sandy, thin bedded fossiliferous, light gray, lenses loose sand.	60		55 36 95	
						300# hammer with 18" drop used on 2" I.D. spoon. Blow counts do not correlate to the N-values of SPT	

X=810,180 Y=885,210

Hole No. CB-30

DRILLING LOG		DIVISION South Atlantic Division		INSTALLATION Jacksonville District		SHEET OF 1 SHEETS 1	
1. PROJECT Palm Beach Harbor				10. SIZE AND TYPE OF BIT see remarks			
2. LOCATION (Coordinates or Station) Sta: 13+00 Rge: 1350				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY Corps of Engineers				12. MANUFACTURER'S DESIGNATION OF DRILL JOY			
4. HOLE NO. (As shown on drawing title and file number) CB-30				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED	
5. NAME OF DRILLER L.D. Johnson				14. TOTAL NUMBER CORE BOXES 1/2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER TIDAL			
7. THICKNESS OF OVERBURDEN				16. DATE HOLE		STARTED 10/12/65	
8. DEPTH DRILLED INTO ROCK				17. ELEVATION TOP OF HOLE -7.4		COMPLETED 10/12/65	
9. TOTAL DEPTH OF HOLE 34.0'				18. TOTAL CORE RECOVERY FOR BORING 38 %			
				19. NAME OF DRILLER Geologist J. S. Centile			
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g	
						BIT & BARREL Bls/ft.	
-7.4	0.0					-7.4	
			SAND, fine to medium, quartz, silty, gray, shelly, (SM)	38	1	2" I.D. Spoon SETTLED	
						-12.4 1	
						2	
						1	
-16.4	9.0			66	2	3	
						5	
						7	
			SAND, fine to medium quartz, light gray, (SP)			-17.4	
						5	
			SILTY TO SLIGHTLY SILTY, non-compacted, grayish brown from -22.4 to -37.7	22	3	9	
						11	
						8	
						9	
						-22.4	
						SETTLED	
						1	
						2	
						-27.4	
						4	
						1	
						SETTLED	
						1	
						SETTLED	
						1	
						1	
						-37.4	
						1	
						30	
				88	6	43	
			* Tight, clean, fine grained, riddled with lenses medium hard limestone and calcareous sandstone from -37.7 to -41.4			49	
-41.4	34.0					-41.4	
						67	
						300# Hammer with 18" drop used on 2" I.D. spoon. Blow counts do not correlate to the N-values of SPT	

X = 810,700 Y = 886,280

Hole No. CB-31

DRILLING LOG		DIVISION		INSTALLATION		SHEET 1	
1. PROJECT Palm Beach Harbor		South Atlantic		Jacksonville District		OF 1 SHEETS	
2. LOCATION (Coordinates or Station) STA: 8+00 RGE: 250		3. DRILLING AGENCY Corps of Engineers		10. SIZE AND TYPE OF BIT see remarks		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW	
4. HOLE NO. (As shown on drawing title and file number) CB-31		5. NAME OF DRILLER L. D. Johnson		12. MANUFACTURER'S DESIGNATION OF DRILL JOY		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED UNDISTURBED	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		7. THICKNESS OF OVERBURDEN		14. TOTAL NUMBER CORE BOXES 1/3		15. ELEVATION GROUND WATER TIDAL	
8. DEPTH DRILLED INTO ROCK		9. TOTAL DEPTH OF HOLE 10.0'		16. DATE HOLE 10/18/65		17. ELEVATION TOP OF HOLE -31.2	
				18. TOTAL CORE RECOVERY FOR BORING 69 %		19. GEOLOGIST Geologist J. S. Gentile	
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	NUMBER SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g	
-31.2	0.0					BIT & BARREL Bls/ft. -31.2	
-33.0	1.8	•••••	SAND-fine to medium, quartz, gray, slightly silty, (SP)		1	2" I.D. Spoon settled 4	
-34.3	3.1	I I	LIMESTONE-medium hard, very porous, thin bedded, very sandy, light gray, fossiliferous	76	2	-36.2 17 17	
-41.2	10.0	••••• I I	SAND-fine to medium, quartz, interspersed with thin lenses limestone and calcareous sandstone, light gray (SP)	62	3	18 25 26 26 38	
						300# Hammer with 18" drop used on 2" I.D. Spoon Blow counts do not correlate to the N-values of SPT	

X = 810,700 Y = 885,840

Hole No. CB-32

DRILLING LOG		DIVISION South Atlantic		INSTALLATION Jacksonville District		SHEET 1 OF 1 SHEETS	
1. PROJECT Palm Beach Harbor				10. SIZE AND TYPE OF BIT see remarks			
2. LOCATION (Coordinates or Station) STA: 8+00 RGE: 700				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY Corps of Engineers				12. MANUFACTURER'S DESIGNATION OF DRILL JOY			
4. HOLE NO. (As shown on drawing title and file number) CB-32				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED	
5. NAME OF DRILLER I. D. Johnson				14. TOTAL NUMBER CORE BOXES 1/3			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER TIDAL			
7. THICKNESS OF OVERBURDEN				16. DATE HOLE 10/18/65		STARTED COMPLETED 10/18/65	
8. DEPTH DRILLED INTO ROCK				17. ELEVATION TOP OF HOLE -30.8			
9. TOTAL DEPTH OF HOLE 10.0'				18. TOTAL CORE RECOVERY FOR BORING 54 %			
				19. SIGNATURE OF SUPERVISOR J. S. Gentile			
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)	
a	b	c	d	e	f	g	
-30.8	0.0					BIT & BARREL bls/ft	
-32.4	1.6	•••••	SAND-fine to medium, quartz slightly silty, gray, (SP)		1	2" I. D. SPOON	2
-33.8	3.0	II	LIMESTONE-medium hard, very porous thin bedded, very sandy, light gray				15
		I	SAND-fine to medium quartz, light gray riddled with thin lenses limestone, (SP)	48	2		17
-37.8	7.0	•••••					14
		I					12
-39.5	8.7	II	thin beds limestone interspersed with lenses loose sand (55% rock) from -37.8 to -39.5		3		20
		I					23
-40.8	10.0	•••••		60			30
		I					26
							22
						300# Hammer with 18" drop used on 2" I. D. Spoon	
						Blow counts do not correlate to the N-values of SPT	

X = 810,700 Y = 885,285

Hole No. CB-33

DRILLING LOG		DIVISION Corps of Engineers		INSTALLATION Jacksonville, Florida		SHEET OF 1 SHEETS	
1. PROJECT Palm Beach Harbor				10. SIZE AND TYPE OF BIT SEE REMARKS			
2. LOCATION (Coordinates or Station) Sta. 8+00 Rge: 1250				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY Corps of Engineers				12. MANUFACTURER'S DESIGNATION OF DRILL Sprague & Henwood 400			
4. HOLE NO. (As shown on drawing title and file number) CB-33				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED	
5. NAME OF DRILLER C. R. Mason				14. TOTAL NUMBER CORE BOXES 1			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER Tidal		16. DATE HOLE STARTED 5-17-65 COMPLETED 5-17-65	
7. THICKNESS OF OVERBURDEN				17. ELEVATION TOP OF HOLE -27.1			
8. DEPTH DRILLED INTO ROCK				18. TOTAL CORE RECOVERY FOR BORING 45%			
9. TOTAL DEPTH OF HOLE 19.0'				19. DRILLER Geologist G. J. Kraynak			
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g	
-27.1	0.0					BIT & BARREL Bls/Ft -27.1	
-31.1	4.0		SAND, fine, slightly shelly, dark gray, calcite (SP)	24	1	2" I.D. Spoon settled -31.1 9 6	
-37.1	10.0		SAND, fine, white, with small limestone fragments or thin rock beds, calcite (SP)	65	2	" " 23 24 34 64 -36.1 44 26	
-39.1	12.0		LIMESTONE, medium hard, white, with sand in solution channels	40		38 31	
-46.1	19.0		SAND, fine, slightly shelly, with small limestone fragments or thin rock beds, calcite (SP)	50	3	-41.1 15 10 " " 7 4 9 12 -46.1 13	
						300# Hammer with 18" Drop used on 2" I.D. Spoon Blow counts do not correlate to the N-values of SPT	

X=811,235 Y=886,480

Hole No. CB-34

DRILLING LOG		DIVISION		INSTALLATION		SHEET	
South Atlantic		Jacksonville District		see remarks		1	
PROJECT		LOCATION (Coordinates or Station)		DATE HOLE		STARTED	
Palm Beach Harbor		Sta: 3+00 Rge: 40		10/13/65		10/13/65	
DRILLING AGENCY		HOLE NO. (As shown on drawing title and file number)		TOTAL NO. OF OVERBURDEN SAMPLES TAKEN		DISTURBED	
Corps of Engineers		CB-34		1/2		UNDISTURBED	
NAME OF DRILLER		DIRECTION OF HOLE		ELEVATION GROUND WATER		TOTAL CORE RECOVERY FOR BORING	
L. D. Johnson		<input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		Tidal		34%	
THICKNESS OF OVERBURDEN		DEPTH DRILLED INTO ROCK		ELEVATION TOR. OF HOLE		TOTAL CORE RECOVERY FOR BORING	
				-17.6		34%	
TOTAL DEPTH OF HOLE		CLASSIFICATION OF MATERIALS (Description)		% CORE RECOVERY		REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)	
24.0'							
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	NUMBER SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)	
-17.6	0.0					Bit & Barrel Bls/ft.	
-19.0	1.4		SAND, fine to medium, quartz, slightly silty, gray (SP)		1	-17.6 2" I.D. spoon Settled	
-21.6	4.0		LIMESTONE, medium hard, very porous, thin bedded, very sandy composition, solution holes, fossiliferous,	58		14 28 13	
-22.7	5.1		Bed of sand from -21.6 to -22.7 (SP)			8	
-23.5	5.9		Bed of hard limestone from -22.7 to -23.5	36	2	11 10 5 6 10	
			SAND, fine to medium, quartz, clean, light gray, interspersed with thin lenses medium hard limestone and calcareous sandstone (SP)	0		-27.6 3 2 1 2 4	
-36.9	19.3		LIMESTONE, (calcareous, sandstone) thin bedded, very porous, (easily broken with hammer), very sandy, beds of loose sand, light gray, slightly fossiliferous	40	3	-32.6 3 4 5 8	
-41.6	24.0			36		-37.6 22 10 16 22	
						300# hammer with 18" drop used on 2" I.D. spoon. Blow counts do not correlate to the N-values of SPT	

X = 811,180 Y = 886,130

Hole No. GB-35

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1 SHEETS
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT see remarks		
2. LOCATION (Coordinates or Station) STA: 3+ 25 RGE: 500		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL JOY		
4. HOLE NO. (As shown on drawing title and file number) GB-35		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN	DISTURBED	UNDISTURBED
5. NAME OF DRILLER L. D. Johnson		14. TOTAL NUMBER CORE BOXES 1/2	15. ELEVATION GROUND WATER TIDAL	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		16. DATE HOLE	STARTED 10/12/65	COMPLETED 10/12/65
7. THICKNESS OF OVERBURDEN		17. ELEVATION TOP OF HOLE -31.0		
8. DEPTH DRILLED INTO ROCK		18. TOTAL CORE RECOVERY FOR BORING 61 %		
9. TOTAL DEPTH OF HOLE 10.0'		19. SIGNATURE OF DRILLER Geologist J. S. Gentile		

ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
a	b	c	d	e	f	g
-31.0	0.0					BIT & BARREL Bls/ft. -31.0
-36.5	5.5	III	LIMESTONE-calcareous sandstone, medium hard, thin bedded, very porous, very sandy in composition, solution holes, riddled with thin beds loose sand, (30% loose sand), light gray	64		2" I.D. Spoon 10 14 12 15 13
-41.0	10.0	I	SAND-fine to medium, quartz, tight, riddled with thin lenses of limestone, and calcareous sandstone, light gray, (25% rock) (SP)	58	1	18 20 19 19 23
						300# hammer with 18" drop used on 2" I.D. Spoon Blow counts do not correlate to the N-values of SPT

X=811,175 Y=885,560

Hole No. CB-36


DRILLING LOG		DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1 SHEETS.		
1. PROJECT Palm Beach Harbor			10. SIZE AND TYPE OF BIT See remarks			
2. LOCATION <i>(Coordinates or Station)</i> Sta: 3+25 Rge: 975			11. DATUM FOR ELEVATION SHOWN <i>(TBM or MSL)</i> MLW			
3. DRILLING AGENCY Corps of Engineers			12. MANUFACTURER'S DESIGNATION OF DRILL Joy			
4. HOLE NO. <i>(As shown on drawing title and file number)</i> CB-36			13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED UNDISTURBED			
5. NAME OF DRILLER L. D. Johnson			14. TOTAL NUMBER CORE BOXES 1/2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.			15. ELEVATION GROUND WATER TIDAL			
7. THICKNESS OF OVERBURDEN			16. DATE HOLE STARTED 10/11/65 COMPLETED 10/11/65			
8. DEPTH DRILLED INTO ROCK			17. ELEVATION TOP OF HOLE -29.6			
9. TOTAL DEPTH OF HOLE 12.0'			18. TOTAL CORE RECOVERY FOR BORING 21%			
			19. SIGNATURE OF GEOLOGIST J. L. Gentile			
ELEVATION <small>a</small>	DEPTH <small>b</small>	LEGEND <small>c</small>	CLASSIFICATION OF MATERIALS <i>(Description)</i> <small>d</small>	% CORE RECOVERY <small>e</small>	SAMPLE NO. <small>f</small>	REMARKS <i>(Drilling time, water loss, depth of weathering, etc., if significant)</i> <small>g</small>
-29.6	0.0					Bit & Barrel Bls/ft -29.6
-37.1	7.5		SAND, fine to medium, quartz, slightly silty, light gray (SP) silty, dark gray from -29.6 to -30.6. riddled with thin lenses calcareous sandstone from -34.6 to -37.1	24	1	2" I.D. spoon 5 6 11 11 -34.6 " " 7 7 9 10 10 13 20
-41.6	12.0		LIMESTONE (calcareous sandstone), thin bedded, very porous, slightly fossiliferous, sandy, medium hard, riddled with beds loose sand, 55% rock, light gray, sandy composition,	18 10	2	-39.6 -41.6 300# hammer with 18" drop used on 2" I.D. spoon Blow counts do not correlate to the N-values of SPT

X=811,180 Y=885,180

Hole No. CB-37

DRILLING LOG		DIVISION South Atlantic		INSTALLATION Jacksonville District		SHEET OF 1 SHEETS	
1. PROJECT Palm Beach Harbor				10. SIZE AND TYPE OF BIT see remarks			
2. LOCATION (Coordinates or Station) Sta: 3+00 Rge 1350				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY Corps of Engineers				12. MANUFACTURER'S DESIGNATION OF DRILL JOY			
4. HOLE NO. (As shown on drawing title and file number) CB-37				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED	
5. NAME OF DRILLER L.D. Johnson				14. TOTAL NUMBER CORE BOXES 1/2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				16. DATE HOLE		STARTED 10/8/65	
7. THICKNESS OF OVERBURDEN				17. ELEVATION, TOP OF HOLE		-26.5	
8. DEPTH DRILLED INTO ROCK				18. TOTAL CORE RECOVERY FOR BORING		59 %	
9. TOTAL DEPTH OF HOLE 15.0'				19. SUPERVISOR J. S. Gentile			
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g	
-26.5	0.0					BIT & BARREL Bls/ft. 26.5	
-28.6	2.1		SAND, fine to medium quartz, and calcareous material, silty, dark gray, (SM)	76	1	2" I.D. Spoon settled ↓ 82	
-29.8	3.3		LIMESTONE, hard, very porous, very fossiliferous, sandy, thin bedded, light gray.			39	
		I	SAND, fine to medium, quartz, riddled with thin lenses calcareous sandstone; light gray, slightly shelly (SP)	50	2	-31.5 " " Washed 16	
		I			3	-36.5 17 12	
-38.7	12.2	I				-36.5 10	
		II	LIMESTONE, medium hard, very porous, thin bedded, riddled with solution holes and thin beds loose (SP) sand, light gray, very sandy, 45% sand.	52	4	" " 9 10 8 6 7	
-41.5	15.0	II				-41.5	
						300# hammer with 18" drop used on 2" I.D. Spoon Blow counts do not correlate to the N-values of SPT.	

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
	1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks
	2. LOCATION (Coordinates or Station) X=809,983 Y=887,033		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)
	3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Falling 314
	4. HOLE NO. (As shown on drawing title and file number) CB-PBH95-9		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 1 undisturbed: 0
	5. NAME OF DRILLER C. Robbins		14. TOTAL NUMBER OF CORE BOXES 1
	6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL
	7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 8/9/95 8/9/95
	8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -26.1 Ft.
9. TOTAL DEPTH OF HOLE 1.5 Ft.		18. TOTAL CORE RECOVERY FOR BORING 47 %	
		19. SIGNATURE OF Geologist Jim Arthur	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel	BLOWS/5'
-26.1	.0					-26.1	0
			SAND, dark gray fine to medium poorly graded quartz sand (SP)	47	1	SPLIT SPOON	4
-27.6	1.5		from elevation -27.4 to -27.6, some light gray fine to coarse shelly sandstone gravel			-27.6	27
			NOTE: Soils are field visually classified in accordance with the Unified Soils Classification System. Samples recovered using a 140# hammer with 30" drop used on a 2 foot split spoon (1-3/8" ID x 2" OD)			Set 6 inch casing to depth 0.8 feet. Refusal with fishtail bit at 1.5 feet depth.	16
			SAMPLE LABORATORY ELEVATION CLASSIFICATION -26.1 to -27.6 (SP)				

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1			
1. PROJECT Palm Beach Harbor		10. SIZE AND TYPE OF BIT See Remarks					
2. LOCATION (Coordinates or Station) X=809,924 Y=886,867		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)					
3. DRILLING AGENCY Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314					
4. HOLE NO. (As shown on drawing title and file number) CB-PBH95-II		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 1 undisturbed: 0					
5. NAME OF DRILLER C. Robbins		14. TOTAL NUMBER OF CORE BOXES 1					
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL					
7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 8/10/95 8/10/95					
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -25.3 Ft.					
9. TOTAL DEPTH OF HOLE 3.0 Ft.		18. TOTAL CORE RECOVERY FOR BORING 27 %					
		19. SIGNATURE OF Geologist Jim Arthur					
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel	BLOWS/ ft.
-25.3	.0					-25.3	0
-26.8	1.5		SAND, gray fine to medium poorly graded quartz sand, some small shell fragments (SP)	0		SPLIT SPOON	3
			below elevation -26.8, fine grained				6
			at elevation -28.0, trace of fine quartz gravel, white below elevation -28.0	53	1	SPLIT SPOON	8
-28.3	3.0						15
							18
			NOTE: Soils are field visually classified in accordance with the Unified Soils Classification System. Samples recovered using a 140# hammer with 30" drop used on a 2 foot split spoon (1-3/8" ID x 2" OD)			Set 6 inch casing to depth 1.1 feet, drilled using Basco salt water drilling mud.	
			SAMPLE LABORATORY ELEVATION CLASSIFICATION -24.3 to -25.8 (SP)			Material from elevation 25.3 to 26.8 described from wash water.	

Hole No. CB-PBH95-12

DRILLING LOG		DIVISION	INSTALLATION	SHEET 1 OF 1		
1. PROJECT Palm Beach Harbor		South Atlantic	Jacksonville District			
2. LOCATION (Coordinates or Station) X=810,046 Y=886,932				10. SIZE AND TYPE OF BIT See Remarks		
3. DRILLING AGENCY Corps of Engineers				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW (FEET)		
4. HOLE NO. (As shown on drawing title and file number) CB-PBH95-12				12. MANUFACTURER'S DESIGNATION OF DRILL Failing 314		
5. NAME OF DRILLER C. Robbins				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 2 undisturbed: 0		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				14. TOTAL NUMBER OF CORE BOXES 1		
7. THICKNESS OF BURDEN Ft.				15. ELEVATION GROUND WATER TIDAL		
8. DEPTH DRILLED INTO ROCK 0 Ft.				16. DATE HOLE STARTED COMPLETED 8/10/95 8/10/95		
9. TOTAL DEPTH OF HOLE 13.7 Ft.				17. ELEVATION TOP OF HOLE -23.0 Ft.		
				18. TOTAL CORE RECOVERY FOR BORING 54 %		
				19. SIGNATURE OF Geologist Jim Arthur		
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel
-23.0	.0					-23.0
			SAND, No sample recovery, washed through sand to sample rock below.	0		WASHED
-29.5	6.5					-29.5
-31.3	8.3		Sandstone, light gray, some small shell fragments, slightly weathered, very hard, fine grained, highly pitted and vuggy with small to large vugs, badly broken and fragmented.	72 ROD 0		4 x 5 1/2 " Diamond HP = 100psi Drill Time 11 minutes Drill Water Return = 0%
-32.0	9.0		From elevation -31.1 to -32.0, core loss.			-32.0
-34.1	11.1		high angle break from depths 6.5 to 6.8 , low angle breaks at depths 6.9, 7.1, 7.3, 7.4, 7.6, 7.8, 9.8, 10.0, 10.2, 10.6, 10.7, 11.1.	45 ROD 17		4 x 5 1/2 " Diamond HP = 100 psi Drill Time 20 minutes Drill Water Return = 0%
-36.7	13.7		from elevation -34.1 to -36.7, core loss			-36.7
			NOTE: Soils are field visually classified in accordance with the United Soils Classification System.			Set 6 inch casing to depth 3.8 feet, drilled using Basco salt water drilling mud.

Hole No. CB-WP97-2

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1			
1. PROJECT Palm Beach Harbor Maintenance		10. SIZE AND TYPE OF BIT see remarks					
2. LOCATION (Coordinates or Station) X=811,209 Y=886,545		11. DATUM FOR ELEVATION SHOWN (T&M or NSL) MLW (FEET)					
3. DRILLING AGENCY Jacksonville District		12. MANUFACTURER'S DESIGNATION OF DRILL Acker on Work Boat #33					
4. HOLE NO. (As shown on drawing title and file number) CB-WP97-2		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 1 undisturbed: 0					
5. NAME OF DRILLER L.C. Gregory		14. TOTAL NUMBER OF CORE BOXES 1					
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL					
7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 6/3/97 6/3/97					
8. DEPTH DRILLED INTO ROCK Ft.		17. ELEVATION TOP OF HOLE -31.0 Ft.					
9. TOTAL DEPTH OF HOLE 7.0 Ft.		18. TOTAL CORE RECOVERY FOR BORING 51 %					
		19. SIGNATURE OF Geologist J. Hand					
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel	BLOWS/ft
-31.0	0.0		SAND, fine grained quartz, trace silt, fine shell, gray (SP)	35	1	5' Spoon	6 8 18 28 27
-37.0	6.0		SANDSTONE, hard, quartz, some fine sand and calcareous silt, light gray	9	2	5' Spoon	21
-38.0	7.0						110
NOTES:					140# Hammer with 30 inch drop used on 5 foot Spoon.		
			SAMPLE ELEVATION -31.0/-36.0		LABORATORY CLASSIFICATION (SP-SM)		

ENR FORM 1036 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Palm Beach Harbor Maintenance

HOLE NUMBER
CB-WP97-2

Hole No. CB-WP97-2

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1	
1. PROJECT Palm Beach Harbor Maintenance		10. SIZE AND TYPE OF BIT see remarks			
2. LOCATION (Coordinates or Station) X=811,209 Y=886,545		11. DATUM FOR ELEVATION SHOWN (T&M or NSL) MLW (FEET)			
3. DRILLING AGENCY Jacksonville District		12. MANUFACTURER'S DESIGNATION OF DRILL Acker on Work Boat #33			
4. HOLE NO. (As shown on drawing title and file number) CB-WP97-2		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 1 undisturbed: 0			
5. NAME OF DRILLER L.C. Gregory		14. TOTAL NUMBER OF CORE BOXES 1			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER TIDAL			
7. THICKNESS OF BURDEN Ft.		16. DATE HOLE STARTED COMPLETED 6/3/97 6/3/97			
8. DEPTH DRILLED INTO ROCK Ft.		17. ELEVATION TOP OF HOLE -31.0 Ft.			
9. TOTAL DEPTH OF HOLE 7.0 Ft.		18. TOTAL CORE RECOVERY FOR BORING 51 %			
		19. SIGNATURE OF Geologist J. Hand			

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel	BLOWS/ft
-31.0	0.0					-31.0	0
			SAND, fine grained quartz, trace silt, fine shell, gray (SP)	35	1	5' Spoon	6 8 18 28 27
-37.0	6.0		SANDSTONE, hard, quartz, some fine sand and calcareous silt, light gray	9	2	5' Spoon	21
-38.0	7.0					-38.0	110
NOTES:					140# Hammer with 30 inch drop used on 5 foot Spoon.		
			Soils are field visually classified in accordance with the Unified Soils Classification System.				
			SAMPLE ELEVATION -31.0/-36.0		LABORATORY CLASSIFICATION (SP-SM)		

ENR FORM 1036 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71


PROJECT
Palm Beach Harbor Maintenance

HOLE NUMBER
CB-WP97-2

DRILLING LOG		DIVISION South Atlantic	INSTALLATION		SHEET 1 OF 2 SHEETS
1. PROJECT Lake Worth Inlet Snell Vibracoring 2012 Vibracore Borings			9. SIZE AND TYPE OF BIT See Remarks		
2. BORING DESIGNATION VB-LWI2012-13		LOCATION COORDINATES X = 967,727 Y = 886,421		10. COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)	HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - Wilmington		CONTRACTOR FILE NO.		11. MANUFACTURER'S DESIGNATION OF DRILL <input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
4. NAME OF DRILLER			12. TOTAL SAMPLES		DISTURBED 3
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			DEG. FROM VERTICAL		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A			13. TOTAL NUMBER CORE BOXES 0		14. ELEVATION GROUND WATER
7. DEPTH DRILLED INTO ROCK N/A			15. DATE BORING		STARTED 06-13-12
8. TOTAL DEPTH OF BORING 9.0 Ft.			16. ELEVATION TOP OF BORING -40.0 Ft.		COMPLETED 06-13-12
			17. TOTAL RECOVERY FOR BORING 100 %		18. SIGNATURE AND TITLE OF INSPECTOR Barbara Nist, Geologist

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE
-40.0	0.0		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, few fine to coarse-grained sand-sized shell, weak reaction with HCl, moist, 2.5Y 8/1 white (SP)	NR			Vibracore		0
-42.0	2.0		SAND, poorly-graded with silt, mostly fine to coarse-grained sand-sized shell, little fine-grained sand-sized quartz, little fine to coarse-grained sand-sized limestone, few silt, 2.5Y 8/1 white (SP-SM)		1	1-post			
-47.3	7.3		At El. -45.0 Ft., some fine to medium-grained sand-sized quartz, some fine to medium-grained sand-sized shell, little fine to medium-grained sand-sized limestone At El. -46.3 Ft., little sand to gravel-sized shell, weak cementation, 2.5Y 8/4 pale yellow		2				5
-49.0	9.0	Mod. Weathered	LIMESTONE, hard, moderately weathered, limestone fragments up to 2" interbedded with sand layers, 2.5Y 8/1 white						
			BORING TERMINATED IN REFUSAL				Abbreviations: NR = Not Recorded.		10
			NOTES: 1. USACE Jacksonville is the custodian for these original files. 2. Soils are field visually classified in accordance with the Unified Soils Classification System. 3. 9 ft. ft. penetration 4. Laboratory Testing Results						
			SAMPLE ID SAMPLE DEPTH LABORATORY CLASSIFICATION						
			1 2.0/2.5 SW-SM*						
			1-post 2.0/2.5 SP*						

DRILLING LOG (Cont. Sheet)			INSTALLATION				SHEET 2 OF 2 SHEETS			
PROJECT Lake Worth Inlet Snell Vibracoring 2012			COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)		HORIZONTAL NAD83	VERTICAL MLLW				
LOCATION COORDINATES X = 967,727 Y = 886,421			ELEVATION TOP OF BORING -40.0 Ft.							
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS		% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/ 1 FT.	N-VALUE
			2	5.0/5.5	SP-SM*					
			*Lab visual classification based on gradation curve. No Atterberg limits.							



DRILLING LOG		DIVISION South Atlantic	INSTALLATION		SHEET 1 OF 2 SHEETS
1. PROJECT Lake Worth Inlet Snell Vibracoring 2012 Vibracore Borings			9. SIZE AND TYPE OF BIT See Remarks		
2. BORING DESIGNATION VB-LWI2012-14		LOCATION COORDINATES X = 966,953 Y = 886,602		10. COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)	HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - Wilmington		CONTRACTOR FILE NO.		11. MANUFACTURER'S DESIGNATION OF DRILL <input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
4. NAME OF DRILLER			12. TOTAL SAMPLES	DISTURBED 5	UNDISTURBED (UD) 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			DEG. FROM VERTICAL	BEARING	
6. THICKNESS OF OVERBURDEN N/A			13. TOTAL NUMBER CORE BOXES 0		
7. DEPTH DRILLED INTO ROCK N/A			14. ELEVATION GROUND WATER		
8. TOTAL DEPTH OF BORING 16.4 Ft.			15. DATE BORING STARTED 06-13-12 COMPLETED 06-13-12		
			16. ELEVATION TOP OF BORING -25.7 Ft.		
			17. TOTAL RECOVERY FOR BORING 100 %		
			18. SIGNATURE AND TITLE OF INSPECTOR Barbara Nist, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE
-25.7	0.0		SAND, poorly-graded, mostly fine-grained sand-sized quartz, trace shell, weak reaction with HCl, moist, 5Y 7/2 light gray (SP)	NR			Vibracore		0
-28.7	3.0		SAND, silty, mostly fine to medium-grained sand-sized quartz, little fine to medium-grained sand-sized limestone, little silt, trace shell, 5Y 7/2 light gray (SM) -		1	1-post			5
-31.7	6.0		SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, little fine to medium-grained sand-sized limestone, few silt, trace shell, 5Y 7/2 light gray (SP-SM) - At El. -33.4 Ft., 5Y 6/1 gray		2				
-34.7			At El. -34.5 Ft., little fine to coarse-grained sand-sized limestone, weak reaction with HCl, moist, 5Y 5/1 gray -		3	3-post			10
-36.9	11.2 -	Moderately Weathered	LIMESTONE, hard, moderately weathered, - fragmented up to 4", interbedded with weakly-cemented sand and shell layers, 5Y 7/2 light gray -						15

DRILLING LOG (Cont. Sheet)			INSTALLATION				SHEET 2																				
							OF 2 SHEETS																				
PROJECT Lake Worth Inlet Snell Vibracoring 2012			COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)		HORIZONTAL NAD83		VERTICAL MLLW																				
LOCATION COORDINATES X = 966,953 Y = 886,602			ELEVATION TOP OF BORING -25.7 Ft.																								
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	ROD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE																		
-42.1	16.4		BORING TERMINATED IN REFUSAL NOTES: 1. USACE Jacksonville is the custodian for these original files. 2. Soils are field visually classified in accordance with the Unified Soils Classification System. 3. 20 ft. ft. penetration 4. Laboratory Testing Results <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">SAMPLE ID</th> <th style="text-align: left;">SAMPLE DEPTH</th> <th style="text-align: left;">LABORATORY CLASSIFICATION</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3.0/3.5</td> <td>SM*</td> </tr> <tr> <td>1-post</td> <td>3.0/3.5</td> <td>SP*</td> </tr> <tr> <td>2</td> <td>6.0/6.5</td> <td>SP-SM*</td> </tr> <tr> <td>3</td> <td>9.0/9.5</td> <td>SP-SM*</td> </tr> <tr> <td>3-post</td> <td>9.0/9.5</td> <td>SP*</td> </tr> </tbody> </table> *Lab visual classification based on gradation curve. No Atterberg limits.	SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION	1	3.0/3.5	SM*	1-post	3.0/3.5	SP*	2	6.0/6.5	SP-SM*	3	9.0/9.5	SP-SM*	3-post	9.0/9.5	SP*				-42.1 Abbreviations: NR = Not Recorded.		
SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION																									
1	3.0/3.5	SM*																									
1-post	3.0/3.5	SP*																									
2	6.0/6.5	SP-SM*																									
3	9.0/9.5	SP-SM*																									
3-post	9.0/9.5	SP*																									

15

20

25

30

35

DRILLING LOG		DIVISION South Atlantic	INSTALLATION		SHEET 1 OF 2 SHEETS
1. PROJECT Lake Worth Inlet Snell Vibracoring 2012 Vibracore Borings			9. SIZE AND TYPE OF BIT See Remarks		
2. BORING DESIGNATION VB-LWI2012-15		LOCATION COORDINATES X = 967,297 Y = 886,040		10. COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)	
3. DRILLING AGENCY Corps of Engineers - Wilmington		CONTRACTOR FILE NO.		11. MANUFACTURER'S DESIGNATION OF DRILL <input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
4. NAME OF DRILLER			12. TOTAL SAMPLES 5		DISTURBED 5
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			DEG. FROM VERTICAL		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A			13. TOTAL NUMBER CORE BOXES 0		14. ELEVATION GROUND WATER
7. DEPTH DRILLED INTO ROCK N/A			15. DATE BORING		STARTED 06-14-12
8. TOTAL DEPTH OF BORING 17.1 Ft.			16. ELEVATION TOP OF BORING -40.9 Ft.		COMPLETED 06-14-12
			17. TOTAL RECOVERY FOR BORING 85 %		18. SIGNATURE AND TITLE OF INSPECTOR Barbara Nist, Geologist

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE
-40.9	0.0		SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, some fine to medium-grained sand-sized shell, few silt, strong reaction with HCl, moist, 2.5Y 6/4 light yellowish brown (SP-SM) At El. -42.3 Ft., little fine gravel-sized shell	NR			Vibracore		0
-43.9	3.0		SAND, poorly-graded with silt, mostly fine to medium-grained sand-sized shell, little fine to medium-grained sand-sized quartz, little fine to medium-grained sand-sized limestone (SP-SM) At El. -45.9 Ft., some fine-grained sand-sized quartz, some fine to medium-grained sand-sized shell From El. -46.9 to -47.4 Ft., mostly fine to coarse-grained sand-sized shell, little fine to medium-grained sand-sized quartz		1	post			5
					2				
					3	post			
-50.9	10.0		LIMESTONE, soft, highly weathered, fragmented up to 2" some shell, 2.5Y 6/6 olive yellow						10
		Highly Weathered							15

DRILLING LOG (Cont. Sheet)			INSTALLATION			SHEET 2 OF 2 SHEETS																					
PROJECT			COORDINATE SYSTEM/DATUM		HORIZONTAL	VERTICAL																					
Lake Worth Inlet Snell Vibracoring 2012			State Plane, FLN (U.S. Ft.)		NAD83	MLLW																					
LOCATION COORDINATES			ELEVATION TOP OF BORING																								
X = 967,297 Y = 886,040			-40.9 Ft.																								
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE																		
-56.2	15.3		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace shell, weak reaction with HCl, moist, 2.5Y 6/4 light yellowish brown (SP)																								
-58.0	17.0		LIMESTONE, soft, highly weathered, - fragmented up to 2", 2.5Y 7/4 pale yellow -				-58.0																				
			<p>NOTES:</p> <ol style="list-style-type: none"> USACE Jacksonville is the custodian for these original files. Soils are field visually classified in accordance with the Unified Soils Classification System. 20 ft. penetration Laboratory Testing Results <table border="1"> <thead> <tr> <th>SAMPLE ID</th> <th>SAMPLE DEPTH</th> <th>LABORATORY CLASSIFICATION</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3.0/3.5</td> <td>SP-SM*</td> </tr> <tr> <td>1-post</td> <td>3.0/3.5</td> <td>SP* -</td> </tr> <tr> <td>2</td> <td>6.0/6.5</td> <td>SP-SM* -</td> </tr> <tr> <td>3</td> <td>8.0/8.5</td> <td>SW-SM* -</td> </tr> <tr> <td>3-post</td> <td>8.0/8.5</td> <td>SP*</td> </tr> </tbody> </table> <p>*Lab visual classification based on gradation curve. No Atterberg limits.</p>	SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION	1	3.0/3.5	SP-SM*	1-post	3.0/3.5	SP* -	2	6.0/6.5	SP-SM* -	3	8.0/8.5	SW-SM* -	3-post	8.0/8.5	SP*				Abbreviations: NR = Not Recorded.		
SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION																									
1	3.0/3.5	SP-SM*																									
1-post	3.0/3.5	SP* -																									
2	6.0/6.5	SP-SM* -																									
3	8.0/8.5	SW-SM* -																									
3-post	8.0/8.5	SP*																									

15

20

25

30

35

DRILLING LOG		DIVISION South Atlantic	INSTALLATION		SHEET 1 OF 2 SHEETS
1. PROJECT Lake Worth Inlet Snell Vibracoring 2012 Vibracore Borings			9. SIZE AND TYPE OF BIT See Remarks		
2. BORING DESIGNATION VB-LWI2012-16		LOCATION COORDINATES X = 966,405 Y = 886,335		10. COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)	
3. DRILLING AGENCY Corps of Engineers - Wilmington		CONTRACTOR FILE NO.		11. MANUFACTURER'S DESIGNATION OF DRILL <input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
4. NAME OF DRILLER			12. TOTAL SAMPLES		DISTURBED 5
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			DEG. FROM VERTICAL		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A			13. TOTAL NUMBER CORE BOXES 0		14. ELEVATION GROUND WATER
7. DEPTH DRILLED INTO ROCK N/A			15. DATE BORING		STARTED 06-14-12
8. TOTAL DEPTH OF BORING 16.0 Ft.			16. ELEVATION TOP OF BORING -37.7 Ft.		COMPLETED 06-14-12
			17. TOTAL RECOVERY FOR BORING 80 %		18. SIGNATURE AND TITLE OF INSPECTOR Barbara Nist, Geologist

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE
-37.7	0.0		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, little fine to coarse gravel-sized shell, trace silt, weak reaction with HCl, moist, 10Y 7/1 light greenish gray (SP)	NR			Vibracore		0
			At El. -40.7 Ft., little fine to medium-grained sand-sized limestone, few fine to medium-grained sand-sized shell		1	post			
-43.7	6.0		SAND, poorly-graded with silt, mostly fine to medium-grained sand-sized quartz, little fine to medium-grained sand-sized limestone, few fine to medium-grained sand-sized shell, few silt, 2.5Y 4/1 dark gray (SP-SM)		2				5
			At El. -48.3 Ft., mostly fine-grained sand-sized quartz, few fine to coarse-grained sand-sized shell, weak reaction with HCl, moist		3				
-49.7	12.0		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, few fine to coarse-grained sand-sized shell, few fine to medium-grained sand-sized limestone, weak reaction with HCl, moist, 10Y 7/1 light greenish gray (SP)		4				10
			At El. -51.2 Ft., some fine-grained sand-sized quartz, some medium to coarse-grained sand-sized limestone						
-51.7	14.0	MW	LIMESTONE, moderately hard, moderately						15

DRILLING LOG		DIVISION South Atlantic	INSTALLATION		SHEET 1 OF 2 SHEETS
1. PROJECT Lake Worth Inlet Snell Vibracoring 2012 Vibracore Borings			9. SIZE AND TYPE OF BIT See Remarks		
2. BORING DESIGNATION VB-LWI2012-17		LOCATION COORDINATES X = 966,630 Y = 885,712		10. COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)	
3. DRILLING AGENCY Corps of Engineers - Wilmington		CONTRACTOR FILE NO.		11. MANUFACTURER'S DESIGNATION OF DRILL <input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
4. NAME OF DRILLER			12. TOTAL SAMPLES 5		DISTURBED 5
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			DEG. FROM VERTICAL		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A			13. TOTAL NUMBER CORE BOXES 0		14. ELEVATION GROUND WATER
7. DEPTH DRILLED INTO ROCK N/A			15. DATE BORING 06-14-12		STARTED 06-14-12
8. TOTAL DEPTH OF BORING 16.0 Ft.			16. ELEVATION TOP OF BORING -37.1 Ft.		COMPLETED 06-14-12
			17. TOTAL RECOVERY FOR BORING 82 %		18. SIGNATURE AND TITLE OF INSPECTOR Barbara Nist, Geologist

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE
-37.1	0.0		SAND, poorly-graded, mostly fine-grained sand-sized quartz, trace shell, trace silt, weak reaction with HCl, moist, 5Y 5/1 gray (SP)	NR			Vibracore		
-39.1	2.0		SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, little fine-grained sand-sized limestone, few silt, trace shell, 5Y 5/1 gray (SP-SM)		1	1-post			
-42.1	5.0		At El. -40.9 Ft., mostly fine to medium-grained sand-sized quartz, little fine to medium-grained sand-sized sandstone, 5Y 6/1 gray						
-44.1	7.0		SANDSTONE, fragmented, 5Y 6/1 gray		2				
-48.8	11.7		SAND, poorly-graded, mostly fine-grained sand-sized quartz, few fine to medium-grained sand-sized shell, trace silt, little beachrock up to 2", 10Y 6/1 greenish gray (SP)		3				
-49.5	12.4		SAND, poorly-graded, mostly fine to medium-grained sand-sized shell, little fine-grained sand-sized quartz, 5Y 7/6 yellow (SP)		4				
			At El. -49.1 Ft., some fine-grained sand-sized quartz, some fine to coarse-grained sand-sized shell, 10Y 7/1 light greenish gray						
			SHELL, mostly fine gravel-sized shell, little coarse-grained sand-sized limestone, trace fine-grained sand-sized quartz, trace silt.						

DRILLING LOG (Cont. Sheet)			INSTALLATION				SHEET 2 OF 2 SHEETS																				
PROJECT			COORDINATE SYSTEM/DATUM		HORIZONTAL	VERTICAL																					
Lake Worth Inlet Snell Vibracoring 2012			State Plane, FLN (U.S. Ft.)		NAD83	MLLW																					
LOCATION COORDINATES			ELEVATION TOP OF BORING																								
X = 966,630 Y = 885,712			-37.1 Ft.																								
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/ 1 FT.	N-VALUE																		
-53.1	16.0	○○○○ ○○○○ ○○○○ ○○○○	strong reaction with HCl, moist, 5Y 8/2 pale yellow At El. -49.8 Ft., weakly cemented				-53.1																				
			NOTES: 1. USACE Jacksonville is the custodian for these original files. 2. Soils are field visually classified in accordance with the Unified Soils Classification System. 3. 19.4 ft. ft. penetration 4. Laboratory Testing Results <table border="1"> <thead> <tr> <th>SAMPLE ID</th> <th>SAMPLE DEPTH</th> <th>LABORATORY CLASSIFICATION</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2.0/2.5</td> <td>SP-SM*</td> </tr> <tr> <td>1-post</td> <td>2.0/2.5</td> <td>SP*</td> </tr> <tr> <td>2</td> <td>5.0/5.5</td> <td>SANDSTONE*</td> </tr> <tr> <td>3</td> <td>8.0/8.5</td> <td>SP*</td> </tr> <tr> <td>4</td> <td>13.0/13.5</td> <td>SHELL*</td> </tr> </tbody> </table> *Lab visual classification based on gradation curve. No Atterberg limits.	SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION	1	2.0/2.5	SP-SM*	1-post	2.0/2.5	SP*	2	5.0/5.5	SANDSTONE*	3	8.0/8.5	SP*	4	13.0/13.5	SHELL*				Abbreviations: NR = Not Recorded.		
SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION																									
1	2.0/2.5	SP-SM*																									
1-post	2.0/2.5	SP*																									
2	5.0/5.5	SANDSTONE*																									
3	8.0/8.5	SP*																									
4	13.0/13.5	SHELL*																									

15

20

25

30

35

DRILLING LOG		DIVISION South Atlantic	INSTALLATION		SHEET 1 OF 2 SHEETS
1. PROJECT Lake Worth Inlet Snell Vibracoring 2012 - Vibracore Borings			9. SIZE AND TYPE OF BIT See Remarks -		
2. BORING DESIGNATION VB-LWI2012-18		LOCATION COORDINATES X = 966,973 Y = 885,074		10. COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)	
3. DRILLING AGENCY Corps of Engineers - Wilmington		CONTRACTOR FILE NO.		11. MANUFACTURER'S DESIGNATION OF DRILL <input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
4. NAME OF DRILLER			12. TOTAL SAMPLES 8		DISTURBED 8
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			DEG. FROM VERTICAL		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A			13. TOTAL NUMBER CORE BOXES 0		14. ELEVATION GROUND WATER
7. DEPTH DRILLED INTO ROCK N/A			15. DATE BORING 06-14-12		STARTED 06-14-12
8. TOTAL DEPTH OF BORING 19.0 Ft.			16. ELEVATION TOP OF BORING -18.1 Ft.		COMPLETED 06-14-12
			17. TOTAL RECOVERY FOR BORING 95 %		18. SIGNATURE AND TITLE OF INSPECTOR Barbara Nist, Geologist


ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE
-18.1	0.0		SAND, poorly-graded with silt, mostly fine to medium-grained sand-sized quartz, few silt, trace shell, weak reaction with HCl, moist, 2.5Y 5/6 light olive brown (SP-SM)	NR			-18.1 Vibracore		0
-20.8	2.7		At El. -20.1 Ft., some fine to coarse-grained sand-sized limestone		1	1-post	-20.1		
-21.0	2.9		LIMESTONE, fossiliferous, soft, porous						
			SAND, poorly-graded with silt, mostly fine to medium-grained sand-sized quartz, few silt (SP-SM)						5
-24.1	6.0		SAND, silty, mostly fine to medium-grained sand-sized quartz, little silt, few fine to medium-grained sand-sized limestone, 2.5Y 5/6 light olive brown (SM)		2	2-post	-24.1		
			At El. -25.4 Ft., some fine to medium-grained sand-sized limestone, 2.5Y 6/4 light yellowish brown						
-27.1	9.0		SANDSTONE, soft, highly weathered, fragmented, 5Y 8/2 pale yellow		3		-27.1		10
					4	4-post	-31.1		
							-31.1		15

DRILLING LOG (Cont. Sheet)			INSTALLATION			SHEET 2 OF 2 SHEETS																														
PROJECT			COORDINATE SYSTEM/DATUM		HORIZONTAL	VERTICAL																														
Lake Worth Inlet Snell Vibracoring 2012			State Plane, FLN (U.S. Ft.)		NAD83	MLLW																														
LOCATION COORDINATES			ELEVATION TOP OF BORING																																	
X = 966,973 Y = 885,074			-18.1 Ft.																																	
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE																											
-37.1	19.0	Highly Weathered ↓			5			-34.1																												
							-37.1																													
			<p>NOTES:</p> <ol style="list-style-type: none"> USACE Jacksonville is the custodian for these original files. Soils are field visually classified in accordance with the Unified Soils Classification System. 20 ft. ft. penetration Laboratory Testing Results <table border="1"> <thead> <tr> <th>SAMPLE ID</th> <th>SAMPLE DEPTH</th> <th>LABORATORY CLASSIFICATION</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2.0/2.5</td> <td>SP-SM*</td> </tr> <tr> <td>1-post</td> <td>2.0/2.5</td> <td>SP*</td> </tr> <tr> <td>2</td> <td>6.0/6.5</td> <td>SM*</td> </tr> <tr> <td>2-post</td> <td>6.0/6.5</td> <td>SP*</td> </tr> <tr> <td>3</td> <td>9.0/9.5</td> <td>SP-SM*</td> </tr> <tr> <td>4</td> <td>13.0/13.5</td> <td>SP-SM*</td> </tr> <tr> <td>4-post</td> <td>13.0/13.5</td> <td>SP*</td> </tr> <tr> <td>5</td> <td>16.0/16.5</td> <td>SP-SM*</td> </tr> </tbody> </table> <p>*Lab visual classification based on gradation curve. No Atterberg limits.</p>	SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION	1	2.0/2.5	SP-SM*	1-post	2.0/2.5	SP*	2	6.0/6.5	SM*	2-post	6.0/6.5	SP*	3	9.0/9.5	SP-SM*	4	13.0/13.5	SP-SM*	4-post	13.0/13.5	SP*	5	16.0/16.5	SP-SM*				<p>Abbreviations: NR = Not Recorded.</p>		
SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION																																		
1	2.0/2.5	SP-SM*																																		
1-post	2.0/2.5	SP*																																		
2	6.0/6.5	SM*																																		
2-post	6.0/6.5	SP*																																		
3	9.0/9.5	SP-SM*																																		
4	13.0/13.5	SP-SM*																																		
4-post	13.0/13.5	SP*																																		
5	16.0/16.5	SP-SM*																																		

DRILLING LOG		DIVISION South Atlantic	INSTALLATION		SHEET 1 OF 2 SHEETS
1. PROJECT Lake Worth Inlet Snell Vibracoring 2012 Vibracore Borings			9. SIZE AND TYPE OF BIT See Remarks		
2. BORING DESIGNATION VB-LWI2012-19		LOCATION COORDINATES X = 966,230 Y = 885,125		10. COORDINATE SYSTEM/DATUM State Plane, FLN (U.S. Ft.)	
3. DRILLING AGENCY Corps of Engineers - Wilmington		CONTRACTOR FILE NO.		11. MANUFACTURER'S DESIGNATION OF DRILL <input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
4. NAME OF DRILLER			12. TOTAL SAMPLES 6		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			DEG. FROM VERTICAL		BEARING
6. THICKNESS OF OVERBURDEN N/A			13. TOTAL NUMBER CORE BOXES 0		14. ELEVATION GROUND WATER
7. DEPTH DRILLED INTO ROCK N/A			15. DATE BORING		STARTED 06-14-12
8. TOTAL DEPTH OF BORING 13.2 Ft.			16. ELEVATION TOP OF BORING -26.5 Ft.		COMPLETED 06-14-12
			17. TOTAL RECOVERY FOR BORING 66 %		18. SIGNATURE AND TITLE OF INSPECTOR Barbara Nist, Geologist


ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/1 FT.	N-VALUE	
-26.5	0.0		SAND, poorly-graded, mostly fine-grained sand-sized quartz, trace silt, no reaction with HCl, moist, 5Y 5/1 gray (SP) At El. -29.5 Ft., little fine-grained sand-sized shell	NR			-26.5		0	
				1	-post	-29.5	-29.5			5
-32.5	6.0		SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, little fine-grained sand-sized shell, few silt, 5Y 5/1 gray (SP-SM) At El. -36.5 Ft., 5Y 7/1 light gray At El. -37.7 Ft., mostly fine to medium-grained sand-sized quartz, some medium to coarse-grained sand-sized limestone, strong reaction with HCl, moist, 5Y 8/1 white	2			-32.5			
				3	3-post	-35.5	-35.5			10
-38.5	12.0			4		-38.5				
-39.7	13.2		LIMESTONE, soft, moderately weathered, sandy, fragmented, 5Y 8/1 white				-39.7			
NOTES: 1. USACE Jacksonville is the custodian for these original files.							Abbreviations: NR = Not Recorded.			

DRILLING LOG (Cont. Sheet)			INSTALLATION				SHEET 2 OF 2 SHEETS																							
PROJECT			COORDINATE SYSTEM/DATUM		HORIZONTAL	VERTICAL																								
Lake Worth Inlet Snell Vibracoring 2012			State Plane, FLN (U.S. Ft.)		NAD83	MLLW																								
LOCATION COORDINATES			ELEVATION TOP OF BORING																											
X = 966,230 Y = 885,125			-26.5 Ft.																											
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	RQD OR UD	REMARKS	BLOWS/ 1 FT.	N-VALUE																					
			2. Soils are field visually classified in accordance with the Unified Soils Classification System. 3. 20 ft. ft. penetration 4. Laboratory Testing Results <table border="1"> <thead> <tr> <th>SAMPLE ID</th> <th>SAMPLE DEPTH</th> <th>LABORATORY CLASSIFICATION</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3.0/3.5</td> <td>SP*</td> </tr> <tr> <td>1-post</td> <td>3.0/3.5</td> <td>SP* -</td> </tr> <tr> <td>2</td> <td>6.0/6.5</td> <td>SP-SM* -</td> </tr> <tr> <td>3</td> <td>9.0/9.5</td> <td>SP-SM* -</td> </tr> <tr> <td>3-post</td> <td>9.0/9.5</td> <td>SP* -</td> </tr> <tr> <td>4</td> <td>12.0/12.5</td> <td>LIMESTONE* -</td> </tr> </tbody> </table> <p>*Lab visual classification based on gradation curve. No Atterberg limits.</p>	SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION	1	3.0/3.5	SP*	1-post	3.0/3.5	SP* -	2	6.0/6.5	SP-SM* -	3	9.0/9.5	SP-SM* -	3-post	9.0/9.5	SP* -	4	12.0/12.5	LIMESTONE* -						
SAMPLE ID	SAMPLE DEPTH	LABORATORY CLASSIFICATION																												
1	3.0/3.5	SP*																												
1-post	3.0/3.5	SP* -																												
2	6.0/6.5	SP-SM* -																												
3	9.0/9.5	SP-SM* -																												
3-post	9.0/9.5	SP* -																												
4	12.0/12.5	LIMESTONE* -																												




DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
 CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30066

WORK ORDER: 620.
 REQUISITION: W32CSE71600002



DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
 CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

WORK ORDER: 7760
 REQUISITION: RM-CW-95-0159





COBBLES	GRAVEL		SAND			SILT OR CLAY
	COARSE	FINE	COARSE	MEDIUM	FINE	

Sample No.	Elevation (ft)	Classification	Nat w%	LL	PL	PI	Project
1	-26.1 to -27.6	(VISUAL) LT. GRAY, POORLY GRADED SAND (SP), WITH A TRACE OF GRAVEL SIZE SHELL AND A TRACE OF SAND SIZE SHELL FRAGMENTS SPECIFIC GRAVITY = 2.73. VISUAL PERCENT SHELL IS APPROX. = 12%.					PALM BEACH HARBOR MAINTENANCE DREDGING
							Lab No. 73/7098
							Boring No. CB-PBH-95-9
							Date 08/26/95

GRADATION CURVES








Sample No.	2	Depth	5.0 to 5.5 Ft.	Classification	SAND, poorly graded with silt, some fine to medium-grained sand-sized quartz, little fine to medium-grained sand-sized shell, little fine to medium-grained sand-sized limestone, few	Munsell	2.5Y 8/1	Visual % Shell (est)	24	%CO₃		G_s		Org %		w_p		LL		PL		PI	
PROJECT	Lake Worth Inlet Snell Vibracoring 2012																						
BORING NO.	VB-LWI/2012-13																						
BORING ELEV.	-40.0 Ft., MLLW																						
DATE	9/18/2012																						


SAJ FORM 2087
JUN 02



PROJECT	Lake Worth Inlet Snell Vibracoring 2012									
BORING NO.	Vibracore Borings									
BORING ELEV.	-25.7 Ft., MLLW									
DATE	9/18/2012									


Sample No.	Depth	Classification	Munsell	Visual % Shell (est)	%CO ₃	G _s	Org %	w _r	LL	PL	PI
● 1	3.0 to 3.5 Ft.	SAND, silty, mostly fine to medium-grained sand-sized quartz, little fine to medium-grained sand-sized limestone, little silt, trace shell, light gray (SM)	5Y 7/2	3	25						

GRADATION CURVES




GRADATION CURVES

PROJECT Lake Worth Inlet Snell Vibracoring 2012
BORING NO. VB-LWI/2012-14
BORING ELEV. -25.7 Ft., MLLW
DATE 9/18/2012



Sample No.	3	Depth	9.0 to 9.5 Ft.	Classification	SAND, poorly graded with silt, mostly fine-grained sand-sized quartz, little fine to coarse-grained sand-sized limestone, few silt, trace shell, gray (SP-SM)	Munsell	5Y 5/1	Visual % Shell (est)	2	%CO₃	27	G_s		Org %		w_r		LL		PL		PI	
PROJECT	Lake Worth Inlet Snell Vibracoring 2012																						
BORING NO.	VB-LWI/2012-14																						
BORING ELEV.	-25.7 Ft., MLLW																						
DATE	9/18/2012																						


GRADATION CURVES



PROJECT	Lake Worth Inlet Snell Vibracoring 2012
BORING NO.	Vibracore Borings VB-LWI/2012-15
BORING ELEV.	-40.9 Ft., MLLW
DATE	9/18/2012

Sample No.	Depth	Classification	GRAVEL			SAND			LL	PL	PI
			COARSE	FINE	MUNSELL	Visual % Shell (est)	%CO ₃	G _s			
● 1	3.0 to 3.5 Ft.	SAND, poorly graded with silt, mostly fine to medium-grained sand-sized shell, little fine to medium-grained sand-sized quartz, little fine to medium-grained sand-sized lime			2.5Y 6/4	50	63				
GRADATION CURVES											
sand-sized lime yellowish brown (SP-SM)											


SAJ FORM 2087
JUN 02



PROJECT Lake Worth Inlet Snell Vibracoring 2012
BORING NO. VB-LWI/2012-15
BORING ELEV. -40.9 Ft., MLLW
DATE 9/18/2012

GRADATION CURVES


SAJ FORM 2087
 JUN 02
 yellowish brown (SP-SM)



PROJECT Lake Worth Inlet Snell Vibracoring 2012
BORING NO. VB-LWI/2012-15
BORING ELEV. -40.9 Ft., MLLW
DATE 9/18/2012


GRADATION CURVES
 (SW-SM)

SAJ FORM 2087
 JUN 02




PROJECT Lake Worth Inlet Snell Vibracoring 2012
BORING NO. VB-LWI/2012-16
BORING ELEV. -37.7 Ft., MLLW
DATE 9/18/2012

GRADATION CURVES




COBBLES		GRAVEL		SAND		SILT OR CLAY	
Sample No.	Depth	Classification	Munsell	Visual % Shell (est)	G_s	Org %	w_p
● 2	6.0 to 6.5 Ft.	SAND, poorly graded with silt, mostly fine to medium-grained sand-sized quartz, little fine to medium-grained sand-sized limestone, few fine to medium-grained limestone	10Y 7/1	9			
GRADATION CURVES							
medium-grained limestone							
few silt, light greenish gray (SP-SM)							
PROJECT	Lake Worth Inlet Snell Vibracoring 2012						
BORING NO.	Vibracore Borings VB-LWI/2012-16						
BORING ELEV.	-37.7 Ft., MLLW						
DATE	9/18/2012						



PROJECT	Lake Worth Inlet Snell Vibracoring 2012
BORING NO.	Vibracore Borings
BORING ELEV.	VB-LWI/2012-16
DATE	-37.7 Ft., MLLW
DATE	9/18/2012


GRADATION CURVES

SAJ FORM 2087
JUN 02



Sample No.	1	Depth	2.0 to 2.5 Ft.	Classification	SAND, poorly graded with silt, mostly fine-grained sand-sized quartz, little fine-grained sand-sized limestone, few silt, trace shell, gray (SP-SM)	Munsell	5Y 5/1	Visual % Shell (est)	1	%CO₃	19	G_s		Org %		w_r		LL		PL		PI	
PROJECT	Lake Worth Inlet Snell Vibracoring 2012																						
BORING NO.	VB-LWI/2012-17																						
BORING ELEV.	-37.1 Ft., MLLW																						
DATE	9/20/2012																						


GRADATION CURVES



Sample No.	2	Depth	5.0 to 5.5 Ft.	Classification	SANDSTONE, some fine-grained sand-sized quartz, trace silt, trace shell, gray (SANDSTONE)
Munsell	5Y 6/1	Visual % Shell (est)	1	G_s	
Org %		w_p		LL	
PI		PL		PI	
PROJECT	Lake Worth Inlet Snell Vibracoring 2012				
BORING NO.	Vibracore Borings				
BORING ELEV.	-37.1 Ft., MLLW				
DATE	9/20/2012				

GRADATION CURVES


SAJ FORM 2087
JUN 02



HYDROMETER

U. S. STANDARD SIEVE NUMBERS


U. S. STANDARD SIEVE OPENING IN INCHES



COBBLES		GRAVEL		SAND			SILT OR CLAY	
COARSE	FINE	COARSE	FINE	COARSE	MEDIUM	FINE		


PROJECT	Lake Worth Inlet Snell Vibracoring 2012
BORING NO.	Vibracore Borings
BORING NO.	VB-LWI/2012-17
BORING ELEV.	-37.1 Ft., MLLW
DATE	9/20/2012

GRADATION CURVES



GRADATION CURVES


SAJ FORM 2087
JUN 02



PROJECT	Lake Worth Inlet Snell Vibracoring 2012
BORING NO.	Vibracore Borings VB-LWI/2012-18
BORING ELEV.	-18.1 Ft., MLLW
DATE	9/20/2012


Sample No.	Depth	Classification	GRAVEL		SAND		Munsell	Visual % Shell (est)	%CO ₃	G _s	Org %	w _r	LL	PL	PI	
			COARSE	FINE	COARSE	FINE										
● 1	2.0 to 2.5 Ft.	SAND, poorly graded with silt, mostly fine to medium-grained sand-sized quartz, some fine to coarse-grained sand-sized limestone, few silt, trace shell, light olive brown					2.5Y 5/6	3	34							

GRADATION CURVES




GRADATION CURVES


SAJ FORM 2087
JUN 02



SAJ FORM 2087
JUN 02




SAJ FORM 2087
JUN 02




GRADATION CURVES

PROJECT Lake Worth Inlet Snell Vibracoring 2012
BORING NO. VB-LWI/2012-18
BORING ELEV. -18.1 Ft., MLLW
DATE 9/20/2012



PROJECT	Lake Worth Inlet Snell Vibracoring 2012										
BORING NO.	Vibracore Borings										
BORING ELEV.	-26.5 Ft., MLLW										
DATE	9/20/2012										
Sample No.	Depth	Classification	Munsell	Visual % Shell (est)	%CO₃	G_s	Org %	w_r	LL	PL	PI
● 2	6.0 to 6.5 Ft.	SAND, poorly graded with silt, mostly fine-grained sand-sized quartz, little fine-grained sand-sized shell, few silt, gray (SP-SM)	5Y 5/1	24							


GRADATION CURVES



PROJECT	Lake Worth Inlet Snell Vibracoring 2012
BORING NO.	Vibracore Borings
BORING NO.	VB-LWI/2012-19
BORING ELEV.	-26.5 Ft., MLLW
DATE	9/20/2012

Sample No.	Depth	Classification	GRAVEL		SAND			SILT OR CLAY			
			COARSE	FINE	COARSE	MEDIUM	FINE	LL	PL	PI	
● 3	9.0 to 9.5 Ft.	SAND, poorly graded with silt, mostly fine-grained sand-sized quartz, little fine-grained sand-sized shell, few silt, gray (SP-SM)	Munsell 5Y 5/1	Visual % Shell (est)	%CO ₃	G _s	Org %	w _r			
				27	19						

GRADATION CURVES



**Boring Logs and Laboratory Results:
Beach**

x=814 524 y=886,552

Hole No. CB-LWI99-1

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Jacksonville District	<i>SHEET 1 OF 2</i>
1. PROJECT Lake Worth Inlet Sand Transfer Plant		10. SIZE AND TYPE OF BIT 2-3/8, 3-7/8 inch Tricone Bits		
2. LOCATION (Coordinates or Station) X=970,761 Y=886,715		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) NGVD 29, Horizontal Datum: FLE, NAD 83		
3. DRILLING AGENCY US Drilling		12. MANUFACTURER'S DESIGNATION OF DRILL Mobile B-30 Buggy		
4. HOLE NO. (As shown on drawing title and file number) CB-LWI99-1		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 13 undisturbed: 0		
6. NAME OF DRILLER J. C. Moffit		14. TOTAL NUMBER OF CORE BOXES 1		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER +2.5		
7. THICKNESS OF BURDEN 18.5 Ft.		16. DATE HOLE STARTED COMPLETED 11/24/99 11/24/99		
8. DEPTH DRILLED INTO ROCK 10.0 Ft.		17. ELEVATION TOP OF HOLE +7.5 Ft.		
9. TOTAL DEPTH OF HOLE 28.5 Ft.		18. TOTAL CORE RECOVERY FOR BORING See Below %		
		19. SIGNATURE OF Civil Engineer Erik S. Urch		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel	BLOWS/ft.	
7.5	0.0					7.5		
		[Dotted pattern]	SAND, medium subrounded quartz, little medium sand-sized subangular shell fragments, tan to white (SP)	67	1	SPLIT SPOON	1	
4.5	3.0			89	2	SPLIT SPOON	7	
		[Dotted pattern]	SAND, medium quartz, little subangular to angular coarse sand-sized shell fragments, tan to white (SP)	78	3	SPLIT SPOON	9	
1.5	6.0			100	4	SPLIT SPOON	14	
		[Dotted pattern]	SAND, medium to fine quartz, some subangular medium sand-sized shell fragments, gray (SP)	100	5	SPLIT SPOON	15	
		[Dotted pattern]	SAND, medium to fine quartz, little subangular medium to fine sand-sized shell fragments, gravel-sized cemented sand and shell fragments, tan to red (SW)	67	6	SPLIT SPOON	7	
		[Dotted pattern]	SAND, medium to fine quartz, little subangular medium to fine sand-sized shell fragments, gravel-sized cemented sand and shell fragments, tan to red (SW)	67	7	SPLIT SPOON	5	
		[Dotted pattern]	SAND, medium to fine quartz, little subangular medium to fine sand-sized shell fragments, gravel-sized cemented sand and shell fragments, tan to red (SW)	89	8	SPLIT SPOON	5	
		[Dotted pattern]	SAND, medium to fine quartz, little subangular medium to fine sand-sized shell fragments, gravel-sized cemented sand and shell fragments, tan to red (SW)	83	9	SPLIT SPOON	10	
		[Dotted pattern]	SAND, medium to fine quartz, little subangular medium to fine sand-sized shell fragments, gravel-sized cemented sand and shell fragments, tan to red (SW)	78	10	SPLIT SPOON	10	
-7.5	15.0			17	11	SPLIT SPOON	5	
		[Dotted pattern]	SAND, medium to fine quartz, little subangular medium to fine sand-sized shell fragments, gravel-sized cemented sand and shell fragments, tan to red (SW)	17	12	SPLIT SPOON	5	
-11.0	18.5			60	13	SPLIT SPOON	55/5	
		[Block pattern]	LIMESTONE, weakly cemented, shelly, sand-filled solution holes, gray to white	67		Timed Rock Coring		
								18.5 to 19.5 - 0 min. 20 sec.
								19.5 to 20.5 - 0 min. 30 sec.
								20.5 to 21.5 - 0 min. 32 sec.
		[Block pattern]	LIMESTONE, weakly cemented, shelly, sand-filled solution holes, gray to white					
								21.5 to 22.5 - 0 min. 28 sec.

(continued)

ENG FORM 1836 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71	PROJECT Lake Worth Inlet Sand Transfer Plant	HOLE NUMBER CB-LWI99-1
--	---	---------------------------

DRILLING LOG (Cont. Sheet)		ELEVATION TOP OF HOLE +7.5 Ft.		SHEET 2 OF 2			
PROJECT Lake Worth Inlet Sand Transfer Plant			INSTALLATION Jacksonville District				
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel	BLOWS/ 5'
-15.0	22.5		some coral, 22.5 to 28.5 feet	67		22.5 to 23.5 - 0 min. 25 sec. Recovery = 67%, RGD = 67 -16.0	22.5
						93	
-21.0	28.5		Laboratory Classifications Depth From To 3.0 4.5 (SP) 7.5 9.0 (SP) 18.0 18.5 (GP) Notes: 1. Soils are field visually classified in accordance with the Unified Soils Classification System.			140# Hammer with 30" drop used on a 2.0' split spoon (1 3/8" I.D. X 2" O.D.) NAD-27 Coordinates X = 814,524 Y = 886,552	30 32.5 35 37.5 40 42.5 45 47.5 50

ENG FORM 1838 PREVIOUS EDITIONS ARE OBSOLETE.
MAR 71

PROJECT
Lake Worth Inlet Sand Transfer Plant

HOLE NUMBER
CB-LWI99-1

X = 814,266 Y = 885,750

Hole No. CB-LWI99-2

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
1. PROJECT Lake Worth Inlet Sand Transfer Plant		10. SIZE AND TYPE OF BIT 2-3/8, 3-7/8 inch Tricone Bits	
2. LOCATION (Coordinates or Station) X=970,503 Y=885,913		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) NGVD 29, Horizontal Datum: FLE, NAD 83	
3. DRILLING AGENCY US Drilling		12. MANUFACTURER'S DESIGNATION OF DRILL Mobile B-30 Buggy	
4. HOLE NO. (As shown on drawing title and file number) CB-LWI99-2		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 7 undisturbed: 0	
6. NAME OF DRILLER J. C. Moffit		14. TOTAL NUMBER OF CORE BOXES 1	
8. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER +2.0	
7. THICKNESS OF BURDEN 10.0 Ft.		16. DATE HOLE STARTED COMPLETED 11/24/99 11/24/99	
8. DEPTH DRILLED INTO ROCK 5.0 Ft.		17. ELEVATION TOP OF HOLE +7.5 Ft.	
9. TOTAL DEPTH OF HOLE 15.0 Ft.		18. TOTAL CORE RECOVERY FOR BORING See Below %	
		19. SIGNATURE OF Civil Engineer Erik S. Urch	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel	BLOWS/ft		
7.5	0.0					7.5			
		[Dotted pattern]	SAND, medium to coarse quartz, little angular to subangular medium to coarse sand-sized shell fragments, tan to white (SW)	50	1	SPLIT SPOON	1		
				67	2	SPLIT SPOON	3		
							5		
							5		
							5		
							6		
							6		
							13		
							13		
							10		
3.0	4.5		SAND, medium to fine quartz, little subangular medium sand-sized shell fragments, tan-gray (SW)	100	4	SPLIT SPOON	10		
			- little silt, 7.5 ft to 9.0 ft	100	5	SPLIT SPOON	10		
						0.0	10		
							7		
							10		
							9		
							15		
-2.0	9.5			100	7	SPLIT SPOON	50/3		
-2.5	10.0		SAND, medium to fine quartz, gray (SP)						
		[Brick pattern]	LIMESTONE, weakly cemented, shelly, light gray			Timed Rock Coring			
								10.0 to 11.0 - 0 min. 32 sec.	
								11.0 to 12.0 - 0 min. 40 sec.	
						92		12.0 to 13.0 - 0 min. 38 sec.	
								13.0 to 14.0 - 0 min. 40 sec.	
								14.0 to 15.0 - 0 min. 22 sec.	
						Recovery = 92%, RQD = 88			
						-7.5			
-7.5	15.0		Laboratory Classifications Depth From To 1.5 3.0 (SP) 6.0 7.5 (SP)			140# Hammer with 30" drop used on a 2.0' split spoon (1 3/8" I.D. X 2" O.D.)			
			Notes: 1. Soils are field visually classified in accordance with the Unified Soils Classification System.			NAD-27 Coordinates X = 814,266 Y = 885,750			

X = 814,086 Y = 884,230

Hole No. CB-LWI99-3

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 2
1. PROJECT Lake Worth Inlet Sand Transfer Plant		10. SIZE AND TYPE OF BIT 2-3/8 inch Tricone Bit	
2. LOCATION (Coordinates or Station) X=970,323 Y=884,393		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) NGVD 29, Horizontal Datum: FLE, NAD 83	
3. DRILLING AGENCY Black Diamond Drilling		12. MANUFACTURER'S DESIGNATION OF DRILL Mobile B-30	
4. HOLE NO. (As shown on drawing title and file number) CB-LWI99-3		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 21 undisturbed: 0	
6. NAME OF DRILLER Marty Hernandez		14. TOTAL NUMBER OF CORE BOXES 1	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER +2.6	
7. THICKNESS OF BURDEN 34.5 Ft.		16. DATE HOLE STARTED COMPLETED 9/22/99 9/23/99	
8. DEPTH DRILLED INTO ROCK 0.0 Ft.		17. ELEVATION TOP OF HOLE +10.1 Ft.	
9. TOTAL DEPTH OF HOLE 34.5 Ft.		18. TOTAL CORE RECOVERY FOR BORING See Below %	
		19. SIGNATURE OF CIVIL ENGINEER Erik S. Urch	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel	BLOWS/ft
10.1	0.0		SAND, fine to medium quartz, little angular to subangular medium sand-sized shell fragments, gray to tan (SP)	89	1	10.1	1
							3
						8.6	3
							4
				100	2	SPLIT SPOON	5
						7.1	7
							7
				100	3	SPLIT SPOON	6
						5.6	7
							5
				89	4	SPLIT SPOON	6
						4.1	7
							5
			medium to coarse quartz sand, 6.0 ft to 13.5 ft	89	5	SPLIT SPOON	7
						2.6	12
							4
				89	6	SPLIT SPOON	6
						1.1	9
			- Lost drilling fluid circulation at 9.0 ft, installed casing				10
				100	7	SPLIT SPOON	12
						-1.4	24
							7
				100	8	SPLIT SPOON	26
						-1.9	34
							6
				28	9	SPLIT SPOON	7
						-3.4	12
-3.4	13.5		SAND, medium to coarse quartz, some angular to subangular coarse sand- to fine gravel-sized shell and shell fragments, tan (SW)	100	10	SPLIT SPOON	23
						-4.9	46
							11
				67	11	SPLIT SPOON	18
						-6.4	28
							12
				100	12	SPLIT SPOON	16
						-7.9	16
							2
			some peat, gray-black, 18.0 ft to 21.0 ft	89	13	SPLIT SPOON	2
						-9.4	2
							7
				100	14	SPLIT SPOON	14
						-10.9	30
-10.9	21.0		SAND, sub-rounded medium to fine quartz, shelly, angular to subangular shell fragments, gray-black (SP)	100	15	SPLIT SPOON	14
							28
						-12.4	24

ENG FORM 1836 PREVIOUS EDITIONS ARE OBSOLETE. MAR 71

PROJECT
Lake Worth Inlet Sand Transfer Plant

HOLE NUMBER
CB-LWI99-3

DRILLING LOG (Cont. Sheet)		ELEVATION TOP OF HOLE		SHEET 2 OF 2				
PROJECT			INSTALLATION					
Lake Worth Inlet Sand Transfer Plant			Jacksonville District					
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS Bit or Barrel	BLOWS / 6"	
-12.4	22.5					-12.4		
					100	16	SPLIT SPOON	6 12 22
							-13.9	16
					100	17	SPLIT SPOON	40 49
							-15.4	5
					100	18	SPLIT SPOON	8 16
							-16.9	19
-16.9	27.0			SAND, medium to fine quartz, trace of shell fragments, gray-black (SP)	100	19	SPLIT SPOON	37 54
							-18.4	34
					0		SPLIT SPOON	35 68
						-19.9	45	
-19.9	30.0		SAND, medium to coarse quartz, some subangular to angular medium to coarse sand-sized shell and shell fragments, green-tan (SW)	100	20	SPLIT SPOON	37 105/5	
						-21.4	NR	
						See Note Below	NR	
						-22.9	NR	
				83	21	SPLIT SPOON	55 94	
						-24.4	100/3	
-24.4	34.5		Laboratory Classifications Depth From To 3.0 4.5 (SP) 9.0 10.5 (SP) 21.0 22.5 (SP) 27.0 28.5 (SP-SM)			140# Hammer with 30" drop used on a 2.0' split spoon (1 3/8" I.D. X 2" O.D.)		
			Notes: 1. Soils are field visually classified in accordance with the Unified Soils Classification System.			Drilled from 31.5 ft to 33.0 ft, omitted split-spoon sample due to high blow-count of previous sample. Resumed sampling at 33.0 ft.		
						NAD-27 Coordinates X = 814,086 Y = 884,230		


SUMMARY OF LABORATORY TEST RESULTS

LAKE WORTH INLET SAND TRANSFER PLANT
 U. S. ARMY CORPS OF ENGINEERS
 LAW PROJECT NO. 40521-8-8051-12

Page 1 of 1

Boring No.	Sample No.	Sample Depth (feet)	Unified Soil Classification Symbol	Specific Gravity	Percent Passing Sieve No.						
					4	10	20	40	60	100	200
CB-LWI99-1	3	3.0 - 4.5	SP		99.6	94.9	76.9	51.6	26.7	8.4	2.3
	6	7.5 - 9.0	SP		99.3	97.5	95.5	83.5	56.4	25.3	2.5
	7	9.0 - 10.5		2.718							
	11	15.0 - 16.5		2.786							
	13	18.0 - 18.5	GP		12.1	8.9	7.1	4.6	3.2	2.3	1.6
CB-LWI99-2	2	1.5 - 3.0	SP		100.0	99.8	98.1	74.8	16.9	1.1	0.2
	3	3.0 - 4.5		2.742							
	5	6.0 - 7.5	SP		100.0	99.8	99.2	90.4	60.0	29.6	2.6
	6	7.5 - 9.0		2.714							
CB-LWI99-3	3	3.0 - 4.5	SP		100.0	99.5	92.4	58.3	14.0	1.9	0.8
	7	9.0 - 10.5	SP		100.0	99.2	91.5	52.7	10.5	2.8	1.7
	8	10.5 - 12.0		2.753							
	15	21.0 - 22.5	SP		100.0	98.9	85.3	40.8	14.3	4.9	2.9
	16	22.5 - 24.0		2.813							
	19	27.0 - 28.5	SP-SM		100.0	99.8	95.5	78.2	38.5	12.3	7.4

Grain Size Distribution Report



% COBBLES	% GRAVEL	% SAND	% SILT	% CLAY	USCS	AASHTO	PL	LL
0		97.3		2.3	SP	A-3		

SIEVE inches size	PERCENT FINER		
	○		
X	GRAIN SIZE		
D ₆₀	0.519		
D ₃₀	0.269		
D ₁₀	0.160		
X	COEFFICIENTS		
C _c	0.87		
C _u	3.25		

SIEVE number size	PERCENT FINER		
	○		
#4	99.6		
#10	94.9		
#20	76.9		
#40	51.6		
#60	26.7		
#100	8.4		
#200	2.3		

SOIL DESCRIPTION

○ SAND, fine to medium quartz, little medium to coarse sand-sized shell fragments, trace of silt, tan to white

REMARKS:

○

○ Source: Boring No. CB-LWI99-1

Sample No.: 3

Elev./Depth: 3.0'- 4.5'


**Law Engineering and
Environmental Services, Inc.**

Client: US Army Corp of Engineers

Project: Lake Worth Inlet Project

Project No.: 40521-8-8051-12

Grain Size Distribution Report



% COBBLES	% GRAVEL	% SAND	% SILT	% CLAY	USCS	AASHTO	PL	LL
0		96.8		2.5	SP	A-3		

SIEVE inches size	PERCENT FINER		
	○		
 			
GRAIN SIZE			
D ₆₀	0.265		
D ₃₀	0.164		
D ₁₀	0.100		
COEFFICIENTS			
C _c	1.01		
C _u	2.64		

SIEVE number size	PERCENT FINER		
	○		
#4	99.3		
#10	97.5		
#20	95.5		
#40	83.5		
#60	56.4		
#100	25.3		
#200	2.5		

SOIL DESCRIPTION
 ○ SAND, fine to medium quartz, trace of medium to coarse sand-sized shell fragments, gray

REMARKS:
 ○

○ Source: Boring No. CB-LWI99-1


Sample No.: 6

Elev./Depth: 7.5'- 9.0'

Law Engineering and Environmental Services, Inc.

Client: US Army Corp of Engineers
 Project: Lake Worth Inlet Project
 Project No.: 40521-8-8051-12

Grain Size Distribution Report



% COBBLES	% GRAVEL	% SAND	% SILT	% CLAY	USCS	AASHTO	PL	LL
		10.5	1.6		GP	A-1-a		

SIEVE inches size	PERCENT FINER			SIEVE number size	PERCENT FINER			SOIL DESCRIPTION
○				○				
				#4	12.1			○ GRAVEL, fine to coarse shelly limestone gravel, trace of fine quartz sand, trace of fine to coarse sand-sized shell fragments, trace of silt, tan to red
				#10	8.9			
				#20	7.1			
				#40	4.6			
				#60	3.2			
				#100	2.3			
				#200	1.6			
GRAIN SIZE								REMARKS: ○
	D ₆₀							
	D ₃₀							
	D ₁₀	2.83						
COEFFICIENTS								
	C _c							
	C _u							


○ Source: Boring No. CB-LWI99-1

Sample No.: 13

Elev./Depth: 18.0' - 18.5'

Law Engineering and Environmental Services, Inc.	Client: US Army Corp of Engineers Project: Lake Worth Inlet Project Project No.: 40521-8-8051-12
---	--

Grain Size Distribution Report



% COBBLES	% GRAVEL	% SAND	% SILT	% CLAY	USCS	AASHTO	PL	LL
0		99.8		0.2	SP	A-3		

SIEVE inches size	PERCENT FINER		
○			
X	GRAIN SIZE		
D ₆₀	0.369		
D ₃₀	0.286		
D ₁₀	0.225		
X	COEFFICIENTS		
C _c	0.98		
C _u	1.64		

SIEVE number size	PERCENT FINER		
○			
#4	100.0		
#10	99.8		
#20	98.1		
#40	74.8		
#60	16.9		
#100	1.1		
#200	0.2		

SOIL DESCRIPTION
 ○ SAND, fine to medium quartz, trace of medium to coarse sand-sized shell fragments, tan to brown

REMARKS:
 ○

○ Source: Boring No. CB-LWI99-2

Sample No.: 2

Elev./Depth: 1.5'- 3.0'


**Law Engineering and
Environmental Services, Inc.**

Client: US Army Corp of Engineers

Project: Lake Worth Inlet Project

Project No.: 40521-8-8051-12

Grain Size Distribution Report



% COBBLES	% GRAVEL	% SAND	% SILT	% CLAY	USCS	AASHTO	PL	LL
0		97.4	2.6		SP	A-3		

SIEVE inches size	PERCENT FINER		
	○		
 			
GRAIN SIZE			
D ₆₀	0.250		
D ₃₀	0.151		
D ₁₀	0.0933		
COEFFICIENTS			
C _c	0.98		
C _u	2.68		

SIEVE number size	PERCENT FINER		
	○		
#4	100.0		
#10	99.8		
#20	99.2		
#40	90.4		
#60	60.0		
#100	29.6		
#200	2.6		

SOIL DESCRIPTION

○ SAND, fine to medium quartz, trace of medium sand-sized shell fragments, trace of silt, tan-gray

REMARKS:

○


○ Source: Boring No. CB-LWI99-2

Sample No.: 5

Elev./Depth: 6.0'- 7.5'

Law Engineering and Environmental Services, Inc.	Client: US Army Corp of Engineers Project: Lake Worth Inlet Project Project No.: 40521-8-8051-12
---	--

Grain Size Distribution Report



% COBBLES	% GRAVEL	% SAND	% SILT	% CLAY	USCS	AASHTO	PL	LL
0		99.2	0.8		SP	A-3		

SIEVE inches size	PERCENT FINER		
	○		
X	GRAIN SIZE		
D ₆₀	0.434		
D ₃₀	0.309		
D ₁₀	0.231		
X	COEFFICIENTS		
C _c	0.95		
C _u	1.88		

SIEVE number size	PERCENT FINER		
	○		
#4	100.0		
#10	99.5		
#20	92.4		
#40	58.3		
#60	14.0		
#100	1.9		
#200	0.8		

SOIL DESCRIPTION
 ○ SAND, fine to medium quartz, little medium sand-sized shell fragments, tan

REMARKS:
 ○


○ Source: Boring No. CB-LWI99-3

Sample No.: 3

Elev./Depth: 3.0'- 4.5'

Law Engineering and Environmental Services, Inc.	Client: US Army Corp of Engineers Project: Lake Worth Inlet Project Project No.: 40521-8-8051-12
---	--

Grain Size Distribution Report



% COBBLES	% GRAVEL	% SAND	% SILT	% CLAY	USCS	AASHTO	PL	LL
		98.3	1.7		SP	A-3		

SIEVE inches size	PERCENT FINER	
○		
GRAIN SIZE		
D ₆₀	0.468	
D ₃₀	0.327	
D ₁₀	0.242	
COEFFICIENTS		
C _c	0.95	
C _u	1.94	

SIEVE number size	PERCENT FINER	
○		
#4	100.0	
#10	99.2	
#20	91.5	
#40	52.7	
#60	10.5	
#100	2.8	
#200	1.7	

SOIL DESCRIPTION
 ○ SAND, fine to medium quartz, little medium sand-sized shell fragments, tan

REMARKS:
 ○


○ Source: Boring No. CB-LWI99-3

Sample No.: 7

Elev./Depth: 9.0'- 10.5'

Law Engineering and Environmental Services, Inc.	Client: US Army Corp of Engineers Project: Lake Worth Inlet Project Project No.: 40521-8-8051-12
---	--

Grain Size Distribution Report



% COBBLES	% GRAVEL	% SAND	% SILT	% CLAY	USCS	AASHTO	PL	LL
0		97.1	2.9		SP	A-1-b		

SIEVE inches size	PERCENT FINER		
○			
X	GRAIN SIZE		
D ₆₀	0.561		
D ₃₀	0.355		
D ₁₀	0.214		
X	COEFFICIENTS		
C _c	1.05		
C _u	2.63		

SIEVE number size	PERCENT FINER		
○			
#4	100.0		
#10	98.9		
#20	85.3		
#40	40.8		
#60	14.3		
#100	4.9		
#200	2.9		

SOIL DESCRIPTION

○ SAND, fine to medium quartz, trace of medium sand-sized shell fragments, trace of silt, gray-black

REMARKS:

○

○ Source: Boring No. CB-LW199-3

Sample No.: 15

Elev./Depth: 21.0'- 22.5'


**Law Engineering and
Environmental Services, Inc.**

Client: US Army Corp of Engineers

Project: Lake Worth Inlet Project

Project No.: 40521-8-8051-12

Grain Size Distribution Report



% COBBLES	% GRAVEL	% SAND	% SILT	% CLAY	USCS	AASHTO	PL	LL
		92.6		7.4	SP-SM	A-3		

SIEVE inches size	PERCENT FINER		SIEVE number size	PERCENT FINER		SOIL DESCRIPTION
	○			○		
GRAIN SIZE						
D ₆₀	0.329		#4	100.0		REMARKS: ○
D ₃₀	0.221		#10	99.8		
D ₁₀	0.108		#20	95.5		
			#40	78.2		
COEFFICIENTS						
C _c	1.37		#60	38.5		
C _u	3.03		#100	12.3		
			#200	7.4		

○ Source: Boring No. CB-LWI99-3 Sample No.: 19 Elev./Depth: 27.0'- 28.5'

Law Engineering and Environmental Services, Inc.	Client: US Army Corp of Engineers Project: Lake Worth Inlet Project Project No.: 40521-8-8051-12
---	--




LAW

ENGINEERING AND ENVIRONMENTAL SERVICES
3901 CARMICHAEL AVENUE
JACKSONVILLE, FLORIDA 32207
(904)396-5173

REPORT OF SETTLING RATE TESTING

LAW PROJECT NO: 40521-8-8051-12
PROJECT: COE Lake Worth
CLIENT: USACE, Jacksonville District

SAMPLE : 8
STATION : CB-LWI99-1
CONCENTRATION: 100g/L



TIME	INTERFACE (cm)	TIME	INTERFACE (cm)
0.1	30	16	5.8
0.25	10	30	5.8
0.5	8	60	5.8
1	7	120	5.7
2	6	240	5.7
4	5.9	480	5.7
8	5.9	1440	5.7

Final concentration: 1754 g/L

Reviewed By:

Andrew T. Path




LAW

ENGINEERING AND ENVIRONMENTAL SERVICES
3901 CARMICHAEL AVENUE
JACKSONVILLE, FLORIDA 32207
(904)396-5173

REPORT OF SETTLING RATE TESTING

LAW PROJECT NO: 40521-8-8051-12
PROJECT: COE Lake Worth
CLIENT: USACE, Jacksonville District

SAMPLE : 12
STATION : CB-LWI99-1
CONCENTRATION: 100g/L



TIME	INTERFACE (cm)	TIME	INTERFACE (cm)
0.1	99.9	16	80
0.25	99.8	30	69
0.5	99.7	60	34.5
1	99.5	120	10.5
2	99	240	9.4
4	98.5	480	9
8	97	1440	8.5

Final concentration: 1177 g/L

Reviewed By:

Andrew T. Matt




LAW

ENGINEERING AND ENVIRONMENTAL SERVICES
3901 CARMICHAEL AVENUE
JACKSONVILLE, FLORIDA 32207
(904)396-5173

REPORT OF SETTLING RATE TESTING

LAW PROJECT NO: 40521-8-8051-12
PROJECT: COE Lake Worth
CLIENT: USACE, Jacksonville District

SAMPLE : 3
STATION : CB-LWI99-2
CONCENTRATION: 100g/L



TIME	INTERFACE (cm)	TIME	INTERFACE (cm)
0.1	35	16	5.8
0.25	9	30	5.8
0.5	6	60	5.8
1	5.9	120	5.8
2	5.9	240	5.8
4	5.8	480	5.8
8	5.8	1440	5.8

Final concentration: 1724 g/L

Reviewed By:

Andrew T. Hatten



LAW

ENGINEERING AND ENVIRONMENTAL SERVICES
3901 CARMICHAEL AVENUE
JACKSONVILLE, FLORIDA 32207
(904)396-5173

REPORT OF SETTLING RATE TESTING

LAW PROJECT NO: 40521-8-8051-12


SAMPLE : 6

PROJECT: COE Lake Worth

STATION : CB-LWI99-2

CLIENT: USACE, Jacksonville District

CONCENTRATION: 100g/L



TIME	INTERFACE (cm)	TIME	INTERFACE (cm)
0.1	40	16	5.7
0.25	12	30	5.7
0.5	7	60	5.6
1	6	120	5.6
2	5.8	240	5.6
4	5.8	480	5.6
8	5.7	1440	5.6

Final concentration: 1786 g/L

Reviewed By:




LAW

ENGINEERING AND ENVIRONMENTAL SERVICES
3901 CARMICHAEL AVENUE
JACKSONVILLE, FLORIDA 32207
(904)396-5173

REPORT OF SETTLING RATE TESTING

LAW PROJECT NO: 40521-8-8051-12
PROJECT: COE Lake Worth
CLIENT: USACE, Jacksonville District

SAMPLE : 6
STATION : CB-LWI99-3
CONCENTRATION: 100g/L



TIME	INTERFACE (cm)	TIME	INTERFACE (cm)
0.1	25	16	5.3
0.25	10	30	5.3
0.5	7	60	5.3
1	5.5	120	5.3
2	5.4	240	5.3
4	5.4	480	5.2
8	5.3	1440	5.2

Final concentration: 1923 g/L

Reviewed By:




LAW

ENGINEERING AND ENVIRONMENTAL SERVICES
3901 CARMICHAEL AVENUE
JACKSONVILLE, FLORIDA 32207
(904)396-5173

REPORT OF SETTLING RATE TESTING

LAW PROJECT NO: 40521-8-8051-12
PROJECT: COE Lake Worth
CLIENT: USACE, Jacksonville District

SAMPLE : 17
STATION : CB-LWI99-3
CONCENTRATION: 100g/L



TIME	INTERFACE (cm)	TIME	INTERFACE (cm)
0.1	33	16	6.1
0.25	11	30	6.1
0.5	7	60	6.1
1	6.5	120	6.1
2	6.4	240	6.1
4	6.3	480	6.1
8	6.2	1440	6

Final concentration: 1667 g/L

Reviewed By:

Andrew T. Beattie