APPROVED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 20160513

DISTRICT OFFICE, FILE NAME, AND NUMBER: CESAJ Palm Beach Gardens, Foucauld, Jean/JD/ 40th Street,

We	llington. SAJ-2016-00283.
C.	PROJECT LOCATION AND BACKGROUND INFORMATION: State:FL County/parish/borough: Palm Beach City: Wellington Center coordinates of site (lat/long in degree decimal format): Lat. 26.621332° N, Long. 80.237943° W. Universal Transverse Mercator: Name of nearest waterbody: Tributary along Lake Worth Rd Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: L-40 Canal Name of watershed or Hydrologic Unit Code (HUC): 030902020600, Conservation Area 1 Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: 20160314 Field Determination. Date(s): 20160212
	CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.
	re Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the few area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce Explain:
B.	CWA SECTION 404 DETERMINATION OF JURISDICTION.
The	ere Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]
	1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands
	b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: linear feet: width (ft) and/or acres. Wetlands: 0.1 acres.
	c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual Elevation of established OHWM (if known):
	2. Non-regulated waters/wetlands (check if applicable): ³ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional Explain: The site contains a 0.35 acre isolated pond in the central southern portion of the parcel. The pond is considered to be isolated and not within the Corps' jurisdiction. The pond is currently completely surrounding by

uplands, as delilneated via the 1987 Corps Delineation Manual, and has not obvious hydrologic connection to any of

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

Supporting documentation is presented in Section III.F.

the tributaries surrounding the parcel. The isolated surface water is seperated from the non-RPW by approximately 5 linear feet of uplands. The pond has no connection to interstate commerce.	0

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1	TI	T 1 7 7
1.	11.	* **

Identify TNW:

Summarize rationale supporting determination:

2. Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent":

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:

Watershed size: 150,278 acres Drainage area: 10.0 acres

Average annual rainfall: 54.7 inches Average annual snowfall: 0 inches

(ii) Physical Characteristics:

(a) Relationship with TNW:

Tributary flows directly into TNW.

Tributary flows through 5 tributaries before entering TNW.

Project waters are 2-5 river miles from TNW.

Project waters are 1 (or less) river miles from RPW.

Project waters are 2-5 aerial (straight) miles from TNW.

Project waters are 1 (or less) aerial (straight) miles from RPW.

Project waters cross or serve as state boundaries. Explain:

Identify flow route to TNW⁵: Tributary A receives drainage from approximately 10 acres of this parcel and the parcel to the south. During rain events, stormwater sheetflows into Tributary A. Tributary A flows east and through a culvert under

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

120 Ave S before entering a larger tributray with perrenial flow (tributary B). Tributary B flows north for 300 feet into Tributary C which has perennial flow. Tributary C flows west for approximately 3.9 miles and into Tributary D, which has perennial flow. Tributary D flows south for 0.6 miles and into the L-40 Canal, a TNW. Tributary stream order, if known:

General Tributary Characteristics (check all that apply):

Tributary is:

(b)	General Tributar	y Characteristics (check all that appl	<u>y):</u>
	Tributary is:	☐ Natural	
		Artificial (man-made). Explai	in: Tributary A is artificial and was most likely dug for agricultural
numoses as th	e site was formerl		, , , , , , , , , , , , , , , , , , , ,
Parkes as a		Manipulated (man-altered). I	Explain
			zapium.
	Tuibutany arana	etias with earnast to top of houle (acti	mota):
		rties with respect to top of bank (esti	mate):
	Average wie		
		oth: 05 feet	
	Average sid	e slopes: 2:1.	
	Primary tributary	substrate composition (check all that	t apply):
	⊠ Silts	⊠ Sands	Concrete
	Cobbles	Gravel	Muck
	Bedrock		cover: No vegetative cover, algal matting
	Other. E		cover. 110 vegetative cover, argai maxing
	_ Ouler. E	хріаш.	
	Tallerian van Bri	interestination for a distribution of the	and in the fall Tourists The best on the firm and accorded and
T00000-1010			ughing banks]. Explain: The banks are shallow and vegetated, and
appear to be n		e portions appear to be experiencing	scouring and are starting to erode
		iffle/pool complexes. Explain:	91
		try: Relatively straight	
	Tributary gradier	nt (approximate average slope): <1 %	
(c)	Flow:		
		es for: Ephemeral flow	
		number of flow events in review are	ea/vear: 11-20
			to flow only during large storm events with water remaining
stagnant after			to now only during large storm events with water remaining
stagnam aner		either evaporated or percolated.	
	Other informatio	n on duration and volume:	
	C C	0:	
	Surface flow is: I	Discrete and confined. Characterist	ics: Flow is confined to bottom of the linear tributary/ditch.
		Unknown. Explain findings:	•
	☐ Dye (or	other) test performed:	
	Tributary has (ch	eck all that apply):	
	Bed and	banks	
	○ OHWM ○	(check all indicators that apply):	
		r, natural line impressed on the bank	the presence of litter and debris
		nges in the character of soil	destruction of terrestrial vegetation
	shel		the presence of wrack line
		etation matted down, bent, or absent	
			sediment sorting
		litter disturbed or washed away	⊠ scour
		ment deposition	multiple observed or predicted flow events
		er staining	□ abrupt change in plant community
	othe	er (list):	
	Disconti	nuous OHWM.7 Explain: .	
	7		
	If factors other th	an the OHWM were used to determi	ne lateral extent of CWA jurisdiction (check all that apply):
		ide Line indicated by:	Mean High Water Mark indicated by:
		or seum line along shore objects	survey to available datum;
		shell or debris deposits (foreshore)	physical markings;
		sical markings/characteristics	vegetation lines/changes in vegetation types.
	tidal	gauges	
	othe	er (list):	
	(=-11)		

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

Thid.

(iii) Chemical Characteristics:

Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain: The immediate watershed characteristics are commercial/agricultural (horse training areas), residential, and undeveloped land. The drainage area is not highly developed. The water quality is assumed to be moderately impacted with nutrients and turbidity.

Identify specific pollutants, if known:

	(iv)	Bio	logical Characteristics. Channel supports (check all that apply): Riparian corridor. Characteristics (type, average width):
		Щ	Wetland fringe. Characteristics:
		Lil,	Habitat for:
			Federally Listed species. Explain findings:
			Fish/spawn areas. Explain findings:
			Other environmentally-sensitive species. Explain findings:
			Aquatic/wildlife diversity. Explain findings:
2.	Cha	ract	eristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
	(i)	Phy	vsical Characteristics:
			General Wetland Characteristics:
			Properties:
			Wetland size:0.1 acres
			Wetland type. Explain:Herbaceous.
			Wetland quality. Explain: Low-moderate. It is a small linear wetland/ditch. The wetland is colonized with melaleuca
whi	ch ar	e ma	naged
			Project wetlands cross or serve as state boundaries. Explain:
		a.	Constitution 1 de la constitution de la constitutio
		(b)	General Flow Relationship with Non-TNW: Flow is: Ephemeral flow. Explain:
			Surface flow is: Not present
			Characteristics: .
			Subsurface flow: Yes. Explain findings: Wetland is seperated from the non-RPW by a narrow artificial berm which
rest	ricts	surfa	ce flow. Subsurface flow is assumed during and after rainy periods.
			Dye (or other) test performed:
		(c)	Wetland Adjacency Determination with Non-TNW:
		(-)	Directly abutting
			Not directly abutting Not directly abutting
			Discrete wetland hydrologic connection. Explain:
			Ecological connection. Explain:
			 ☑ Separated by berm/barrier. Explain: Wetland is seperated from tributary A by a narrow artificial berm.
			Separated by bering barrier. Explain: Wettailed is seperated from thousary A by a narrow artificial berin.
		(d)	Proximity (Relationship) to TNW
			Project wetlands are 2-5 river miles from TNW.
			Project waters are 2-5 aerial (straight) miles from TNW.
			Flow is from: Wetland to navigable waters.
			Estimate approximate location of wetland as within the Pick List floodplain.
	(#1)	Ch	emical Characteristics:
	(II)		aracterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed
		CHa	characteristics; etc.). Explain: The immediate watershed characteristics are undeveloped land. The water present was
			clear and tannic and water quality is not assumed to be highly impacted. The wetland had a high percentage of melaleuca
		T.J.	though these were managed.
		Idei	ntify specific pollutants, if known:
	(iii	Bio	logical Characteristics. Wetland supports (check all that apply):
			Riparian buffer. Characteristics (type, average width):
		\boxtimes	Vegetation type/percent cover. Explain:low density emergents including melaleuca and grassy emergents.
		X	Habitat for:
			Federally Listed species. Explain findings: The wetland is suitable habitat for the federally listed Wood Stork.
			Fish/spawn areas. Explain findings:
			Other environmentally-sensitive species. Explain findings:
			Aquatic/wildlife diversity. Explain findings:
•	C		
3.	Cha		eristics of all wetlands adjacent to the tributary (if any)
			wetland(s) being considered in the cumulative analysis: 1
		App	proximately (0.1) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

Directly abuts? (Y/N) Size (in acres) Directly abuts? (Y/N) Size (in acres)

Summarize overall biological, chemical and physical functions being performed: storage of flood waters, reduction of downstream peak discharge and volume, recharge of aquifers, maintenance of seasonal/baseflows, maintenance of groundwater supplies, sediment and nutrients removal, provide breeding grounds, assist in maintenance of a more consistent water temperature in the tributary, provide wildlife habitat (e.g. feeding, nesting, spawning, rearing of young), support diverse community of benthic invertebrates, a major food source for vertebrates.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and
 other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: This significant nexus determination is for a wetland adjacent to a non-RPW. The wetland is on-site and the RPW is not on-site. This project lies within the 12 digit United States Geological Survey (USGS) Hydrologic Unit Code 030902020600 know as Conservation Area 1. Land use within the watershed is primarily agricultural and commercial, with a lower proportion of residential areas. The watershed is located entirely within Palm Beach County. For the purposes of this determination, drainage area is defined as the area, in acres, that flows through the relevant reach, including uplands and wetlands. The wetlands within the RR make up an estimated 0.01% the 10.5-acre drainage area. The subject reach is located less than 5 river miles from the L-40 Canal, a TNW. The wetlands on-site total an estimated 0.1 acres

There are no similiarly situated wetlands for this relevannt reach, but the wetland performs the following ecosystem functions of which form a significant nexus with WOTUS:

Physical: The wetlands perform important flow maintenance functions including storage of flood waters. The storage capacity of the wetland helps to dampen and smooth out the otherwise flashy hydroperiods of the tributaries. The wetlands reduce local flooding. Storage of surface waters provides groundwater recharge that contributes to baseflow in the tributary that is vital to sustain aquatic life in downstream waters'. These wetlands offer the following benefits to downstream aquatic resources: reduction of downstream peak discharge and volume, recharge of aquifers, maintenance of seasonal/baseflows, maintenance of groundwater supplies (1,2).

Chemical: The wetlands improves water quality by removing sediment and nutrients (patticularly phosphorous and nitrogen) that would otherwise reach downstream waters and have a negative effect on aquatic resources (1,2,3).

Biological: The wetlands are of utmost importance biologically since the majority of other non-wetland areas in the watershed have been altered for agriculture, residential, or other purposes(1). These wetlands provide breeding grounds for species that cannot reproduce in faster moving water and move between wetlands and uplands over their lifecycle. The wetland, along with the tributary system, provide wildlife habitat (e.g. feeding, nesting, spawning, rearing ofyoung) for many aquatic species that live in traditional navigable waters(2). The wetlands also maintain a more consistent water temperature in tributaries, which is important to many aquatic species(2). These wetlands have a diverse community of benthic invertebrates, a major food source for vertebrates(3).

References:

- 1. The Clean Water Act Jurisdictional Handbook. 2007. Environmental Law Institute, Washington, DC, 77 pp.
- Clean Water Act Jurisdiction Following the U.S. Supreme Court's Decision in Rapanos v. United States & Carabell v. United States. 2007. US Department of the Anny and US Environmental Protection Agency. 12 pp.
- 3. Ewel, K.C. 1990. Multiple detnands on wetlands. Bioscience, 40:660-666.
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

D.	DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALI
	THAT APPLY):

1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area: TNWs: linear feet width (ft), Or, acres. Wetlands adjacent to TNWs: acres.
2.	RPWs that flow directly or indirectly into TNWs. Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
3.	Non-RPWs ⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters:
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.

⁸See Footnote #3.

		and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C. Provide acreage estimates for jurisdictional wetlands in the review area: .
	6.	 Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C. Provide estimates for jurisdictional wetlands in the review area: 0.1 acres.
	7.	
Е.	SUC	DLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY CH WATERS (CHECK ALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: Other factors. Explain: ontify water body and summarize rationale supporting determination:
		vide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands: acres.
F.		N-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Other: (explain, if not covered above):
	fact judg	vide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR ors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional gment (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet width (ft). Lakes/ponds: 0.35 acres. Other non-wetland waters: acres. List type of aquatic resource: Wetlands: acres.

⁹ To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.
¹⁰ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

	ovide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such
a fi	inding is required for jurisdiction (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).
H	Lakes/ponds: acres.
Ħ	Other non-wetland waters: acres. List type of aquatic resource:
一	Wetlands: acres.
_	
SECTION	ON IV: DATA SOURCES.
A CITE	PPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked
	d requested, appropriately reference sources below):
	, 1 , 11 1 2
	☐ Office concurs with data sheets/delineation report.
	Office does not concur with data sheets/delineation report.
	Data sheets prepared by the Corps: .
Ħ	Corps navigable waters' study:
\square	U.S. Geological Survey Hydrologic Atlas:
_	USGS NHD data.
	☐ USGS 8 and 12 digit HUC maps.
	U.S. Geological Survey map(s). Cite scale & quad name:
\boxtimes	USDA Natural Resources Conservation Service Soil Survey. Citation:
\boxtimes	National wetlands inventory map(s). Cite name:NWI, 2008.
	State/Local wetland inventory map(s): .
	FEMA/FIRM maps: .
	100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)
\boxtimes	Photographs: Aerial (Name & Date):Google Earth 1995-2014.
_	or 🛛 Other (Name & Date):Photos provided by agent: January 2016 and March 2016.
	Previous determination(s). File no. and date of response letter:
닏	Applicable/supporting case law:
	Applicable/supporting scientific literature:
	Other information (please specify):

B. ADDITIONAL COMMENTS TO SUPPORT JD: