

The use of signs to identify Corps managed or supervised design, construction, and rehabilitation projects—both for military and civil works, is an important part of efforts to keep the public informed of Corps work. For this purpose, a construction project sign package has been adopted. This package consists of two signs; one for project identification and the other to show on-the-job safety performance of the contractor.

These two signs are to be displayed side by side and mounted for reading by passing viewers. Exact placement location will be designated by the Contracting Officer Representative.

The panel sizes and graphic formats have been standardized for visual consistency throughout all Corps operations.

Panels are fabricated using HDO plywood with dimensional lumber uprights and bracing. The sign faces are non-reflective vinyl.

All legends are to be die-cut or computer-cut in the sizes and typefaces specified and applied to the white panel background following the graphic formats shown on pages 16.2 and 16.3. The Communications Red panel on the left side of the construction project sign with Corps signature (reverse version) is screen printed onto the white background.

A display of these two signs is shown on the following two pages. Mounting and fabrication details are provided on page 16.4.

Special applications or situations not covered in these guidelines should be referred to the District/Division Sign Program Manager.

Below are two samples of the construction project identification sign showing how this panel is adaptable for use to identify either military (top) or civil works projects (bottom). The graphic format for this 4' x 6' sign panel follows the legend guidelines and layout as specified below. The large 4' x 4' section of the panel on the right is to be white with black legend.

The 2' x 4' section of the sign on the left with the full Corps Signature (reverse version) is to be screen printed Communications Red on the white background. The designation of a sponsor in the area indicated is optional with Military or Civil Works construction signs. Signs may list one sponsoring entity. If agreement on a sponsor designation cannot be achieved,

the area should be left blank.

This sign is to be placed with the Safety Performance sign shown on the following page. Mounting and fabrication details are provided on page 16.4.

Special applications or situations not covered in these guidelines should be referred to the District/Division Sign Program Manager.

Legend Group 1: One- to two-line description of Corps relationship to project.

Color: White  
Typeface: 1.25" Helvetica Regular  
Maximum line length: 19"

Legend Group 2: Division or District Name (optional). Placed below 10.5" reverse Signature (6" Castle).

Color: White  
Typeface: 1.25" Helvetica Regular

Legend Group 2a: One- to three-line identification of Military or Civil Works sponsor (optional). Place below Corps Signature to cross-align with Group 5a-b.

Color: White  
Typeface: 1.25" Helvetica Regular  
Maximum line length: 19"

Legend Group 3: One- to three-line project title legend describes the work being done under this contract.

Color: Black  
Typeface: 3" Helvetica Bold  
Maximum line length: 42"

Legend Group 4: One- to two-line identification of project or facility (civil works) or name of sponsoring department (military).

Color: Black  
Typeface: 1.5" Helvetica Regular  
Maximum line length: 42"

Cross-align the first line of Legend Group 4 with the first line of the Corps Signature (US Army Corps) as shown.

Legend Groups 5a-b: One- to five-line identification of prime contractors including: type (architect, general contractor, etc.), corporate or firm name, city, state. Use of Legend Group 5 is optional.

Color: Black  
Typeface: 1.25" Helvetica Regular  
Maximum line length: 21"

All typography is flush left and rag right, upper and lower case with initial capitals only as shown. Letter- and word-spacing to follow Corps standards as specified in Appendix D.

Design and Construction Supervised by:

**Fire Station**

Langley Air Force Base, Virginia

US Army Corps of Engineers  
Norfolk District

Sponsored by  
U.S. Air Force  
Tactical Air Command

Architects:  
Williams-Russell & Associates  
Atlanta, Georgia

Contractor:  
Fenwick Associates, Inc.  
Athens, Georgia

Dimensions: 3", 42", 3", 6", 4.5", 4.5", 6", 2.25", 9.5", 1.875", 1.875", 1.875", 7.75", 5", 21", 21", 21"

Construction Supervised by:

**Expansion of Fish Hatchery**

Bonneville Lock and Dam

US Army Corps of Engineers  
Portland District

Contractor:  
Will Construction Co.  
Portland, Oregon

Consulting Engineer:  
International Engineering Company Inc.  
Dallas, Texas

Sign Type	Legend Size (A)	Panel Size	Post Size	Specification Code	Mounting Height	Color Bkg/Lgd
CID-01	various	4' x 6'	4' x 4"	HDO-3	48"	WH-RD/BK

Each contractor's safety record is to be posted on Corps managed or supervised construction projects and mounted with the construction project identification sign specified on page 16.2.

The graphic format, color, size and type-faces used on the sign are to be reproduced exactly as specified below.

**Legend Group 1:** Standard two-line title "Safety is a Job Requirement" with (8" od.) Safety Green First Aid logo.  
 Color: To match PMS 347  
 Typeface: 3" Helvetica Bold  
 Color: Black

**Legend Group 2:** One- to two-line project title legend describes the work being done under this contract and name of host project.  
 Color: Black  
 Typeface: 1.5" Helvetica Regular  
 Maximum line length: 42"

**Legend Group 3:** One- to two-line identification: name of prime contractor and city, state address.  
 Color: Black  
 Typeface: 1.5" Helvetica Regular  
 Maximum line length: 42"

**Legend Group 4:** Standard safety record captions as shown.  
 Color: Black  
 Typeface: 1.25" Helvetica Regular

Replaceable numbers are to be mounted on white .060 aluminum plates and screw-mounted to background.  
 Color: Black  
 Typeface: 3" Helvetica Regular  
 Plate size: 2.5" x 4.5"

All typography is flush left and rag right, upper and lower case with initial capitals only as shown. Letter and word spacing to follow Corps standards as specified in Appendix D.

The title with First Aid logo in the top section of the sign, and the performance record captions are standard for all signs of this type. Legend groups 2 and 3 below identify the project and the contractor and are to be placed on the sign as shown.


Safety record numbers are mounted on individual metal plates and are

screw-mounted to the background to allow for daily revisions to posted safety performance record.

Special applications or situations not covered in these guidelines should be referred to the District/Division Sign Program Manager.



Sign Type	Legend Size (A)	Panel Size	Post Size	Specification Code	Mounting Height	Color Bkg/Lgd
CID-02	various	4' x 4'	4" x 4"	HDO-3	48"	WH/BK-SG



All Construction Project Identification signs and Safety Performance signs are to be fabricated and installed as described below. The signs are to be erected at a location designated by the Contracting Officer Representative and shall conform to the size, format, and typographic standards shown on pages

16.2-3. Detailed specifications for HDO plywood panel preparation are provided in Appendix B.

For additional information on the proper method to prepare sign panel graphics, contact the District/Division Sign Program Manager.

Shown below the mounting diagram is a panel layout grid with spaces provided for project information. Photocopy this page and use as a worksheet when preparing sign legend orders.

The sign panels are to be fabricated from .75" High Density Overlay Plywood. Panel preparation to follow HDO specifications provided in Appendix B.

Sign graphics to be prepared on a white non-reflective vinyl film with positionable adhesive backing.

All graphics except for the Communications Red background with Corps signature on the project sign are to be die-cut or computer-cut non-reflective vinyl, pre-spaced legends prepared in the sizes and typefaces specified and applied to the background panel following the graphic formats shown on pages 16.2-3.


The 2' x 4' Communications Red panel (to match PMS-032) with full Corps signature (reverse version) is to be screen printed on the white background. Identification of the district or division may be applied under the signature with white cut vinyl letters prepared to Corps standards. Large scale reproduction artwork for the signature is provided on page 4.8 (photographically enlarge from 6.875" to 10.5").

Drill and insert six (6) .375" T-nuts from the front face of the HDO sign panel. Position holes as shown. Flange of T-nut to be flush with sign face.

Apply graphic panel to prepared HDO plywood panel following manufacturers' instructions.

Sign uprights to be structural grade 4" x 4" treated Douglas Fir or Southern Yellow Pine, No.1 or better. Post to be 12' long. Drill six (6) .375" mounting holes in uprights to align with T-nuts in sign panel. Countersink (.5") back of hole to accept socket head cap screw (4" x .375").

Assemble sign panel and uprights. Imbed assembled sign panel and uprights in 4' hole. Local soil conditions and/or wind loading may require bolting additional 2" x 4" struts on inside face of uprights to reinforce installation as shown.



Construction Project Sign  
Legend Group 1: Corps Relationship

1. \_\_\_\_\_
2. \_\_\_\_\_

Legend Group 2: Division/District Name

1. \_\_\_\_\_
2. \_\_\_\_\_

Legend Group 2a: Military/Civil Works Sponsor

1. \_\_\_\_\_
2. \_\_\_\_\_

Legend Group 3: Project Title

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_

Legend Group 4: Facility Name

1. \_\_\_\_\_
2. \_\_\_\_\_

Legend Group 5a: Contractor/A&E

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_

Legend Group 5b: Contractor/A&E

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_

Safety Performance Sign  
Legend Group 1: Project Title

1. \_\_\_\_\_
2. \_\_\_\_\_

Legend Group 2: Contractor/A&E

1. \_\_\_\_\_
2. \_\_\_\_\_

# SAFETY SCOREBOARD

(CONSECUTIVE SAFE DAYS WITHOUT RECORDABLE INJURY,  
ILLNESS OR PROPERTY DAMAGE OF \$2,000 OR GREATER)

NUMBER OF CALENDAR DAYS  
ON THE JOB STARTING DATE

CURRENT RECORD  
STARTING DATE

(USE CHALK ONLY)


SAFETY LITERATURE



48"

36"

# In cooperation with



Legend Group 2a: One- to two-line identification of the sponsor's relationship to the project. Place below Corps Signature to cross align with Group 5a-b.  
(Brevard County logo) 6 inches in height  
Color: Black Lettering; Outlines of the logo shapes in Black all on a White background  
Typeface: 1.25" Helvetica Regular

# In cooperation with



Legend Group 2a: One- to two-line identification of the sponsor's relationship to the project. Place below Corps Signature to cross align with Group 5a-b.

(CITY OF JACKSONVILLE logo) 6 inches in height

Color: Yellow Lettering on White Background; Sunburst Rays- Yellow on White; Horse/Rider in Black; Half Circle in Red; Maps - White with Black Edges.

Typeface: 1.25" Helvetica Regular

# In cooperation with



Legend Group 2a: One- to two-line identification of the sponsor's relationship to the project. Place below Corps Signature to cross align with Group 5a-b.

(CITY OF LAKE WORTH logo) 6 inches in height

Color: White Background with Black Lettering; Brown Tree Trunk with Dark Green foliage on Light Green Grass; White frame Chair with Pink Stripes on Light Gold Sand; Waves in Blue; Blue-Green Sky with Yellow Sun

Typeface: 1.25" Helvetica Regular

# In cooperation with



Legend Group 2a: One- to two-line identification of the sponsor's relationship to the project. Place below Corps Signature to cross align with Group 5a-b.  
(FDEP logo) 6 inches height  
Color: Black Lettering, Black and White Bird, Black Palm Tree, Turquoise water, Light Turquoise (50%) sun  
Typeface: 1.25" Helvetica Regular

# In cooperation with




Legend Group 2a: One- to two-line identification of the sponsor's relationship to the project. Place below Corps Signature to cross align with Group 5a-b.

(DRNA logo) 6 inches in height

Color: Black Lettering on White Background; Inner/Outer Circles - Black; White Fish outlined in Black on Blue Water; Bird on Tree Limb outlined in Black on Green Background; Area Depicting Land hatched in Black on Tan and Dark Brown Backgrounds.

Typeface: 1.25" Helvetica Regular

# In cooperation with




Legend Group 2a: One- to two-line identification of the sponsor's relationship to the project. Place below Corps Signature to cross align with Group 5a-b.

(DTOP logo) 6 inches in height

Color: Yellow Lettering on Blue Background

Typeface: 1.25" Helvetica Regular

# In cooperation with



Legend Group 2a: One- to two-line identification of the sponsor's relationship to the project. Place below Corps Signature to cross align with Group.5a-b.

(FIND logo) 6 inches in height

Color: Black Circle on White Background; White Lettering in Outer Circle; Black Lettering in Inner Circle; Red and Black Lighthouse

Typeface: 1.25" Helvetica Regular

In cooperation with



Legend Group 2a: One- to two-line identification of the sponsor's relationship to the project. Place below Corps Signature to cross align with Group 5a-b.

(JAXPORT logo) 6 inches in height

Color: Blue Lettering on White Background; Ship -- Blue on White

Typeface: 1.25" Helvetica Regular

# In cooperation with




Legend Group 2a: One- to two-line identification of the sponsor's relationship to the project. Place below Corps Signature to cross align with Group 5a-b.

(PALM BEACH COUNTY logo) 6 inches in height

Color: Black Lettering on Beige Background; Palm Tree -- Green; Ocean - Blue; Sun - Yellow; Sky Area - Yellow fading to Red/Orange/to Violet

Typeface: 1.25" Helvetica Regular

# In cooperation with



Legend Group 2a: One- to two-line identification of the sponsor's relationship to the project. Place below Corps Signature to cross align with Group 5a-b.

(ST. LUCIE COUNTY logo) 6 inches in height

Color: Blue Lettering on White Background; Center Circle - Orange with County Map in Brown; Sun Rays - Gold; Individual Pictures - Outlined in Black with various colors throughout

Typeface: 1.25" Helvetica Regular

# In cooperation with



Legend Group 2a: One- to two-line identification of the sponsor's relationship to the project. Place below Corps Signature to cross align with Group 5a-b. (SFWMD logo) 6 inches in height

Color: Lettering - Black on White Background; Inner/Outer Circle - Dark Blue; Land - Dark Green; River/Lake - Light Blue; Sky - Yellow; Sun - Red/Orange; Sun Rays - Black; Upper State - White; Lower State - Light Green

Typeface: 1.25" Helvetica Regular