

<b>TO:</b> Suwannee River Water Management District Live Oak, FL	<b>FROM:</b> USACE, District Engineer Attn: CESAJ-CO-OM Jacksonville, Florida
--	---

<b>RIVER/HARBOR NAME AND STATE</b> Suwannee River, FL	<b>MINIMUM DEPTHS IN EACH 1/4 WIDTH OF CHANNEL ENTERING FROM SEAWARD</b>
--	--

NAME OF CHANNEL	Date of Survey	AUTHORIZED PROJECT			Left Outside Quarter (feet)	Middle Half (feet)	Right Outside Quarter (feet)
		Width (feet)	Length (miles)	Depth (feet)			
Cut-1 and Cut-2; from 300 feet west of Green Light-1 to 100 feet west of Green Daybeacon-9	Sep-2001	75	1.3	6	2.5 (1)	2.5 (1)	2.4 (1)
Cut-3 and Cut-4; from 100 feet west of Green Daybeacon-9 to 100 feet west of Green Daybeacon-15.	Sep-2001	75-225	0.5	6	2.1 (2)	3.4 (2)	3.2 (2)
Cut-5 thru Cut-8; from 100 feet west of Green Daybeacon-15 to Red Daybeacon-24	Sep-2001	75-225	0.7	6	5.6 (3)	5.9	7.0
Cut-9 thru Cut-11: McGriff Pass; from Red Daybeacon-24 to 400 feet east of Green Daybeacon-31	Sep-2001	75	0.8	6	3.8 (4)	3.7 (4)	4.0 (4)

**Remarks:**

1. Shoaling throughout entire channel from 300 feet west of Green Light-1 to 600 feet east of Green Daybeacon-5A. Shoaling then continues along the northern and southern edges of channel through the end of Cut-2.
  
2. Shoaling throughout entire channel from 100 feet east of Green Daybeacon-9 to 250 feet east of Green Daybeacon-11. Shoaling then continues along the northern edge of channel and Turning Basin.
  
3. Shoaling along the northern edge of Turning Basin.
  
4. Shoaling located along the southern edge of channel from 700 feet east of Red Daybeacon-24 and then extends throughout entire channel to approximately 200 feet east of Green Daybeacon-31.