

FINAL REPORT

ENVIRONMENTAL SURVEY OF IDENTIFIED SAND RESOURCE AREAS OFFSHORE ALABAMA

VOLUME II: APPENDICES


Aubrey Consulting, Inc., Prime Contractor

Prepared by:

**Applied Coastal Research and Engineering, Inc.
766 Falmouth Road
Building A, Unit 1-C
Mashpee, MA 02649**

In Cooperation With:

**Continental Shelf Associates, Inc.
Barry A. Vittor & Associates, Inc.
Aubrey Consulting, Inc.**



Prepared for:

**U.S. Department of Interior
Minerals Management Service
International Activities and Marine
Minerals Division (INTERMAR)**

Funded Under Contract Number 14-35-01-97-CT-30840

APPENDICES

APPENDIX A. HIGH-WATER SHORELINE POSITION CHANGE.....	A-1
APPENDIX B. WAVE TRANSFORMATION NUMERICAL MODELING INFORMATION	B-1
B1. Directional and Frequency Verification	B-2
B2. Existing Conditions Wave Model	B-7
B3. Post-Dredging Wave Model Results.....	B-12
B4. Pre- and Post-Dredging Difference Plots.....	B-17
APPENDIX C. SEDIMENT TRANSFORMATION NUMERICAL MODELING INFORMATION.....	C-1
C1. Hydrodynamic and Sediment Transport Results at Sand Resource Areas 1, 2, and 3.....	C-2
C2. Longshore Sediment Transport Model Results	C-12
APPENDIX D. FIELD SURVEY DATA	D-1
D1. Sample Types, Sample Codes, Coordinates, and Water Depths.....	D-2
D2. Hydrolab Data	D-8
D3. Sediment Grain Size Data	D-10
D4. Infaunal Data.....	D-18
D5. Acoustic Doppler Current Profiler Data	D-49

LIST OF FIGURES

Figure B1-1. Spring spectral verification and utilization at WIS 1046.	B-2
Figure B1-2. Summer spectral verification and utilization at WIS 1046.	B-3
Figure B1-3. Fall spectral verification and utilization at WIS 1046.	B-3
Figure B1-4. Winter spectral verification and utilization at WIS 1046.	B-4
Figure B1-5. Spring spectral verification and utilization at WIS 1047.	B-4
Figure B1-6. Summer spectral verification and utilization at WIS 1047.	B-5
Figure B1-7. Fall spectral verification and utilization at WIS 1047.	B-5
Figure B1-8. Winter spectral verification and utilization at WIS 1047.	B-6
Figure B2-1. Spectral wave modeling results for existing conditions utilizing a typical winter season at reference Grid A.	B-7
Figure B2-2. Spectral wave modeling results for existing conditions utilizing a typical winter season at reference Grid B.	B-7
Figure B2-3. Spectral wave modeling results for existing conditions utilizing a typical spring season at reference Grid A.	B-8
Figure B2-4. Spectral wave modeling results for existing conditions utilizing a typical spring season at reference Grid B.	B-8
Figure B2-5. Spectral wave modeling results for existing conditions utilizing a typical summer season at reference Grid A.	B-9
Figure B2-6. Spectral wave modeling results for existing conditions utilizing a typical summer season at reference Grid B.	B-9
Figure B2-7. Spectral wave modeling results for existing conditions utilizing a typical fall season at reference Grid A.	B-10
Figure B2-8. Spectral wave modeling results for existing conditions utilizing a typical fall season at reference Grid B.	B-10
Figure B2-9. Spectral wave modeling results for existing conditions using a 50-year storm at reference Grid A.	B-11
Figure B2-10. Spectral wave modeling results for existing conditions using a 50-year storm at reference Grid B.	B-11
Figure B3-1. Spectral wave modeling results for post-dredged conditions utilizing a typical winter season at reference Grid A.	B-12
Figure B3-2. Spectral wave modeling results for post-dredged conditions utilizing a typical winter season at reference Grid B.	B-12
Figure B3-3. Spectral wave modeling results for post-dredged conditions utilizing a typical spring season at reference Grid A.	B-13
Figure B3-4. Spectral wave modeling results for post-dredged conditions utilizing a typical spring season at reference Grid B.	B-13
Figure B3-5. Spectral wave modeling results for post-dredged conditions utilizing a typical summer season at reference Grid A.	B-14
Figure B3-6. Spectral wave modeling results for post-dredged conditions utilizing a typical summer season at reference Grid B.	B-14
Figure B3-7. Spectral wave modeling results for post-dredged conditions utilizing a typical fall season at reference Grid A.	B-15
Figure B3-8. Spectral wave modeling results for post-dredged conditions utilizing a typical fall season at reference Grid B.	B-15
Figure B3-9. Spectral wave modeling results for post-dredged conditions utilizing a 50-year storm at reference Grid A.	B-16
Figure B3-10. Spectral wave modeling results for post-dredged conditions utilizing a 50-year storm at reference Grid B.	B-16

Figure B4-1. Wave height modifications caused by the offshore sand mining at Resource Area 4 for a typical winter season.	B-17
Figure B4-2. Wave height modifications caused by the offshore sand mining at Resource Areas 1, 2, and 3 for a typical winter season.	B-17
Figure B4-3. Wave height modifications caused by the offshore sand mining at Resource Area 4 for a typical spring season.	B-18
Figure B4-4. Wave height modifications caused by the offshore sand mining at Resource Areas 1, 2, and 3 for a typical spring season.	B-18
Figure B4-5. Wave height modifications caused by the offshore sand mining at Resource Area 4 for a typical summer season.	B-19
Figure B4-6. Wave height modifications caused by the offshore sand mining at Resource Areas 1, 2, and 3 for a typical summer season.	B-19
Figure B4-7. Wave height modifications caused by the offshore sand mining at Resource Area 4 for a typical fall season.	B-20
Figure B4-8. Wave height modifications caused by the offshore sand mining at Resource Areas 1, 2, and 3 for a typical fall season.	B-20
Figure B4-9. Wave height modifications caused by the offshore sand mining at Resource Area 4 for a 50-year storm.	B-21
Figure B4-10. Wave height modifications caused by the offshore sand mining at Resource Areas 1, 2, and 3 for a 50-year storm.	B-21
Figure C1-1. Northeast winter hydrodynamic and sediment transport results at Sand Resource Area 1. The solid black lines represent depth contours, and sediment transport results are based on 200 m cell widths.	C-3
Figure C1-2. West winter hydrodynamic and sediment transport results at Sand Resource Area 1. The solid black lines represent depth contours, and sediment transport results are based on 200 m cell widths.	C-3
Figure C1-3. Spring hydrodynamic and sediment transport results at Sand Resource Area 1. The solid black lines represent depth contours, and sediment transport results are based on 200 m cell widths.	C-4
Figure C1-4. Summer hydrodynamic and sediment transport results at Sand Resource Area 1. The solid black lines represent depth contours, and sediment transport results are based on 200 m cell widths.	C-4
Figure C1-5. Fall hydrodynamic and sediment transport results at Sand Resource Area 1. The solid black lines represent depth contours, and sediment transport results are based on 200 m cell widths.	C-5
Figure C1-6. Storm hydrodynamic and sediment transport results at Sand Resource Area 1. The solid black lines represent depth contours, and sediment transport results are based on 200 m cell widths.	C-5
Figure C1-7. Northeast winter hydrodynamic and sediment transport results at Sand Resource Area 2. The solid black lines represent depth contours, and sediment transport results are based on 200 m cell widths.	C-6
Figure C1-8. West winter hydrodynamic and sediment transport results at Sand Resource Area 2. The solid black lines represent depth contours, and sediment transport results are based on 200 m cell widths.	C-6
Figure C1-9. Spring hydrodynamic and sediment transport results at Sand Resource Area 2. The solid black lines represent depth contours, and sediment transport results are based on 200 m cell widths.	C-7
Figure C1-10. Summer hydrodynamic and sediment transport results at Sand Resource Area 2. The solid black lines represent depth contours, and sediment transport results are based on 200 m cell widths.	C-7

Figure C1-11. Fall hydrodynamic and sediment transport results at Sand Resource Area 2. The solid black lines represent depth contours, and sediment transport results are based on 200 m cell widths.	C-8
Figure C1-12. Storm hydrodynamic and sediment transport results at Sand Resource Area 2. The solid black lines represent depth contours, and sediment transport results are based on 200 m cell widths.	C-8
Figure C1-13. Northeast winter hydrodynamic and sediment transport results at Sand Resource Area 3. The solid black lines represent depth contours, and sediment transport results are based on 200 m cell widths.	C-9
Figure C1-14. West winter hydrodynamic and sediment transport results at Sand Resource Area 3. The solid black lines represent depth contours, and sediment transport results are based on 200 m cell widths.	C-9
Figure C1-15. Spring hydrodynamic and sediment transport results at Sand Resource Area 3. The solid black lines represent depth contours, and sediment transport results are based on 200 m cell widths.	C-10
Figure C1-16. Summer hydrodynamic and sediment transport results at Sand Resource Area 3. The solid black lines represent depth contours, and sediment transport results are based on 200 m cell widths.	C-10
Figure C1-17. Fall hydrodynamic and sediment transport results at Sand Resource Area 3. The solid black lines represent depth contours, and sediment transport results are based on 200 m cell widths.	C-11
Figure C1-18. Storm hydrodynamic and sediment transport results at Sand Resource Area 3. The solid black lines represent depth contours, and sediment transport results are based on 200 m cell widths.	C-11
Figure C2-1. S_{xy} radiation stress and annualized sediment transport potential for existing conditions at Dauphin Island during the winter season.	C-12
Figure C2-2. S_{xy} radiation stress and annualized sediment transport potential for existing conditions at Morgan Peninsula during the winter season.	C-12
Figure C2-3. S_{xy} radiation stress and annualized sediment transport potential for existing conditions at Dauphin Island during the spring season.	C-13
Figure C2-4. S_{xy} radiation stress and annualized sediment transport potential for existing conditions at Morgan Peninsula during the spring season.	C-13
Figure C2-5. S_{xy} radiation stress and annualized sediment transport potential for existing conditions at Dauphin Island during the summer season.	C-14
Figure C2-6. S_{xy} radiation stress and annualized sediment transport potential for existing conditions at Morgan Peninsula during the summer season.	C-14
Figure C2-7. S_{xy} radiation stress and annualized sediment transport potential for existing conditions at Dauphin Island during the fall season.	C-15
Figure C2-8. S_{xy} radiation stress and annualized sediment transport potential for existing conditions at Morgan Peninsula during the fall season.	C-15
Figure C2-9. S_{xy} radiation stress and annualized sediment transport potential for existing conditions at Dauphin Island during a 50-year storm.	C-16
Figure C2-10. S_{xy} radiation stress and annualized sediment transport potential for existing conditions at Morgan Peninsula during a 50-year storm.	C-16
Figure C2-11. S_{xy} radiation stress and annualized sediment transport potential for post-dredging scenario at Dauphin Island during the winter season.	C-17
Figure C2-12. S_{xy} radiation stress and annualized sediment transport potential for post-dredging scenario at Morgan Peninsula during the winter season.	C-17
Figure C2-13. S_{xy} radiation stress and annualized sediment transport potential for post-dredging scenario at Dauphin Island during the spring season.	C-18

Figure C2-14. S_{xy} radiation stress and annualized sediment transport potential for post-dredging scenario at Morgan Peninsula during the spring season.....	C-18
Figure C2-15. S_{xy} radiation stress and annualized sediment transport potential for post-dredging scenario at Dauphin Island during the summer season.	C-19
Figure C2-16. S_{xy} radiation stress and annualized sediment transport potential for post-dredging scenario at Morgan Peninsula during the summer season.	C-19
Figure C2-17. S_{xy} radiation stress and annualized sediment transport potential for post-dredging scenario at Dauphin Island during the fall season.	C-20
Figure C2-18. S_{xy} radiation stress and annualized sediment transport potential for post-dredging scenario at Morgan Peninsula during the fall season.	C-20
Figure C2-19. S_{xy} radiation stress and annualized sediment transport potential for post-dredging scenario at Dauphin Island during a 50-year storm.	C-21
Figure C2-20. S_{xy} radiation stress and annualized sediment transport potential for post-dredging scenario at Morgan Peninsula during a 50-year storm.	C-21
Figure D5-1. ADCP Survey transect cycle 1 for all layers in Sand Resource Area 4, May 21, 1997, 0727 – 1154 hours.....	D-52
Figure D5-2. ADCP Survey transect cycle 2 for all layers in Sand Resource Area 4, May 21, 1997, 1157 - 1618 hours.	D-53
Figure D5-3. ADCP Survey transect cycle 3 for all layers in Sand Resource Area 4, May 21, 1997, 1621 - 2000 hours.	D-54
Figure D5-4. ADCP Survey transect cycle 1 for all layers in Sand Resource Area 2, May 22, 1997, 0727 – 1129 hours.....	D-55
Figure D5-5. ADCP Survey transect cycle 2 for all layers in Sand Resource Area 2, May 22, 1997, 1132 - 1531 hours.	D-56
Figure D5-6. ADCP Survey transect cycle 3 for all layers in Sand Resource Area 2, May 22, 1997, 1534 - 1939 hours.	D-57
Figure D5-7. ADCP Survey transect cycle 1 for all layers in Sand Resource Area 4, September 30, 1997, 0829 – 1256 hours.....	D-58
Figure D5-8. ADCP Survey transect cycle 2 for all layers in Sand Resource Area 4, September 30, 1997, 1259 – 1702 hours.....	D-59
Figure D5-9. ADCP Survey transect cycle 3 for all layers in Sand Resource Area 4, September 30, 1997, 1705 – 1954 hours.....	D-60
Figure D5-10. ADCP Survey transect cycle 1 for all layers in Sand Resource Area 2, October 1, 1997, 0827 – 1214 hours.....	D-61
Figure D5-11. ADCP Survey transect cycle 2 for all layers in Sand Resource Area 2, October 1, 1997, 1217 - 1550 hours.	D-62
Figure D5-12. ADCP Survey transect cycle 3 for all layers in Sand Resource Area 2, October 1, 1997, 1553 - 1927 hours.	D-63

LIST OF TABLES

Table D1-1. Survey 1	D-2
Table D1-2. Survey 2	D-5
Table D2-1. Temperature, conductivity, salinity, dissolved oxygen (DO), and depth data recorded during the May 1997 survey (S1) in the five potential sand resource areas (A1 to A5) by Hydrolab (HL) at the surface (S), middle (M), and bottom (B) at the beginning of north (1) and south (2) transects.	D-8
Table D2-2. Temperature, conductivity, salinity, dissolved oxygen (DO), and depth data recorded during the December 1997 survey (S2) in the five potential sand resource areas (A1 to A5) by Hydrolab (HL) at the surface (S), middle (M), and bottom (B) at the beginning of north (1) and south (2) transects.	D-9
Table D3-1. Sediment grain size data for samples collected during the May 1997 Survey 1 in the five sand resource areas offshore Alabama.....	D-10
Table D3-2. Sediment grain size data for samples collected during the December 1997 Survey 2 in the five sand resource areas offshore Alabama.	D-14
Table D4-1. Phylogenetic list of infauna collected during the May 1997 Survey 1 and December 1997 Survey 2 in the five sand resource areas offshore Alabama.	D-18
Table D4-2. Infaunal assemblage summary parameters for the May 1997 Survey 1 in the five sand resource areas offshore Alabama.	D-28
Table D4-3. Infaunal assemblage summary parameters for the December 1997 Survey 2 in the five sand resource areas offshore Alabama.....	D-31
Table D4-4. Numbers of taxa occurring in infaunal samples collected during the May 1997 Survey 1 in the five sand resource areas offshore Alabama.	D-34
Table D4-5. Numbers of taxa occurring in infaunal samples collected during the December 1997 Survey 2 in the sand resource areas offshore Alabama.....	D-37
Table D4-6. Numbers of individuals occurring in infaunal samples collected during the May 1997 Survey 1 in the five sand resource areas offshore Alabama.	D-40
Table D4-7. Numbers of individuals occurring in infaunal samples collected during the December 1997 Survey 2 in the five sand resource areas offshore Alabama.	D-43
Table D4-8. Stations groups formed by normal cluster analysis of infaunal samples collected during the May 1997 Survey 1 and December 1997 Survey 2 in the five sand resource areas offshore Alabama.	D-46