

---

## 6.0 LITERATURE CITED

Ault, J.S., J.A. Bohnsack, and G.A. Meester. 1997. A retrospective (1979-1996) multispecies assessment of coral reef fish stocks in the Florida Keys. *Fishery Bulletin* 96(3): 395-414.

Avery, W.M. 1996. Status of naturally occurring and introduced *Halodule wrightii* in Hillsborough Bay. Pp 177-187 *In* Proceedings, Tampa Bay Area Scientific Information Symposium 3, October 21-23, Clearwater, Florida. Tampa Bay National Estuary Program and Tampa Bay Regional Planning Council.

Bancroft, G.T., A.M. Strong, and M. Carrington. 1995. Deforestation and its effects on forest-nesting birds in the Florida Keys. *Conservation Biology*. 9:835-844.

Bureau of Economic and Business Research. 2000. *Florida Statistical Abstract*. Gainesville, Florida: University of Florida.

Beck, A. 1973. *The Ecology of Stray Dogs; A Study of Free-Ranging Urban Animals*. York Press. Baltimore, Maryland.

Bohnsack, J.A., D.E. Harper, and D.B. McClellan. 1994. Fisheries trends from Monroe County, Florida. *Bulletin of Marine Science* 54(3): 982-1018.

Boyer, J.N., J.W. Fourqurean, and R.D. Jones. 1997. Spatial characterization of water quality in Florida Bay and Whitewater Bay by multivariate analyses: zones of similar influence. *Estuaries* 20(4): 743-758.

Boynton, W.R., J.D. Hagy, L. Murray, C. Stokes, and W.M. Kemp. 1996. A comparative analysis of eutrophication patterns in a temperate coastal lagoon. *Estuaries* 19(2B): 408-421.

Bricker, S.B. and J.C. Stevenson. 1996. Nutrients in coastal waters: a chronology and synopsis of research. *Estuaries* 19 (2B): 337-341.

Brown, M.T. and J.M. Schaefer. 1987. *Buffer zones for Water, Wetlands, and Wildlife. A Final Report on the Evaluation of the Applicability of Upland Buffers for the Wetlands of the Wekiva Basin*. Center for Wetlands, University of Florida. 163 pp.

Brown, M.T., J.M. Schaefer, and K.H. Brandt. 1990. *Buffer zones for water, wetlands, and wildlife in the East Central Florida Region*. Report prepared for the East Central Florida Regional Planning Council, Winter Park, Florida. (CFW-89-07). University of Florida, Center for Wetlands. Gainesville, Florida.

Brown, M.T. and J. Orell. 1995. *Tomoka River and Spruce Creek Riparian Habitat Protection Zone. Final Report for St. John's River Water Management District*. University of Florida, Center for Wetlands. Gainesville, Florida. 77 pp.

CH2M HILL. 2000. Monroe County Sanitary Wastewater Master Plan. Marathon, Florida: Monroe County Growth Management Division.

City of Monterey Park, Planning Division. 2001. Draft Environmental Impact Report. [http://ci.monterey-park.ca.us/cdd/planning/env\\_report/index.html](http://ci.monterey-park.ca.us/cdd/planning/env_report/index.html).

Covell, C.V., Jr. 1976. The Schaus swallowtail: a threatened subspecies? *Insect World Digest* 3(59):21-26.

Connecticut River Joint Commissions. 2000. Riparian Buffers for the Connecticut River Watershed. <http://www.crjc.org/riparianbuffers.htm>. Charleston, New Hampshire.

Cox and Kautz. 2000. Habitat conservation needs of rare and imperiled wildlife in Florida.

Dawes, C.J. and D.A. Tomasko. 1988. Depth distribution of *Thalassia testudinum* in two meadows on the West Coast of Florida; a difference in effect of light availability. *Marine Ecology* 9(2): 123-130.

den Hartog, C. and P.J.G. Polderman. 1975. Changes in the seagrass populations of the Dutch Waddenzee. *Aquatic Botany* 1: 141-147.

Dennison, W.C. 1987. Effects of light on seagrass photosynthesis, growth, and depth distribution. *Aquatic Botany* 27: 15-26.

Dennison, W.C. 1990. Photosynthetic and growth responses of tropical and temperate seagrasses in relation to Secchi depth, light attenuation, and daily light period. Pp 82-87 *In* Kenworthy, W.J. and D.E. Haunert (eds.) *Results and Recommendations of a Workshop Convened to Examine the Capability of Water Quality Criteria, Standards and Monitoring Programs to Protect Seagrasses from Deteriorating Water Transparency*. November 7-8, South Florida Water Management District. West Palm Beach, Florida.

Duarte, C.M. 1991. Seagrass depth limits. *Aquatic Botany* 40: 363-377.

Duarte, C.M. 1995. Submerged aquatic vegetation in relation to different nutrient regimes. *Ophelia* 41: 87-112.

Durako, M.J. 1995. Indicators of seagrass ecological condition: an assessment based on spatial and temporal changes. Pp 261-266 *In* Dyer, K.R. and R.J. Orth (eds.) *Changes in Fluxes in Estuaries: Implications for Science to Management*. Olsen and Olsen, Fredensborg, Denmark.

Durako, M.J., J.W. Fourqurean, C.A. Moncreiff, P.R. Carlson, and G. McRae. 1997. Multiscale assessment of the population status of *Thalassia testudinum* (Turtle Grass): a new approach to ecosystem assessment. A Proposal. 13 p. <http://www.fiu.edu/~crose01/pages/epa.html>.

Emmel, T.C. 1985. Status survey of the Schaus swallowtail in Florida in 1984. Technical report No. 145, Florida Cooperative Fish and Wildlife Research Unit, University of Florida; Gainesville, Florida.

Emmel, T.C. 1995a. Designated species management plan for the reintroduction of the Schaus swallowtail butterfly in the Florida Keys. University of Florida, Gainesville, Florida.

Emmel, T.C. 1995b. Captive propagation and experimental reintroduction of the Schaus swallowtail in the Florida Keys. Interim status report submitted to the U.S. Fish and Wildlife Service, Research Work Order No. 153; Vero Beach and Jacksonville, Florida.

Environmental Laboratory. 1987. U.S. Army Corps of Engineers Wetland Delineation Manual. Technical Report Y-87-1, U.S. Army Engineer Waterways Experiment Station; Vicksburg, Mississippi. (p.77).

First American Realty Solutions. 2001. Aerial and Map Atlas, 36th Edition. Monroe County, Florida. Pp. 1-40.

Florida Division of Forestry. 1979. Silviculture Best Management Practices Manual. Florida Department of Agriculture and Consumer Services, Division of Forestry, Collins Building. Tallahassee, Florida.

Forys, E.A., P.A. Frank, and R.S. Kautz. 1996. Recovery Actions for the Lower Keys marsh rabbit, silver rice rat, and Stock Island tree snail. Unpublished report to Florida Game and Fresh Water Fish Commission, Tallahassee, Florida, Cooperative Agreement No. 1448-0004-94-9164. Tallahassee, Florida.

Forys, E.A. and S.R. Humphrey. 1994. Biology of the Lower Keys marsh rabbit at Navy lands in the Lower Florida Keys. Semi-annual performance report No. 3 in the files of the Florida Game and Freshwater Fish Commission: Tallahassee, Florida.

Forys, E.A. and S.R. Humphrey. 1996. Home range and movements of the Lower Keys marsh rabbit in a highly fragmented habitat. *Journal of Mammalogy*, 77: 1042:1048.

Forys, E.A. and S.R. Humphrey 1999. Use of population viability analysis to evaluate management option for the endangered lower Keys marsh rabbit. *Journal of Wildlife Management*, 63:251-260.

Frankovich, T.A. and J.W. Fourqurean. 1997. Seagrass epiphyte loads along a nutrient availability gradient, Florida Bay, U.S.A. *Marine Ecology Progress Series* 159: 37-50.

Giesen, W.B.J.T., M.M. van Katijk, and C. den Hartog. 1990. Eelgrass condition and turbidity in the Dutch Wadden Sea. *Aquatic Botany* 37: 71-85.

Hall, M.O., D.A. Tomasko, and F.X. Courtney. 1990. Responses of *Thalassia testudinum* to *in situ* light reduction. Pp 53-58 *In* Kenworthy, W.J. and D.E. Haunert (eds.) Results and Recommendations of a Workshop Convened to Examine the Capability of Water Quality Criteria,

Standards and Monitoring Programs to Protect Seagrasses from Deteriorating Water Transparency. November 7-8, South Florida Water Management District. West Palm Beach, Florida.

Hall, M.O., D.A. Tomasko, and F.X. Courtney. 1991. Responses of *Thalassia testudinum* to *in situ* light reduction. Pp. 85-94 *In* Kenworthy, W.J. and D.E. Haurert (eds.) *The Light Requirements of Seagrasses*. National Oceanic and Atmospheric Administration Technical Memorandum, NMFS-SEFC-287. Washington, D.C.

Hall, M.O., M.J. Durako, J.W. Fourqurean, and J.C. Zieman. 1999. Decadal changes in seagrass distribution and abundance in Florida Bay. *Estuaries* 22(2B): 445-459.

Hawkins, J.P. and C.M. Roberts. 1992. Can Egypt's Coral Reefs Support Ambitious Plans for Diving Tourism? Pp 1007-1013 *In* Proceedings of the Seventh International Coral Reef Symposium, Volume 2. University of Guam, Marine Laboratory. Mangilao, Guam.

Inter-Governmental Cuba Committee. 2000. Inter-Governmental Cuba Report. Key West, Florida.

Jaap, W.C., J.W. Porter, J. Wheaton, K. Hackett, M. Lybolt, M.K. Callahan, C. Tsokos, and G. Yanev. 2001. U.S. Environmental Protection Agency/ Florida Keys National Marine Sanctuary Coral Reef Monitoring Project Updated Executive Summary 1996-2000. Steering Committee Meeting August 1, 2001.

Janzen, D.H. 1986. The external threat. *In* M.E. Soulé (ed.) *Conservation biology: The science of scarcity and diversity*. Sinauer Associates, Inc., Sunderland, Massachusetts.

Johansson, J.O.R. 1996. Seagrass in Tampa Bay: historic trends and future expectations. Pp 139-150 *In* Proceedings of the Tampa Bay Area Scientific Information Symposium 3, October 21-23, Clearwater, Florida. Tampa Bay National Estuary Program and Tampa Bay Regional Planning Council.

Karr, J.R. and I.J. Schlosser. 1977. Impact of nearstream vegetation and stream morphology on water quality and stream biota. U.S. Environmental Protection Agency, Environmental Research Lab, Office of Resources and Development. Athens, Georgia.

Kearney and Centaur. 1991. Impacts of Oil and Gas Development on the Recreation and Tourism Off the Florida Straits. U.S. Department of the Interior, Minerals Management Service, Atlantic OCS Division, OCS Study MMS91-0039.

Keller, B.D. and A. Itkin. 2002. Shoreline Nutrients and Chlorophyll *a* in the Florida Keys, 1994-1997: A Preliminary Analysis. *In*: J.W. Porter and K.G. Porter (Eds.), *The Everglades, Florida Bay, and coral reefs on the Florida Keys: An ecosystem sourcebook* (pp. 649-658). Boca Raton: CRC Press, 2002.

- Kenworthy, W.J., M.S. Fonseca, and S.J. DiPiero. 1990. Defining the ecological light compensation point for seagrasses in *Halodule wrightii* and *Syringodium filiforme* from long-term submarine light regime monitoring in the southern Indian River. Pp 67-70 In Kenworthy, W.J. and D.E. Haurert (eds.) Results and Recommendations of a Workshop Convened to Examine the Capability of Water Quality Criteria, Standards and Monitoring Programs to Protect Seagrasses from Deteriorating Water Transparency. November 7-8, South Florida Water Management District. West Palm Beach, Florida.
- Klein, M.L. 1989. Effects of high levels of human visitation on foraging waterbirds. *Journal of Wildlife Management*.
- Kruczynski, W.L. and F. McManus. 2002. Water quality concerns in the Florida Keys: sources, effects, and solutions. In: J.W. Porter and K.G. Porter (Eds.), *The Everglades, Florida Bay, and coral reefs on the Florida Keys: An ecosystem sourcebook* (pp. 827-881). Boca Raton: CRC Press, 2002.
- Kruer, C.R. 1993. Mapping Assessment of Vessel Damage to Shallow Seagrasses in the Florida Keys. A Report to the Florida Department of Natural Resources and the University of South Florida/Florida Institute of Oceanography. F.I.O. Contract # 47-10-123-L3. Summerland Key, Florida.
- Kruer, C.R., T. Armstrong, and P. Braisted. 2000. Invasive Exotic Vegetation Mapping in the Florida Keys – 1996. The Florida Keys Invasive Exotics Task Force.
- Lapointe, B.E. and M.W. Clark. 1992. Nutrient inputs from the watershed and coastal eutrophication in the Florida Keys. *Estuaries* 15(4): 465-476.
- Lapointe, B.E., D.A. Tomasko, and W.R. Matzie. 1994. Eutrophication and trophic state classification of seagrass communities in the Florida Keys. *Bulletin of Marine Science* 54(3): 696-717.
- Ledwith, T. 1996. The effects of buffer strip width on air temperature and relative humidity in a stream riparian zone. *Watershed Management Council Networker*, Summer 1996 Volume 6(5).
- Lee, T.N., E. Williams, E. Johns, D. Wilson, and N.P. Smith. Transport Processes Linking South Florida Coastal Ecosystems. In: J.W. Porter and K.G. Porter (Eds.), *The Everglades, Florida Bay, and coral reefs on the Florida Keys: An ecosystem sourcebook* (pp.309-342). Boca Raton: CRC Press, 2002.
- Leeworthy, V.R. 1998. Review of Florida Marine Research Institute aerial fly-over methods for estimating the number and type of users in the specially protected areas and ecological reserves of the Florida Keys National Marine Sanctuary.
- Livingston, R.J. 2000. *Eutrophication Processes in Coastal Systems*. CRC Press. New York, New York. 327 p.

Lopez, R. R. 2001. Population ecology of Florida Key deer. Ph.D. Dissertation, Texas A&M University, College Station, Texas. 203pp.

Mace, P. 1997. Developing and sustaining world fishery resources: state of science and management. Pp 1-20 *In* Hancock, D.A., D. Smith, A. Grant, and J.P. Beumer (eds.) Developing and sustaining world fisheries resources: the state of science and management, Proceedings of the Second World Fishery Congress. Brisbane, Australia.

Matthews, T. and P. Donovan. 1992. Estimating Utilization of Florida Keys National Marine Sanctuary Using Aerial Surveys. A Proposal. Florida Marine Research Institute and The Nature Conservancy. Marathon, Key West, Florida.

Miller Consulting, Inc. 2001. Florida Keys Hurricane Evacuation Study Final Report. Contract No. C7391. Miami, Florida: FDOT, District 6.

Miller, R.E., Jr. and B.E. Gunsalus. 1997. Wetland Rapid Assessment Procedure. South Florida Water Management District. Technical Publication REG-001.

Monroe County Public Facility Capacity Assessment Report for 2001. Monroe County, Division of Growth Management.

Monroe County Year 2010 Comprehensive Plan, Technical Document. Marathon, Florida: Monroe County Growth Management Division, 1993.

Mueller, R. 2001. Personal Communication. Florida Marine Research Institute, St. Petersburg, Florida.

Munro, J.L. and D.M. Williams. 1985. Assessment and management of coral reef fisheries: biological, environmental, and socio-economic aspects. Pp. 544-578 *In* Proceedings of the Fifth International Coral Reef Congress, Tahiti 4.

National Research Council, Division on Earth and Life Sciences, Ocean Studies Board and Water Science Technology Board, Committee to Review the Florida Keys Carrying Capacity Study, 2002. A Review of the Florida Keys Carrying Capacity Study.

National Oceanic and Atmospheric Administration. 1988. Florida Keys National Marine Sanctuary Zone Performance Report – Year 1. Florida Department of Environmental Protection, and Florida Keys National Marine Sanctuary. [http://www.fknms.nos.noaa.gov/research\\_monitoring/zpr98.pdf](http://www.fknms.nos.noaa.gov/research_monitoring/zpr98.pdf).

Onuf, C. 1990. Light requirements of *Halodule wrightii*, *Syringodium filiforme*, and *Halophila englemannii* in a heterogeneous and variable environment inferred from long-term monitoring. Pp. 59-66 *In* Kenworthy, W.J. and D.E. Haunert (eds.) Results and Recommendations of a Workshop Convened to Examine the Capability of Water Quality Criteria, Standards and Monitoring Programs to Protect Seagrasses from Deteriorating Water Transparency. November 7-8, South Florida Water Management District. West Palm Beach, Florida.

- Orth, R.J. and K.A. Moore. 1983. Chesapeake Bay: an unprecedented decline in submerged aquatic vegetation. *Science* 222: 51-53.
- Palone, R. and A.H. Todd. 1997. Determining Buffer Width. Chapter 6. In: Chesapeake Bay Riparian Handbook: A Guide for Establishing and Maintaining Riparian Forest Buffers. U.S. Forest Service NA-TP-02-97. <http://www.chesapeakebay.net/pubs/subcommittee/nsc/forest/sect06.pdf>.
- Paryente, M., I. Alleson, and S. Kronick. 1999. A comparative study of SCUBA divers on the coral reefs of Eilat, Israel: 1996 & 1999. Arava Institute for Environmental Studies. [http://www.arava.org/Info\\_Center/Student\\_Projects/scuba\\_divers/scuba\\_divers.html](http://www.arava.org/Info_Center/Student_Projects/scuba_divers/scuba_divers.html).
- Ranney, J.W., M.C. Bruner, and J.B. Levenson. 1981. The importance of edge in the structure and dynamics of forest islands. Pp: 67-95 In R.L. Burgess and D.M. Sharpe (eds.) *Forest Island Dynamics in Man-Dominated Landscapes*. Springer-Verlag. New York, New York.
- Rodgers, J.A. and H.T. Smith. 1995. Set-back distances to protect nesting bird colonies from human disturbances in Florida. *Conservation Biology* 9:89-99.
- Rodgers, J.A. and H.T. Smith. 1997. Buffer zone distances to protect foraging and loafing waterbirds from human disturbances in Florida. *Wildlife Society Bulletin* 25(1): 139-145.
- Rosenberg, A., P. Mace, G. Thompson, G. Darcy, W. Clark, J. Collie, W. Gabriel, P. Goodyear, A. MacCall, R. Methot, J. Powers, V. Restrepo, T. Wainwright, L. Botsford, J. Hoenig, and K. Stokes. 1996. Scientific review of definitions of overfishing in U.S. fishery management plans. National Oceanic and Atmospheric Administration Technical Memorandum NMFS-F/SPO-17. 205 p.
- Ross, M.S., J.J. O'Brien, and L.S.L. Sternberg. 1994. Sea level rise and the reduction in pine forests in the Florida Keys. *Ecology*, 4:144-156.
- Rouphael, T. and G. Inglis. 1995. The effects of qualified recreational SCUBA divers on coral reefs. CRC Reef Research Center, Technical Report No. 4. Townsville, Australia. ISBN 1 876054 03 4.
- Russ, G.R. and A.C. Alcala. 1989. Effects of intense fishing pressure on an assemblage of coral reef fishes. *Marine Ecology Progress Series* 56: 13-27.
- Rutkowski, F. 1971. Observations on *Papilio aristodemus ponceanus* (Papilionidae). *Journal of Lepidopterists' Society* 25(2):126-136.
- Sand-Jensen, K.A.J. 1977. Effect of epiphytes on eelgrass photosynthesis. *Aquatic Botany* 3: 55-63.
- Short, F.T. 1987. Effects of sediment nutrients on seagrasses: literature review and mesocosm experiment. *Aquatic Botany*, 27: 41-57.

- Silberstein, K., A.W. Chiffings, and A.J. McComb. 1986. The loss of seagrasses in Cockburn Sound, Western Australia. III. The effect of epiphytes on productivity of *Posidonia australis*. *Aquatic Botany* 24: 355-371.
- Silvy, N.J. 1975. Population density, movements and habitat utilization of Key deer, *Odocoileus virginianus clavium*. Ph.D. Dissertation, Southern Illinois University, Carbondale, 152 pp.
- Smith, N.P. and P.A. Pitts. 2002. Regional-scale and long-term transportation patterns in the Florida Keys. In: J.W. Porter and K.G. Porter (Eds.), *The Everglades, Florida Bay, and coral reefs on the Florida Keys: An ecosystem sourcebook* (pp. 343-360). Boca Raton: CRC Press, 2002.
- Spackman, S.C. and J.W. Hughes. 1995. Assessment of minimum stream corridor width for biological conservation: Species richness and distribution along mid-order streams in Vermont. *USA Biological Conservation* 71:325-332.
- St. John's River Water Management District. 1999. *Applicant Handbook: Management and Storage of Surface Waters*.
- Stevenson, J.C., L.W. Staver, and K.W. Staver. 1993. Water quality associated with survival of submersed aquatic vegetation along an estuarine gradient. *Estuaries* 16(2): 346-361.
- Stolpe, N.E. 1998. National Recreational Boating Patterns. In Crawford, R.E., N.E. Stolpe, M.J. Moore (eds.) *The Environmental Impacts of Boating; Proceedings of a Workshop held at Woods Hole Oceanographic Institution, Woods Hole Massachusetts, U.S.A., December 7 to 9, 1994*. Technical Report WHOI-98-03, Woods Hole Oceanographic Institution. Woods Hole, Massachusetts.
- Strong, A.M. and G.T. Bancroft. 1994. Postfledging Dispersal of White-crowned Pigeons: Implementations for Conservation of Deciduous Seasonal Forests in the Florida Keys. *Conservation Biology* 8:770-779.
- Stumpf, R.P., M.L. Frayer, M.J. Durako, and J.C. Brock. 1999. Variations in water clarity and bottom albedo in Florida Bay from 1985 to 1997. *Estuaries* 22(2B): 431-444.
- Sullivan, K.M., M. Chiappone, and C. Lott. 1996. Controversies and conservation issues. Site Characterization for the Florida Keys National Marine Sanctuary and Environs. The Preserver, Zenda, Wisconsin.
- Tagle, H. 1990. Impact of recreational divers on coral reefs in the Florida Keys. p 365-373 In *Proceedings of the Underwater Sciences Tenth Annual Scientific Symposium*. University of South Florida. St. Petersburg, Florida.
- Tassone, J.F. 1981. Utility of hardwood leave strips for breeding birds in Virginia's central piedmont. MS Thesis. Virginia Polytechnic and Institute and State College. Blacksburg, Virginia. 83 pp.

---

Tjaden, R.L. and G.M. Weber. 1997. Riparian Buffer Management: Riparian Forest Buffer Design, Establishment and Maintenance. <http://www.agnr.umd.edu/ces/pubs/html/fs725/fs725.html>.

Tomasko, D.A. and B.E. Lapointe. 1991. Productivity and biomass of *Thalassia testudinum* as related to water column nutrient availability and epiphyte levels: field observations and experimental studies. *Marine Ecology Progress Series* 75: 9-17.

Tomasko, D.A., C.J. Dawes, and M.O. Hall. 1996. The effects of anthropogenic nutrient enrichment on Turtle Grass (*Thalassia testudinum*) in Sarasota Bay, Florida. *Estuaries* 19(2B): 448-456.

Triquet, A.M., G.A. McPeck, and W.C. McComb. 1990. Songbird diversity in clearcuts with and without a riparian buffer strip. *Journal of Soil and Water Conservation* 45:500-503.

U.S. Census Bureau, American Fact Finder. 2002. <http://factfinder.census.gov/servlet/BasicFactsServlet>.

U.S. Fish and Wildlife Service. 1982. Schaus swallowtail butterfly recovery plan. U.S. Fish and Wildlife Service; Atlanta, Georgia.

U.S. Fish and Wildlife Service. 1999. Multi-Species Recovery Plan for the Threatened and Endangered Species of South Florida. <http://southeast.fws.gov/wildlife/vbms.html>.

Van der Zande, A.N., W.J. der Keurs, and W.J. van der Weijden. 1980. The impacts of roads on the densities of four bird species in an open field habitat: evidence of a long-distance effect. *Biological Conservation* 18: 299-321.

Warner, R. 1985. Demography and movements of free-ranging cats in rural Illinois. *Journal of Wildlife Management*. 49:340-346.

Wetzel, R.L. and P.A. Penhale. 1983. Production ecology of seagrass communities in the lower Chesapeake Bay. *Marine Technology Society Journal* 17: 22-31.

Wilcove, D.S., C.H. McLellan, and A.P. Dobson. 1986. Habitat fragmentation in the temperate zone. In M.E. Soulé (ed.) *Conservation biology: The science of scarcity and diversity*. Sinauer Associates, Inc., Sunderland, Massachusetts.

Witherington, B.E. and R.E. Martin. 2000. Understanding, assessing, and resolving light-pollution problems on sea turtle nesting beaches. 2nd rev. ed. Florida Marine Research Institute Technical Report TR-2. 73 pp.