

A





1. REFERENCE TO SURVEY NO. 23-157.
2. TIDAL REDUCTIONS WERE OBTAINED UTILIZING REAL-TIME KINEMATIC (RTK) GPS AND REFERENCED TO MLLW USING A HYPACK KINEMATIC TIDAL DATUM (KTD) FILE. FILE NAME IS:
CAMDENGHA-NASSAU-DUVAL-STJOHNS-FLAGLER.20191202.KTD
3. ALL ELEVATIONS ARE BELOW THE CHART DATUM UNLESS PRECEDED BY A (+) SIGN.
4. PLANE COORDINATES ARE BASED ON THE TRANSVERSE MERCATOR PROJECTION FOR THE EAST ZONE OF FLORIDA AND REFERENCED TO THE NORTH AMERICAN DATUM OF 1983 (NAD83).
5. ALL STATIONING REFERS TO THE CENTERLINE OF THE CHANNEL.
6. THIS SURVEY WAS PERFORMED USING REAL-TIME KINEMATIC (RTK) GPS POSITIONING WITH THE FOLLOWING REFERENCE BASE LOCATIONS:
REFERENCE BASE LOCATED AT "USACE MAYPORT ARP" (OPUS PID: BBGZ80)
REFERENCE BASE LOCATED AT "USACE BIMT ARP" (OPUS PID: BBGM25)
REFERENCE BASE LOCATED AT "USACE JHFO ARP" (OPUS PID: BBGL18)
7. DEPTHS DEPICTED BY THIS SURVEY ARE IN FEET AND TENTHS AND REFERENCED TO MEAN LOWER LOW WATER (MLLW). TIDAL EPOCH 1983-2001. AS REPORTED BY THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION (NOAA). NOAA'S VDATUM MODEL WAS USED AND CALIBRATED TO THE PUBLISHED MLLW HEIGHTS OF THE BENCHMARKS ASSOCIATED WITH THE TIDE GAGE SITES SPECIFIED BELOW:
NOAA TIDAL STATION 872-0218, BAR PILOTS DOCK
NOAA TIDAL STATION 872-0221, FULTON
NOAA TIDAL STATION 872-0219, DAMES POINT
NOAA TIDAL STATION 872-0215, NAVY FUEL DEPOT
NOAA TIDAL STATION 872-0242, LONG BRANCH
8. VERTICAL MEASUREMENTS WERE MADE USING A R2 SONIC MODEL 2024 MULTI-BEAM SYSTEM (240 KHZ). ALL SINGLE-BEAM SOUNDINGS WERE MADE WITH A TELETYPE E20 OPERATING AT 28200 KHZ. ALL SOUNDINGS ARE SHOWN IN HIGH FREQUENCY EXCEPT FOR TERMINAL CHANNEL STATIONS 0+00 - 65+00. 17 WHICH ARE IN LOW FREQUENCY (28 KHZ).


<u>VESSEL</u>	<u>DATE OF SURVEY</u>	<u>AREA SURVEYED</u>
SV SALZER	14 APR 2023	CUTS 18 THRU 40
SV SALZER	17 APR 2023	CUTS 41 THRU 42 STA 44+00
SV SALZER	25 APR, 02 MAY 2023	CUT-42 STA 44+00 - END
SV SALZER	26 APR 2023	CUT-55
SB-44, SB-48	01 MAY 2023	LTC UTC
SB-48	02 MAY 2023	UTC


9. AIDS TO NAVIGATION WERE LOCATED FOR THIS SURVEY.
10. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED ABOVE AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME. THIS CHART IS SOLELY FOR THE DISTRIBUTION OF AVAILABLE DEPTHS AT THE TIME OF SURVEY.
11. SURVEY ACCURACY STANDARDS, QUALITY CONTROL, AND QUALITY ASSURANCE REQUIREMENTS WERE FOLLOWED DURING THIS SURVEY IN ACCORDANCE WITH USACE EM 1110-2-1003, HYDROGRAPHIC SURVEYING, 30 NOV 2013.

<i>LEGEND</i>	
	MONUMENT
	LIGHTED BEACON
	GREEN DAYBEACON
	RED DAYBEACON
	RED LIGHTED BUOY
	GREEN LIGHTED BUOY
	CAN BUOY
	NUN BUOY
	TIDE STAFF
	PROJECT DEPTH



[illegible]





23-157-AV-CON47.DGN
23-157-AV-NAV.DGN
23-157-AV-SOUN_ALLCUTS.DGN
23-157-AV-HARBOR 47 EXTENSION-C-NGMWCCF.DGN
23-157-G-B5-BRDR.DGN
Reference files:
23-157-AV-H-026.DGN

Scale: AS SHOWN

Drawing no.

8 / 19

SHEET 26 OF 57

