APPROVED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SEC	CHON I: BACKGROUND INFORMATION
A.	REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): August 19, 2015

В

В.	DISTRICT OFFICE, FILE NAME, AND NUMBER: Jacksonville District (SAJ-2015-01834-Mosaic Streamsong Black)
c.	PROJECT LOCATION AND BACKGROUND INFORMATION: State:FL County/parish/borough: Polk City: NA Center coordinates of site (lat/long in degree decimal format): Lat. 27.670464° \overline{\mathbb{N}}, Long. 81.935229° \overline{\mathbb{W}}. Universal Transverse Mercator: Name of nearest waterbody: Little Payne Creek Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Peace River Name of watershed or Hydrologic Unit Code (HUC): 03100101-Lower Peace River Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: August 19, 2015 Field Determination. Date(s): July 30, 2015
SEC A.	CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.
	re Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the ew area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain:
B.	CWA SECTION 404 DETERMINATION OF JURISDICTION.
The	re Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]
	1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands
	b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: linear feet: width (ft) and/or acres. Wetlands: 38.9 acres.
	c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual Elevation of established OHWM (if known):
	 Non-regulated waters/wetlands (check if applicable):³ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional.

Explain: The site contains a 23.4 acre isolated wetland (LPC-17D) in the southwest corner of the property. This wetland is surrounded by upland berms and has no connection to waters of the U.S. .

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

Identify TNW: .

Summarize rationale supporting determination:

2. Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent":

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:

Watershed size: 2342 square miles Drainage area: 350 square miles Average annual rainfall: 7.95 inches Average annual snowfall: 0 inches

(ii) Physical Characteristics:

(a) Relationship with TNW:

Tributary flows directly into TNW.

☐ Tributary flows through 2 tributaries before entering TNW.

Project waters are 5-10 river miles from TNW.

Project waters are 1 (or less) river miles from RPW.

Project waters are 5-10 aerial (straight) miles from TNW.

Project waters are 1 (or less) aerial (straight) miles from RPW.

Project waters cross or serve as state boundaries. Explain:

Identify flow route to TNW⁵: Little Payne Creek flows south into Payne Creek, then east into the Peace River. Tributary stream order, if known:

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

(b)		y Characteristics (check all that apply	<u>y):</u>	
	Tributary is:	Natural Natural		
		Artificial (man-made). Explai		
D 1	1. 1.1		Explain: Tribut	tary was historically mined/dredged for phosphate
ore. Dredgin	g aftered the struct	ture and flow path of the tributary.		
	Tributary prope	erties with respect to top of bank (estin	mate).	
	Average wi		mate).	
	Average de			
		le slopes: 3:1.		
	The second secon	substrate composition (check all that	t apply):	
	⊠ Silts	Sands Sands		Concrete
	Cobbles			∐ Muck
	Bedrock	_ 0	cover:	
	Other. E	xpiain:		
				Explain: Tributary banks in mining areas were
	toric phosphate m	ining which led to highly eroding and	I sloughing bar	nks. Banks are currently vegetated and relatively
stable.	-			
		riffle/pool complexes. Explain:		
		try: Relatively straight nt (approximate average slope): <1 %	6	
	Thomary gradies	it (approximate average stope). <1 70	,	
(c)	Flow:			
3,7		es for: Seasonal flow		
		number of flow events in review are		
		ow regime: Continuous flow for more		
			nimpeded in m	ost areas, but is altered by weirs, culverts, dams and
other structur	es in other areas, i	.e. road crossings.		
	Surface flow is:	Discrete and confined Characteristi	ics: The creek	flows in its natural channel, but also passes through
several man-ı	nade structures.	Discrete and comment. Characteristi	ics. The creek	nows in its natural enamer, out also passes unough
			rface flow is e	expected, but no tests have been performed.
	Dye (or	other) test performed:		
	T. T. A	1 11 1 1 1 1 1 1		
	Bed and	neck all that apply):		
		6 (check all indicators that apply):		
		r, natural line impressed on the bank	☐ the pres	ence of litter and debris
		nges in the character of soil		ion of terrestrial vegetation
	shel	ving		ence of wrack line
	☐ veg	etation matted down, bent, or absent		at sorting
	leaf	litter disturbed or washed away	scour	
		ment deposition		e observed or predicted flow events
		er staining	abrupt c	hange in plant community
		er (list):		
	Disconti	inuous OHWM. ⁷ Explain:		
	If factors other th	on the OHWM ware used to determi	no lataral auto	nt of CWA jurisdiction (check all that apply):
		ide Line indicated by:		Vater Mark indicated by:
		or scum line along shore objects		available datum;
		shell or debris deposits (foreshore)		markings;
		sical markings/characteristics		n lines/changes in vegetation types.
		l gauges		
		er (list):		
Media Est.				
(iii) Ch	emical Character	istics:		

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

⁷Ibid.

Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.).

Explain: Water is tannin colored and is turbid in some areas, primarily in phosphate mining areas, where water quality is lower. In these areas, vegetation consists of species tolerant of low water quality and higher nutrient loads.

Identify specific pollutants, if known: The tributary traverses phosphate mined lands and potentially contains pollutants associated with the mining and/or refining process.

	(iv)	\boxtimes	logical Characteristics. Channel supports (check all that apply): Riparian corridor. Characteristics (type, average width): 500+ feet, forested wetlands. Wetland fringe. Characteristics: Forested wetlands.
		X	Habitat for:
			Federally Listed species. Explain findings: Potential wood stork nesting habitat.
			Fish/spawn areas. Explain findings: The creek likely provides fish habitat.
			☐ Other environmentally-sensitive species. Explain findings: ☐ Aquatic/wildlife diversity. Explain findings: Habitat for wading birds, small reptiles, amphibians, insects and other
ypical w	vetlan	d spe	
2.	Cha	ract	eristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
	(i)	Phy	rsical Characteristics:
	(-)		General Wetland Characteristics:
			Properties:
			Wetland size:38.9acres
			Wetland type. Explain:Freshwater marsh (PEM/FLUCFCS 641) Wetland is identified as LPC-19A.
			Wetland quality. Explain:Moderate. High cover of nuisance and invasive exotic species. Hydrology appropriate. Project wetlands cross or serve as state boundaries. Explain:
		(b)	General Flow Relationship with Non-TNW:
		(-)	Flow is: Intermittent flow. Explain: Multiple control structures modify the flow out of the wetland area
			Surface flow is: Discrete and confined
			Characteristics: Connected to the tributary via a series of lakes and control structures including weirs and culverts.
			Subsurface flow: Unknown. Explain findings: Subsurface flow is expected, but no tests have been performed. Dye (or other) test performed:
		(c)	Wetland Adjacency Determination with Non-TNW:
			Directly abutting
			 Not directly abutting ☑ Discrete wetland hydrologic connection. Explain: Connected to the tributary via a series of lakes and control
stra	cture	sincl	luding weirs and culverts.
344	- COLIN C	,	☐ Ecological connection. Explain:
			Separated by berm/barrier. Explain:
		(d)	Proximity (Relationship) to TNW
			Project wetlands are 5-10 river miles from TNW.
			Project waters are 1 (or less) aerial (straight) miles from TNW. Flow is from: Wetland to navigable waters.
			Estimate approximate location of wetland as within the 50 - 100-year floodplain.
			Estimate approximate tocation of wettails as within the 50 - 100-year nootplain.
	(ii)		emical Characteristics:
		Cha	racterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed
			characteristics; etc.). Explain: Water is turbid and tannin colored. There is high cover by exotic species which are tolerant of low water quality/high nutrients.
		Ider	tiffy specific pollutants, if known: Pollutants associated with phosphate extraction and refining.
	/***	D!-1	Indial Characteristics Western Lands (Analysis)
	(111)	Bio	logical Characteristics. Wetland supports (check all that apply): Riparian buffer. Characteristics (type, average width):
		X	Vegetation type/percent cover. Explain:Emergent vegetation cover 90%-100%, dominated by nuisance and invasive
exo	tic sp		. Moderate shrub cover.
177			Habitat for:
			Federally Listed species. Explain findings:Potential wood stork foraging habitat.
			Fish/spawn areas. Explain findings:
			Other environmentally-sensitive species. Explain findings:
than to	incl -	uatle.	Aquatic/wildlife diversity. Explain findings:Habitat for wading birds, small reptiles, amphibians, insects, fish and
	T DECEMBER	v CHINI	III NICLICA

3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: 6
Approximately (1073) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

Directly abuts? (Y/N)	Size (in acres)	Directly abuts? (Y/N)	Size (in acres)
N	38.9	Y	45
Y	270	Y	540
Y	112	Y	67

Summarize overall biological, chemical and physical functions being performed: Storage of flood waters, reduction of downstream peak discharge and volume, recharge of aquifers, maintenance of seasonal/baseflows, maintenance of groundwater supplies, sediment and nutrient removal, provide breeding grounds, provide wildlife habitat (e.g. feeding, nesting, spawning, rearing of young), support diverse community of benthic invertebrates, a major food source for vertebrates.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: Signicant Nexus Determination: the Eleventh Circuit has concluded that the Kennedy standard is the sole method of determining CWA jurisdiction in that Circuit (United States v. McWane, Inc., et al., 505 F.3d 1208 [11th Cir. 2007]). Therefore, unless the aquatic resources are traditional navigable waters or wetlands adjacent to traditional navigable waters, the Corps needs to conduct a significant nexus determination on all other waters in order to determine jurisdiction under the CWA. The Corps has determined that for this review, the RPW and adjacent wetlands have more than an insubstantial or speculative effect on the physical, chemical, and biological integrity of the downstream TNWs, as described below.
- 5. The following represents the significant nexus finding for the RPW (tributary):
- **6.** PHYSICAL: The creek receives stormwater runoff from a large area and transports this water and sediment load downstream. Flows from the creek affect the duration, frequency and volume of flow into Payne Creek and the Peace River.
- 7. CHEMICAL: The creek has the capacity to transfer nutrients and organic carbon that supports downstream food webs, as well as transfer potential pollutants to the downstream TNW, which could negatively affect aquatic resources.
- 8. BIOLOGICAL: The creek is important biologically as it provides habitat for reptiles, amphibians, fish, birds and other aquatic species, including species which move between aquatic and upland environments during their life cycles. The biological functions provided by the surface waters addressed in this JD are expected to be exported downstream to, and provide benefits to, the downstream TNW.

- 9.
- 10. The following represents the significant nexus finding for the wetlands adjacent to the RPW:
- 11. PHYSICAL: The wetlands perform important flow maintenance functions including storage of flood waters and maintenance of groundwater supplies, and therefore directly affect the duration, frequency and volume of flow in the tributary and the downstream TNW. The wetlands provide a means of slowing water's velocity and reducing the amount of sediments entering downstream waters.
- 12. CHEMICAL: Adjacent wetlands improve water quality by removing sediment and nutrients and other pollutants that would otherwise reach the downstream TNW and have a negative effect on aquatic resources.
- 13. BIOLOGICAL: The wetlands are important biologically since a substantial amount of the historical wetland coverage in the watershed has been altered for mining and agriculture. They provide breeding grounds for species that cannot reproduce in fastermoving water and move between wetlands and uplands over their lifecycle, and provide habitat for a variety of species. The biological functions provided by the wetlands and surface waters addressed in this JD are expected to also be exported downstream to, and provide benefits to, the downstream TNW.

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area: TNWs: linear feet width (ft), Or, acres. Wetlands adjacent to TNWs: acres.
2.	RPWs that flow directly or indirectly into TNWs. Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
3.	Non-RPWs ⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters:
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.

Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.

Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this

conclusion is provided at Section III.C.

⁸See Footnote #3.

	Provide acreage estimates for jurisdictional wetlands in the review area: 38.9acres.				
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.				
	Provide estimates for jurisdictional wetlands in the review area: acres.				
7.	Impoundments of jurisdictional waters. As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional. Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or Demonstrate that water is isolated with a nexus to commerce (see E below).				
SU SU	ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY): which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: Other factors. Explain:				
Ide	entify water body and summarize rationale supporting determination:				
	ovide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands: acres.				
	ON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: The site contains a 23.4 acre isolated wetland (LPC-17D) in the southwest corner of the property. This wetland is surrounded by upland berms and has no connection to waters of the U.S Other: (explain, if not covered above):				
Pro	evide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR				

Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply): width (ft).

factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional

width (ft).

linear feet

acres. List type of aquatic resource:

Non-wetland waters (i.e., rivers, streams): linear feet, Lakes/ponds: acres.

Other non-wetland waters: acres. List type of aquatic resource:

judgment (check all that apply):

Other non-wetland waters:

Lakes/ponds:

Wetlands:

Non-wetland waters (i.e., rivers, streams):

acres.

acres.

E.

F.

⁹ To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

¹⁰ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

Wetlands:	23.4acres
-----------	-----------

SECTION IV: DATA SOURCES.

A.	SUP	PORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked
	and	requested, appropriately reference sources below):
	\boxtimes	Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Wetland maps and aerials.
	$\overline{\boxtimes}$	Data sheets prepared/submitted by or on behalf of the applicant/consultant.
	_	☐ Office concurs with data sheets/delineation report.
		Office does not concur with data sheets/delineation report.
		Data sheets prepared by the Corps: .
	Ħ	Corps navigable waters' study:
	$\overline{\boxtimes}$	U.S. Geological Survey Hydrologic Atlas:http://viewer nationalmap.gov/viewer/nhd.html?p=nhd.
		□ USGS NHD data.
		USGS 8 and 12 digit HUC maps.
		U.S. Geological Survey map(s). Cite scale & quad name:
	Ħ	USDA Natural Resources Conservation Service Soil Survey. Citation:
		National wetlands inventory map(s). Cite name:from http://www.fws.gov/wetlands/data/mapper html.
		State/Local wetland inventory map(s): .
	Ħ	FEMA/FIRM maps: .
	Ħ	100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)
		Photographs: Aerial (Name & Date): Google Earth aerials (2014); aerials provided by the applicant.
		or \(\subseteq \text{Other (Name & Date): Photos taken during the July 30, 2015, site visit.} \)
		Previous determination(s). File no. and date of response letter: .
	H	Applicable/supporting case law:
	H	Applicable/supporting scientific literature: .
	H	Other information (please specify):
		oner information (prease specify).

B. ADDITIONAL COMMENTS TO SUPPORT JD: The review area contains LPC-19A, a wetland adjacent to, but not directly abutting an RPW (Little Payne Creek); and LPC-17D, an isolated wetland. The tributary, Little Payne Creek, is outside of the review area.