APPROVED JURISDICTIONAL DETERMINATION FORM **U.S. Army Corps of Engineers**

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I:	BA	CKGROUND	INFORMATION
------------	----	----------	-------------

REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): July 8, 2016

B. DISTRICT OFFICE, FILE NAME, AND NUMBER: CESAJ-RD-WT, County Line Road School, SAJ-2016	_	DIGERRACE APPROX		AND ATTEMPTS OF CLUB TO THE	
	ĸ	DISTRICT OFFICE	HILE NAME	AND NUMBER (CESAL-RD-WT)	County Line Road School SA 1-2016-004

В.	DISTRICT OFFICE, FILE NAME, AND NUMBER: CESAJ-RD-WT, County Line Road School, SAJ-2016-00412
C.	PROJECT LOCATION AND BACKGROUND INFORMATION: State:FL County/parish/borough: Hillsborough City: Center coordinates of site (lat/long in degree decimal format): Lat. 28.168350° N, Long. 82.372505° W.
	Universal Transverse Mercator: Name of nearest waterbody: Cypress Creek
	Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Hillsborough River Name of watershed or Hydrologic Unit Code (HUC):
	Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: July 8, 2016 Field Determination. Date(s):
	CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.
	re Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the ew area. [Required] Waters subject to the ebb and flow of the tide.
	Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce Explain:
B.	CWA SECTION 404 DETERMINATION OF JURISDICTION.
The	re Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]
	1. Waters of the U.S.
	 a. Indicate presence of waters of U.S. in review area (check all that apply): ¹ TNWs, including territorial seas
	 Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs
	Non-RPWs that flow directly or indirectly into TNWs
	 Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs
	Impoundments of jurisdictional waters
	Isolated (interstate or intrastate) waters, including isolated wetlands
	b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: linear feet: width (ft) and/or acres. Wetlands: 10.43 acres.
	c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual Elevation of established OHWM (if known):
	2. Non-regulated waters/wetlands (check if applicable): ³
	Explain: The project area includes one wetland (Wetland B, approx. 1.3 acres of which only 0.326 acre is within the project area) which appears to be isolated and non-jurisdictional. The site also contains a portion of an open-water,

man-made pond feature (approx. 8.6 acres) that appears to be dug in uplands and would not meet the definition of a

jurisdictional water.

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1.	TNW Identify TNW:
	Summarize rationale supporting determination: .
2.	Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent":

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions: Watershed size: 34418 acres Drainage area: 34418 acres

Average annual rainfall: 50 inches Average annual snowfall: 0 inches (ii) Physical Characteristics: (a) Relationship with TNW: Tributary flows directly into TNW. Tributary flows through Pick List tributaries before entering TNW. Project waters are 20-25 river miles from TNW. Project waters are 1 (or less) river miles from RPW. Project waters are 10-15 aerial (straight) miles from RPW. Project waters are 1 (or less) aerial (straight) miles from RPW. Project waters cross or serve as state boundaries. Explain: Identify flow route to TNW⁵: Cypress Creek to Hillsborough River. Tributary stream order, if known:

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

(b)	General Tributary Characteristics (check all that apply):
	Tributary is: Natural
	Artificial (man-made). Explain:
	Manipulated (man-altered). Explain:
	Tributary properties with respect to top of bank (estimate): Average width: 50 feet Average depth: feet Average side slopes: Pick List.
	Primary tributary substrate composition (check all that apply): Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: Other. Explain:
	Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: relatively stable, natural channel. Presence of run/riffle/pool complexes. Explain: No. Tributary geometry: Meandering Tributary gradient (approximate average slope): %
(c)	Flow: Tributary provides for: Seasonal flow Estimate average number of flow events in review area/year: 20 (or greater) Describe flow regime: Perennial. Other information on duration and volume:
	Surface flow is: Discrete and confined. Characteristics: .
	Subsurface flow: Unknown. Explain findings: Dye (or other) test performed:
	Tributary has (check all that apply): Bed and banks OHWM ⁶ (check all indicators that apply): clear, natural line impressed on the bank changes in the character of soil shelving vegetation matted down, bent, or absent leaf litter disturbed or washed away sediment deposition water staining other (list): Discontinuous OHWM. ⁷ Explain:
	If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply): High Tide Line indicated by: Oil or scum line along shore objects Fine shell or debris deposits (foreshore) Physical markings/characteristics Other (list): Mean High Water Mark indicated by: Survey to available datum; Physical markings; Vegetation lines/changes in vegetation types.
	mical Characteristics: racterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain: water color is relatively clear, slightly tannic in nature.
Iden	tify specific pollutants, if known: unknown.

(iii)

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

⁷Ibid.

abutting	or ad	Riparian corridor. Characteristics (type, average width): large tracts of undisturbed lands/wetlands adjacent to creek. Wetland fringe. Characteristics: The tributary contains areas where it is more wetland than tributary, but has numerous lijacent wetlands. Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings: the multiple habitats found along this tributary would provide habitat for are dependent on aquatic resources as part of the life cycle.
2. Cha	aract	eristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
(i)		Wetland Characteristics: General Wetland Characteristics: Properties: Wetland size:10.56? acres Wetland type. Explain:Forested. Wetland quality. Explain:moderate. Project wetlands cross or serve as state boundaries. Explain: no.
the RPW		General Flow Relationship with Non-TNW: Flow is: Perennial flow . Explain: Abutting/Adjacent wetlands are part of a swamp like wetland system that surrounds
		Surface flow is: Discrete Characteristics: Subsurface flow: Unknown. Explain findings: Dye (or other) test performed:
	(c)	Wetland Adjacency Determination with Non-TNW: ☐ Directly abutting ☐ Discrete wetland hydrologic connection. Explain: ☐ Ecological connection. Explain: ☐ Separated by berm/barrier. Explain:
	(d)	Proximity (Relationship) to TNW Project wetlands are 20-25 river miles from TNW. Project waters are 10-15 aerial (straight) miles from TNW. Flow is from: Wetland to navigable waters. Estimate approximate location of wetland as within the 5 - 10-year floodplain.
(ii)	Cha	emical Characteristics: aracterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: water is relatively clear. ntify specific pollutants, if known:
(iii _.		Riparian buffer. Characteristics (type, average width): Vegetation type/percent cover. Explain:forested/cypress wetland. Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings: reptiles, amphibians, small mammals.

3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: 30 (or more)

Approximately (500 +/-) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

Directly abuts? (Y/N)	Size (in acres)	<u>Directly abuts? (Y/N)</u>	Size (in acres)
Wetland A (N)	6.625	Wetland D (N)	3.808
Wetlands to South (Y/N)	300 +/-	Wetlands to North (Y/N)	200 +/-

Summarize overall biological, chemical and physical functions being performed: storage of flood waters, reduction of downstream peak discharge and volume, recharge of aquifers/ maintenance of groundwater supplies, sediment and nutrients removal, provide breeding grounds, assist in maintenance of a more consistent water temperature in the tributary, provide wildlife habitat (e.g. feeding, nesting, spawning, rearing of young.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and
 other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: Florida is in the Eleventh Circuit and the Eleventh Circuit has concluded that the Kennedy standard is the sole method of determining CWA jurisdiction in that Circuit. Therefore, unless the aquatic resources are traditional navigable waters or wetlands adjacent to traditional navigable waters, the Corps needs to conduct a significant nexus determination on all other waters in order to determine jurisdiction under the CWA. United States v. McWane, Inc., et al., 505 F.3d 1208 (11th Cir. 2007). The Corps has determined that for this review, Cypress Creek and Wetlands B and D have more than an insubstantial or speculative effect on the physical, chemical, and biological integrity of the downstream TNWs, as described in Section III(C) of this form.
- 5. Physical: The wetlands perform important flow maintenance functions including storage of flood waters and a release of these waters into the tributary in a more even and consistent manner. Therefore, the wetlands directly affect the duration, frequency, and volume of flow in the tributary and the downstream navigable water. The wetlands reduce local flooding. Storage of surface waters provides groundwater recharge that contributes to baseflow in the tributary that is vital to sustain aquatic life in downstream waters.
- 7. Chemical: The wetlands improve water quality by removing sediment and nutrients that would otherwise reach downstream waters and have a negative effect on aquatic resources.

Biological: The wetlands are of utmost importance biologically since the majority of other non-wetland areas in the watershed have been altered for agriculture, residential, or other purposes. These wetlands provide breeding grounds for species that cannot reproduce in faster-moving water and move between wetlands and uplands over their lifecycle. The wetland, along with the tributary system, provide wildlife habitat (e.g. feeding, nesting, spawning, rearing of young) for many aquatic species that live in traditional navigable waters. The wetlands also maintain a more consistent water temperature in tributaries, which is important to many aquatic species .

D.	DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL
	THAT APPLY):

1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area: ☐ TNWs: linear feet width (ft), Or, acres. ☐ Wetlands adjacent to TNWs: acres.
2.	 RPWs that flow directly or indirectly into TNWs. ☐ Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: ☐ Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
3.	Non-RPWs ⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters:
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. □ Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. □ Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: □ Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is
	seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
	Provide acreage estimates for jurisdictional wetlands in the review area: 10.43 acres.
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.

⁸See Footnote # 3.

		v	etlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and ith similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this inclusion is provided at Section III.C.
		Provid	e estimates for jurisdictional wetlands in the review area: acres.
	7.	As a g	endments of jurisdictional waters. ⁹ chernel rule, the impoundment of a jurisdictional tributary remains jurisdictional. emonstrate that impoundment was created from "waters of the U.S.," or emonstrate that water meets the criteria for one of the categories presented above (1-6), or emonstrate that water is isolated with a nexus to commerce (see E below).
E.	SUC	GRAD CH WA which from w which Intersta	D [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, ATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY TERS (CHECK ALL THAT APPLY): 10 re or could be used by interstate or foreign travelers for recreational or other purposes. which fish or shellfish are or could be taken and sold in interstate or foreign commerce. The or could be used for industrial purposes by industries in interstate commerce. The isolated waters. Explain: The country of the
	Idei	ntify w	ter body and summarize rationale supporting determination:
		Tributa Other 1	mates for jurisdictional waters in the review area (check all that apply): ry waters: linear feet width (ft). con-wetland waters: acres. tify type(s) of waters: ls: acres.
F.		If pote Wetla Review	SDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): ntial wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers d Delineation Manual and/or appropriate Regional Supplements. area included isolated waters with no substantial nexus to interstate (or foreign) commerce. ior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the Migratory Bird Rule" (MBR). do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: (explain, if not covered above):
	facto	ors (i.e. gment (Non-v Lakes	non-wetland waters: acres. List type of aquatic resource: .
		nding is Non-v Lakes Other	eage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such required for jurisdiction (check all that apply): etland waters (i.e., rivers, streams): linear feet, width (ft). conds: acres. non-wetland waters: acres. List type of aquatic resource: ds: 1.3 acres.

SECTION IV: DATA SOURCES.

⁹ To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.
¹⁰ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

. SUŁ	PORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checke
and	d requested, appropriately reference sources below):
\boxtimes	Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant:Meryman Environmental.
	Data sheets prepared/submitted by or on behalf of the applicant/consultant.
	Office concurs with data sheets/delineation report.
	Office does not concur with data sheets/delineation report.
	Data sheets prepared by the Corps: .
	Corps navigable waters' study: .
\boxtimes	U.S. Geological Survey Hydrologic Atlas:RAR layer Google Earth.
	☑ USGS NHD data.
	USGS 8 and 12 digit HUC maps.
	U.S. Geological Survey map(s). Cite scale & quad name: .
\boxtimes	USDA Natural Resources Conservation Service Soil Survey. Citation:RAR layer Google Earth.
\boxtimes	National wetlands inventory map(s). Cite name:RAR layer Google Earth.
	State/Local wetland inventory map(s): .
	FEMA/FIRM maps: .
	100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)
\boxtimes	Photographs: Aerial (Name & Date):Google Earth 1995-2016.
	or \square Other (Name & Date):
	Previous determination(s). File no. and date of response letter:
	Applicable/supporting case law: .
	Applicable/supporting scientific literature: .
	Other information (please specify):

B. ADDITIONAL COMMENTS TO SUPPORT JD: A desk review was completed using current and historical aerial imagery, the National Hydrography Dataset flow lines, and other remotely sensed data available using the Districts Resources at Risk database to determine presence and proximity of wetlands and surface waters.

Non-jurisdictional Waters: Wetland B is considered isolated with no significant nexus to downstream waters. The wetlands appears to be a depressional feature in the landscape.

There is one upland cut pond that would be considered a pre-amble water as it is excavated from uplands for the purpose of agriculture.

Jurisdictional Waters: Wetlands A and D are adjacent to Cypress Creek and function as hydrological inputs to the Cypress Creek system. This area includes a large headwater wetland system for Cypress Creek and the downstream Hillsborough River. The wetlands on the project site have been separated from the system by a roadway, however, culverts are present to allow cotinuous flow to downstream waters.



